

# MP\_351C-RYSLMT-MOD\_Richland Industries

Reference Document 09-03-2021



## Pictured

351 Compression Riveter

w/ : Roof Top Rail Yoke (modified chamfer on nose)

: SM210 rivet set

: SM SM201-4556/4568 rivet set

: Modified P073008-SADJ return piston cap w/ 1/2X20 thread  
Bellville Washer, nut & 1/2X20 adjuster bolt.

: P073240 Spring Guard




Standard adjustable stroke cover removed  
& replaced w/ smooth cover

Will need 2 different upper rivet sets SM200-4556/4568  
SM201-4556/4568

One lower Set SM210  
Spacer SM-50


# MP\_351C-RYSLMT-MOD\_Richland Industries

Reference Document 09-03-2021



SM 201-4556/4568

Chamfered Roof Top Rail Yoke




Rivet set holder  
P073237 & rivet set are in forward position  
due to return piston adjuster bolt.



# MP\_351C-RYSLMT-MOD\_Richland Industries

Reference Document 09-03-2021



PN: HS-UNF40102G5Z  
Adjuster Bolt

PN: N3-UNF40G5Z  
Lock Nut

PN: BW2-W40  
Bellville Washer

PN: P073008-SADJ  
Stroke adjustable return  
cylinder cap

