NEW - REBUILT - PARTS - SERVICE AIR - ELECTRIC - HYDRAULIC - WELDING - TESTING AUTOMOTIVE & INDUSTRIAL TOOLS



The Nation's Your Cousin In The Nation's The Tool Business! Automotive Toolbox®

2012 Summer Vol. 121



AQVT55VB01PG01 \$1,500.00 VT55(OBDII)TPM PROMO(MEGAKIT

Test wheel sensors and reset the TPMS light on Domestic, European and Asian vehicles. 98%+ coverage (multilingual)

- Required for many tire rotations or sensor replacements.
- Easiest TPM diagnostic tool to operate
- · Selection of vehicle make only needed
- Duplicate sensor warning
- · Auto detection, RF detection
- Easily updatable, Internal Li-Ion battery.
- FREE GOODS (Value Over \$475.00)







3/8" Drive Air Ratchet

 50 ft/lbs of torque and a variable speed lever throttle Includes a FREE Smoothie Maker with on the go cup!



DISTRIBUTED BY:

TABLE OF CONTENTS

AC Repair. 2-12 AC Disconnects. 17 Air Brush. 98 Air Hammers 92,93,110 Air Line. 72,96-98,106-109 Air Operated Rivet Guns 80 Air Ratchets. 110-113 Angle Drills 115 Antifreeze 14 ATF Repair 17,42 Auto Dark Helmets 78 Axle. 25,29,32 Axle Jacks 45,47,48 Ball Joint 25-27 Battery Service 52-58 Bead Breaker 38 Bearing. 20,23,25,27,29 Bench Grinders. 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crakhshaff 20-24 Compressors 97,98,110,111 Couplers 106-108 Crakhshaff 20-24 Crepers 99,100 Cut Off Tools 89-91 Cutting Rits 75-75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Pullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Pullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Pullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Pullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Pullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Pullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Fullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Fullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Fullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Fullers 77,73 Detailing 85-87 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Den Fullers 75,256,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 92,29 Extension Sets 137	AC Disconnects	AC Panair	2.12
Air Brush 98 Air Hammers 92,93,110 Air Line 72,96-98,106-109 Air Operated Rivet Guns 80 Air Ratchets 110-113 Angle Drills 115 Antifreeze 14 ATF Repair 17,42 Auto Dark Helmets 78 Axle 25,29,32 Axle Jacks 45,47,48 Ball Joint 25-27 Battery Service 52-58 Bead Breaker 38 Bead Breaker 38 Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Bracke Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools	Air Brush 98 Air Hammers 92,93,110 Air Line 72,96-98,106-109 Air Operated Rivet Guns 80 Air Ratchets 110-113 Angle Drills 115 Antifreeze 14 ATF Repair 17,42 Auto Dark Helmets 78 Axle 25,29,32 Axle Jacks 45,47,48 Ball Joint 25-25 Bead Breaker 38 Bear Breaker 38 Bear Breaker 38 Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Picks 73 Boyler Pace 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 33,44 Campling Tools 19,20 Carts 99,100 </td <td></td> <td></td>		
Air Line	Air Line		
Air Operated Rivet Guns	Air Operated Rivet Guns		
Air Ratchets	Air Ratchets		
Angle Drills	Angle Drills	•	
Antifreeze	Antifreeze		
ATF Repair	ATF Repair	O .	
Auto Dark Helmets	Auto Dark Helmets 78 Axle 25,29,32 Axle Jacks 45,47,48 Ball Joint 25-27 Battery Service 52-58 Bead Breaker 38 Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Boy Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Rits 75- Cutting Pilers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 85 Engine Repair 16-24,28,29,50 Extension Sets 137		
Axle Jacks	Axle Jacks		
Ball Joint	Ball Joint	Axle	25,29,32
Battery Service 52-58 Bead Breaker 38 Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Cranks	Battery Service 52-58 Bead Breaker 38 Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pilers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 81,84 Door Tools 81,84 Dorr Tools 81,84 Dorr Tools 81,84 Dorr Tools 91,94 Direction 19,102 Electrical Test 52-56,64-66 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	Axle Jacks	45,47,48
Bead Breaker 38 Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Colision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers <td>Bead Breaker 38 Bearing. 20,23,25,27,29 Bench Grinders. 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs .55 Borescope .63 Brake Repair 28-36 Brass Punch Sets .79 Brushes 104,106 Bucket Pumps .39,40 Caliper Tools .33,34 Cam/Timing Tools .19,20 Carts .99,100 Chain Hoists .51 Chassis Repair .24-27,64 Chisels .69,70,79 Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compression Testers .19 Compression Testers .19 Compressors .97,98,110,111 Couplers .90-10 <tr< td=""><td></td><td></td></tr<></td>	Bead Breaker 38 Bearing. 20,23,25,27,29 Bench Grinders. 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs .55 Borescope .63 Brake Repair 28-36 Brass Punch Sets .79 Brushes 104,106 Bucket Pumps .39,40 Caliper Tools .33,34 Cam/Timing Tools .19,20 Carts .99,100 Chain Hoists .51 Chassis Repair .24-27,64 Chisels .69,70,79 Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compression Testers .19 Compression Testers .19 Compressors .97,98,110,111 Couplers .90-10 <tr< td=""><td></td><td></td></tr<>		
Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Colision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cutting Rits	Bearing 20,23,25,27,29 Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compressors 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers 99,100 Cutting Kits	'	
Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Rits </td <td>Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs .55 Borescope .63 Brake Repair .28-36 Brass Punch Sets .79 Brushes .104,106 Bucket Pumps .39,40 Caliper Tools .33,34 Cam/Timing Tools .19,20 Carts .99,100 Chain Hoists .51 Chassis Repair .24-27,64 Chisels .69,70,79 Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compressors .97,98,110,111 Couplers .106-108 Crankshaft .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Rits .75 <t< td=""><td></td><td></td></t<></td>	Bench Grinders 51 Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs .55 Borescope .63 Brake Repair .28-36 Brass Punch Sets .79 Brushes .104,106 Bucket Pumps .39,40 Caliper Tools .33,34 Cam/Timing Tools .19,20 Carts .99,100 Chain Hoists .51 Chassis Repair .24-27,64 Chisels .69,70,79 Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compressors .97,98,110,111 Couplers .106-108 Crankshaft .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Rits .75 <t< td=""><td></td><td></td></t<>		
Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 <	Bit Sets 115-116,125,139 Blow Guns 109 Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers </td <td></td> <td></td>		
Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pull	Body Picks 73 Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Rits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pull		
Body Repair 70-98 Booster Pacs .55 Borescope .63 Brake Repair .28-36 Brass Punch Sets .79 Brushes .104,106 Bucket Pumps .39,40 Caliper Tools .33,34 Cam/Timing Tools .19,20 Carts .99,100 Chain Hoists .51 Chassis Repair .24-27,64 Chisels .69,70,79 Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compression Testers .19 Compressors .97,98,110,111 Couplers .106-108 Crankshaff .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Kits .75 Cutting Pliers .80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 <td>Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Deta</td> <td>Blow Guns</td> <td>109</td>	Body Repair 70-98 Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Deta	Blow Guns	109
Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagno	Booster Pacs 55 Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagno	Body Picks	73
Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial	Borescope 63 Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial	, ,	
Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34	Brake Repair 28-36 Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34		
Brass Punch Sets .79 Brushes .104,106 Bucket Pumps .39,40 Caliper Tools .33,34 Cam/Timing Tools .19,20 Carts .99,100 Chain Hoists .51 Chassis Repair .24-27,64 Chisels .69,70,79 Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compression Testers .19 Compressors .97,98,110,111 Couplers .106-108 Crankshaff .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Kits .75 Cutting Pliers .80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-	Brass Punch Sets 79 Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94	•	
Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31	Brushes 104,106 Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31	•	
Bucket Pumps	Bucket Pumps 39,40 Caliper Tools 33,34 Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Door Tools 84 <td></td> <td></td>		
Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Door Tools 84 D	Cam/Timing Tools 19,20 Carts 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Door Tools 84 Door Tools 84 Dorp Lights 119,120		
Carts. 99,100 Chain Hoists. 51 Chassis Repair 24-27,64 Chisels. 69,70,79 Circuit Testers 64,65 Cleaning. 102,104-106 Clutch Tools. 30 Code Readers 60-63 Collision Repair. 72-74 Compression Testers. 19 Compressors. 97,98,110,111 Couplers 106-108 Crankshaff. 20-24 Creepers. 99,100 Cut Off Tools. 89-91 Cutting Kits. 75 Cutting Pliers. 80,126-130 Cylinder Bore. 33,34 Dent Pullers. 71,73 Detailing. 85-87 Diagnostic. 53-63 Dial Indicators. 33,34 Die Grinders, Acces. 88-94 Disconnects. 17,24,31 Door Tools. 84 Door Tools. 84 Dorp Lights. 119,120 Electrical Test. 52-56,64-66 <td>Carts. 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels. 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools. 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors. 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits. 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 <t< td=""><td>Caliper Tools</td><td>33,34</td></t<></td>	Carts. 99,100 Chain Hoists 51 Chassis Repair 24-27,64 Chisels. 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools. 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors. 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits. 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 <t< td=""><td>Caliper Tools</td><td>33,34</td></t<>	Caliper Tools	33,34
Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64	Chain Hoists 51 Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64	Cam/Timing Tools	19,20
Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers .64,65 Cleaning 102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compression Testers .19 Compressors .97,98,110,111 Couplers .106-108 Crankshaff .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Kits .75 Cutting Pliers .80,126-130 Cylinder Bore .33,34 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Door Tools .84 Dorp Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers <	Chassis Repair 24-27,64 Chisels 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorr Tools 84 Dorr Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66		
Chisels. 69,70,79 Circuit Testers 64,65 Cleaning. 102,104-106 Clutch Tools. 30 Code Readers 60-63 Collision Repair. 72-74 Compression Testers. 19 Compressors. 97,98,110,111 Couplers. 106-108 Crankshaff. 20-24 Creepers. 99,100 Cut Off Tools. 89-91 Cutting Kits. 75 Cutting Pliers. 80,126-130 Cylinder Bore. 33,34 Dent Pullers. 71,73 Detailing. 85-87 Diagnostic. 53-63 Dial Indicators. 33,34 Die Grinders, Acces. 88-94 Disconnects. 17,24,31 Door Tools. 84 Door Tools. 84 Dorr Tools. 84 Dorr Tools. 81,84 Driling. 114-116,125 Drip Pans. 42 Drop Lights. 119,120	Chisels. 69,70,79 Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors. 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits. 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorr Tools 84 Dorr Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Ele		
Circuit Testers 64,65 Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair .72-74 Compression Testers .19 Compressors .97,98,110,111 Couplers .106-108 Crankshaff .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Kits .75 Cutting Pliers .80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Dorip Pans .42 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Circuit Testers .64,65 Cleaning .102,104-106 Clutch Tools .30 Code Readers .60-63 Collision Repair .72-74 Compression Testers .19 Compressors .97,98,110,111 Couplers .106-108 Crankshaff .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Kits .75 Cutting Pliers .80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Door Tools .84 Dori Tools .84 Dori Dights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .6	•	
Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Door Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Cleaning 102,104-106 Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorr Tools 84 Dorr Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 <t< td=""><td></td><td></td></t<>		
Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorr Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Clutch Tools 30 Code Readers 60-63 Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dorr Tools 84 Dorr Tools 84 Dorp Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Collision Repair 72-74 Compression Testers .19 Compressors .97,98,110,111 Couplers .106-108 Crankshaff .20-24 Creepers .99,100 Cut Off Tools .89-91 Cutting Kits .75 Cutting Pliers .80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Door Tools .84 Dorip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Collision Repair 72-74 Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dori Tools 84 Dori Tools 81,84 Drilp Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	-	
Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Doro Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Compression Testers 19 Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dor Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Compressors 97,98,110,111 Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits .75 Cutting Pliers 80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Door Tools .81,84 Drilling .114-116,125 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Compressors 97,98,110,111 Couplers 106-108 Crankshaft 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 84 Dori Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits .75 Cutting Pliers 80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators .33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools .84 Door Tools .81,84 Drilling .114-116,125 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Couplers 106-108 Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	•	
Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits .75 Cutting Pliers 80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Door Tools .81,84 Drilling .114-116,125 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Crankshaff 20-24 Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	•	
Creepers 99,100 Cut Off Tools 89-91 Cutting Kits .75 Cutting Pliers 80,126-130 Cylinder Bore .33,34 Dent Pullers .71,73 Detailing .85-87 Diagnostic .53-63 Dial Indicators .33,34 Die Grinders, Acces .88-94 Disconnects .17,24,31 Door Tools .84 Dorling .81,84 Drilling .114-116,125 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Creepers 99,100 Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	•	
Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Cut Off Tools 89-91 Cutting Kits 75 Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Cutting Pliers 80,126-130 Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Cylinder Bore 33,34 Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	Cutting Kits	75
Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Dent Pullers 71,73 Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	Cutting Pliers	80,126-130
Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Detailing 85-87 Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137	,	
Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers .69 Exhaust 2,29	Diagnostic 53-63 Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Dial Indicators. 33,34 Die Grinders, Acces. 88-94 Disconnects. 17,24,31 Door Tools. 84 Door Tools. 81,84 Drilling. 114-116,125 Drip Pans. 42 Drop Lights. 119,120 Electrical Test. 52-56,64-66 Engine Ear. 64 Engine Repair 16-24,28,29,50 Engravers .69 Exhaust 2,29	Dial Indicators 33,34 Die Grinders, Acces 88-94 Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Die Grinders, Acces. 88-94 Disconnects. 17,24,31 Door Tools. 84 Door Tools. 81,84 Drilling. 114-116,125 Drip Pans. 42 Drop Lights. 119,120 Electrical Test. 52-56,64-66 Engine Ear. 64 Engine Repair 16-24,28,29,50 Engravers .69 Exhaust 2,29	Die Grinders, Acces. 88-94 Disconnects. 17,24,31 Door Tools. 84 Door Tools. 81,84 Drilling. 114-116,125 Drip Pans. 42 Drop Lights. 119,120 Electrical Test. 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Disconnects 17,24,31 Door Tools .84 Door Tools .81,84 Drilling .114-116,125 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Disconnects 17,24,31 Door Tools 84 Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Door Tools 81,84 Drilling 114-116,125 Drip Pans 42 Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Door Tools .81,84 Drilling .114-116,125 Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29 Extension Sets .137		
Drilling 114-116,125 Drip Pans .42 Drop Lights 119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair 16-24,28,29,50 Engravers .69 Exhaust 2,29	Drilling 114-116,125 Drip Pans .42 Drop Lights 119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust 2,29 Extension Sets .137	Door Tools	84
Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29	Drip Pans .42 Drop Lights .119,120 Electrical Test .52-56,64-66 Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust .2,29 Extension Sets .137		
Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Drop Lights 119,120 Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Electrical Test 52-56,64-66 Engine Ear 64 Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Electrical Test. 52-56,64-66 Engine Ear. .64 Engine Repair 16-24,28,29,50 Engravers .69 Exhaust 2,29 Extension Sets .137		
Engine Ear. .64 Engine Repair 16-24,28,29,50 Engravers .69 Exhaust 2,29	Engine Ear .64 Engine Repair .16-24,28,29,50 Engravers .69 Exhaust 2,29 Extension Sets .137		
Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29	Engine Repair 16-24,28,29,50 Engravers 69 Exhaust 2,29 Extension Sets 137		
Engravers 69 Exhaust 2,29	Engravers .69 Exhaust 2,29 Extension Sets 137		
	Extension Sets137		
Extension Sets			
	Extractors76,131-133		
Extractors			

	22,28
Fasteners	83
Fault Finders	62,63
Files	126
Filter Crusher	44
Filter Wrenches	43,44
Filters, Air	94
Flange Tools	80
Flaring	10,35,36
Flashlights1	,121-124
Flex Hones	29,38
Fluid Transfer	39-44
Freon Detectors	11
Front End	27
Fuel Service	17-19
Funnels	15,42,43
Fuses	64
Gasket Punch	23
Gasket Scrapers	89
General Purpose Shop Tools	28,29
Generators, Inverters	3,83
Glasses	103
Gloves101,102	,104,106
Grease, Lube	39-42,66
Grinders51,	
Hammers and Striking Tools	
Head Bolt Sockets	23
Headlight Aiming	
Heat Guns	
Hex Bit Sets	
Hole Saws	
Hose and Acces	
Hose Clamp Pliers	
Impact Sockets	
Impact Wrenches	
Import Specialty	
Jacks and Stands	
Jacks and Stands	
Knives	
Leak Detection	
	-74
Lighting	.119-124
Lighting	.119-124 67,68
Lighting	.119-124 67,68 64
Lighting	.119-124 67,68 64 33,34,72
Lighting	.119-124 67,68 64 33,34,72 67,68
Lighting	.119-124 67,68 64 33,34,72 67,68 23
Lighting	.119-124 67,68 64 33,34,72 67,68 23 57-62
Lighting	.119-124 67,68 64 33,34,72 67,68 23 57-62
Lighting	.119-124 67,68 64 33,34,72 67,68 23 57-62 110
Lighting	.119-124 67,68 64 33,34,72 67,68 23 57-62 110 64,66 59-62
Lighting	.119-124 67,68 64 33,34,72 67,68 23 57-62 110 64,66 59-62 41-44
Lighting	.119-124 67,68 64 33,34,72 67,68 23 57-62 110 64,66 59-62 41-44
Lighting	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98
Lighting	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83
Lighting	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Picks 13	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68
Lighting	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Picks 13 Pilot Bearing Pullers and Pipe Plug Sockets	.119-124 67,68 64 33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68 23 43,44
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Picks 13 Pillot Bearing Pullers and Pipe Plug Sockets Pipe Wrenches 126	.119-124 67,68 64 33,34,72 67,68 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68 23 43,44
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Picks 13 Pillot Bearing Pullers and Pipe Plug Sockets Pipe Wrenches 126 Pliers 66,80	.119-124 67,68 64 33,34,72 67,68 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68 23 43,44 23
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Pilot Bearing Pullers and Pilot Bearing Pullers and Pipe Plug Sockets Pipe Wrenches 126 Pliers 66,86 Polishers	.119-124 67,68 64 .33,34,72 67,68 57-62 110 64,66 59-62 41-44 23 95-98 134 104 .15,67,68 134 104 .15,67,68 134 104 .15,67,68 130 131 .126-130 .86,87,90
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Pilot Bearing Pullers and Pilot Bearing Pullers and Pipe Plug Sockets Pipe Wrenches Pilers	.119-124 67,68 64,63 57-62 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68 23 43,44 .130,131 .126-130 86,87,90
Lighting	.119-124 67,68 64 .33,34,72 57-62 110 64,66 59-62 41-44 23 95-98 64,66,83 134 104 15,67,68 23 43,44 .130,131 .126-130 86,87,90 72
Lighting Magnets Manuals Measuring Mirrors Motorcycle Tools Multimeters Needle Scalers O Rings OBD II Oil Change Oxygen Sensor Parts Kits Parts Trays Parts Washers Pilot Bearing Pullers and Pilot Bearing Pullers and Pipe Plug Sockets Pipe Wrenches Pilers	.119-124 67,68 64,63 57-62 110 64,66 95-62 134 95-98 64,66,83 134 104 .15,67,68 23 43,44 .130,131 .126-130 .86,87,90 72 62,63 15

Pressure Washers	105 106
Pry Bars	
Pullers	
Pumps	
Punches	70,79,81
Radiator	13-15
Radio Tools	
Ratchets1	
Razor Scrapers	
Regulators	
Rivet Guns	
Safety	103
Sand Blasters	
Sanders	
Saws	
Scan Tools	
Scrapers	
Screw/Nut Drivers	132-135
Serpentine	
Sharpeners	
Shoes	
Shop Equipment	
Short Testers	
Slide Hammers	20,71
Smoke Machines	58
Snips	
Socket Holders	
Socket Sets1	
Soldering	
Spark Plug	16,18,148
Spot Weld	
Spray Guns	
Sprayers	
Stethescopes	
Strut	
Stud Welders	
Suction Cups	74
Tap and Die	
Tarps	
Test Leads	
Thermometers	
Thread Repair	16,32,131
Tie Rod	25,26
Tire Repair	31.33.36-39.66
Tool Boxes	
Tool Holders	
Torches	
Torches 1	78,82,83
Torque Multipliers1	78,82,83 40,144,148,149
Torque Multipliers 1 Torx 1	78,82,83 40,144,148,149 28,133-137
Torque Multipliers 1 Torx	78,82,83 40,144,148,149 28,133-137
Torque Multipliers 1 Torx	78,82,83 40,144,148,149 28,133-137 63
Torque Multipliers 1 Torx	
Torque Multipliers	78,82,83 40,144,148,149 28,133-137 63 45 45 135,139
Torque Multipliers 1 Torx	78,82,83 40,144,148,149 28,133-137 63 45 45 135,139
Torque Multipliers	78,82,83 40,144,148,14928,133-137 634517,45,49135,139
Torque Multipliers	78,82,83 40,144,148,14928,133-137 634517,45,49135,139
Torque Multipliers	
Torque Multipliers	
Torque Multipliers 1 Torx 7 TPMS 7 Trailer Tools 7 Transmission 7 Triple Square 7 Tubing Tools 7 Unlocking Tools 7 UV Detection 7 Vacuum Pumps 7 Vacuums 7	
Torque Multipliers 1 Torx 7 TPMS 7 Trailer Tools 7 Transmission 7 Triple Square 7 Tubing Tools 7 Unlocking Tools 7 UV Detection 7 Vacuum Pumps 7 Vacuums 7 Vise Grips 7	
Torque Multipliers 1 Torx 7 TPMS 7 Trailer Tools 7 Transmission 7 Triple Square 7 Tubing Tools 7 Unlocking Tools 7 UV Detection 7 Vacuum Pumps 7 Vacuums 7	
Torque Multipliers 1 Torx 7 TPMS 7 Trailer Tools 7 Transmission 7 Triple Square 7 Tubing Tools 7 Unlocking Tools 7 UV Detection 7 Vacuum Pumps 7 Vacuums 7 Vise Grips 7	
Torque Multipliers 1 Torx 7 TPMS 7 Trailer Tools 7 Transmission 7 Triple Square 7 Tubing Tools 7 Unlocking Tools 7 UV Detection 7 Vacuum Pumps 7 Vacuums 7 Vise Grips 7 Vises 7 Washers 7	
Torque Multipliers 1 Torx 1 Torx 1 TPMS 1 Trailer Tools 1 Transmission 1 Triple Square 1 Tubing Tools Unlocking Tools UV Detection Vacuum Pumps Vacuums Vise Grips Vises Washers Welding	
Torque Multipliers 1 Torx 1 Torx 1 TPMS 1 Trailer Tools 1 Transmission 1 Triple Square 1 Tubing Tools Unlocking Tools UV Detection Vacuum Pumps Vacuums Vise Grips Vises Washers Welding Wheel Sockets	
Torque Multipliers 1 Torx 1 Torx 1 Torx 1 TPMS 1 Trailer Tools 1 Transmission 1 Triple Square 1 Tubing Tools Unlocking Tools UV Detection Vacuum Pumps Vacuums Vise Grips Vises Washers Welding Wheel Sockets Window Tools	
Torque Multipliers 1 Torx 1 Torx 1 TPMS 1 Trailer Tools 1 Transmission 1 Triple Square 1 Tubing Tools Unlocking Tools UV Detection Vacuum Pumps Vacuums Vise Grips Vises Washers Welding Wheel Sockets	



GREAT VALUES FROM TRUSTED BRANDS

Seasonal



POWER GLIDE SINGLE EDGE KNIFE

The "Paratrooper" Knife -Simply split the handles and draw them apart for the blade to appear

• Length, Open: 9.3", Closed: 5.6", Blade: 3.8"

SWPGBT

\$24.79

Pages 2-12

Engine Service

MOTORVAS

FUEL SYSTEM CLEANING AND DECARBONIZING MACHINE

Features Unique adapters make it easy to hook up to vehicle's fuel rail, saving time and money.

An easy to use online
 application guide
 provides visual, step by step instructions

MTV500-0220

\$1.479.29

Pages 13-24

Chasis/Brake/Tire

Fowler

X-PROOF WATER RESISTENT INDICATOR SET

Used to accurately measure small linear distances and check variations in tolerance during inspections.

 Base dimensions: 2" x 2-11/32" x 1-13/16"

FOW72-585-155



\$80.22

Pages 25-39

Battery/Lube/Lifting

Biackhawk Automotive



22 TON AIR/HYDRAULIC TRUCK JACK

Compact low profile design for maximum access.

 Low height 9.75, high height 21.75"

FREE Pair of 22 Ton Jack Stands

BH6221



Pages 40-56

Diagnostic/Utility



CARBON FIBER POWER PROBE III

It's a Mega Testing and Diagnosing Circuit Tester!

 Power up electrical components, on or off the vehicle to determine if working, amongst hundreds of other test features.

PPPP319CARB

\$149.41

Pages 57-70

Body Repair



Great for repairing headlight holding fixtures, and other high cost plastic parts

 Saves time and cost so expensive parts do not have to be replaced

NP090100

\$230.67

Pages 71-99

Storage/Power Tools

TRAXION engineered products



Designed to adjust low enough for easier access to difficult locations

Large 5" casters provide excellent mobility

REL2-700

\$178.13

Pages 100-119

Lighting



RECHARGEABLE MAGNETIC LED WORK LIGHT

Strong Magnetic Base Attaches to Any Ferrous Metal, Rotating Head Pivots to Direct Light to Any Needed Angle

 24 High Intensity LED Lights, Sturdy Aluminum Red Housing

ULRT2-LTCH

\$49.45

Pages 120-125

Hand Tools

IRWIN.



75 PIECE RATCHETING DRIVE TAP AND DIE SET

Features the Performance Theading System. Tap and Die New Threads with Confidence!

Comes with popular metric and SAE sizes

HA1813816

\$229.30

Pages 126-156


MTerraLUX.

InfiniStar CR LED Rechargeable Flashlights

Modular flashlight design - Will never become obsolete due to new LED technlolgy • 300 lumen output, 9" long

Over 2 hours runtime on a single charge
 Tactical beam pattern for max throw, &





MTerraLUX.

LightStar 80 Pen Lights



- A rubber BiteGrip allows your hands to be free
- A high CRI LED enhances ambient colors
- 5 hour runtime, 5" long
- Comes with 2AAA alkaline batteries and high tension, reversible pocket clip



Item #	Color	Price
TLXTLF-802AAA-BK	Grey	\$26.35
TLXTLF-802AAA-BL	Blue	\$26.35
TLXTLF-802AAA-BLK	Black	\$26.35
TLXTLF-802AAA-OR	Orange	\$26.35
TLXTLF-802AAA-RD	Red	\$26.35
TLXTLF-802AAA-SV	Silver	\$26.35







SEASONAL AND SHOP PRODUCTS



FRESH AIR OZONE PURIFIER BOX

Ozone is the most powerful sterilant commercially available to kill bacteria, viruses, odors, & mold spores.

- Eliminates mold, mildew, & bacteria from mobile A/C systems & cabin interiors.
- · AC & DC power, & programmable timer.
- · Perfect for automobiles, RVs, boats, or other spaces with lingering odors or bacteria.

CG170AIR





CYCLONE 2000 PORTABLE COOLING STATION

What a Great Way to Keep Your Immediate Work Area Cool! This Unit Will Lower a 500 Square foot Area up to 30°

- · Uses standard 120 Volt AC Power
- · 2000 CFM, with an 8 Gallon reservoir
- · Water level sight tube and sump drain
- 3/4" garden hose connection for longer running 3/4 galder nose connection
 Cools without chemicals or refrigerants
 Dimensions 24" wide x 35" deep x 31" height
 \$770.15

PACCYC02



3 SPEED AIR MOVER

The heavy-duty Professional Air Mover is designed to power up to 500 CFM

- Features 3 speed air control
- Cord Length: 10 Feet

SP1032100





1600 CFM PORTABLE AIR BLOWER

- Features 3 speed air control, 2 operating positions, and 30 ft. power cord, cord wrap for easy storage,
- · 1/2 Peak HP

SP1030200





WORLD WIND 3 SPEED FAN

3-Speed Fan Switch, Built-in overload protection

 Moves air up to 300 CFM, AO8710









Port-a-Cool Evaporative Coolers are completely assembled and ready to operate, right out of the box. They are made using one-piece molded plastic polyethylene housing which eliminates leaking and rust.

• The First Choice for use in Professional Sports. Just use a 3/4" garden hose connection to supply the water to cool your zone.



Item #	Fan	Speeds	CFM	Amps	Cool Area Sq'	Water	Price
PAC2KCYC01	Personal	2	3400/3000	5.6	700	16	\$1,011.40
PAC163SVT	16"	3	2500/3300/3900	5.3	900	42	\$1,577.15
PAC2K361S	36"	1	9600	12.4	2500	32	\$2,740.17
PAC2K482S	48"	2	11000/20000	13.7	4000	40	\$4,553.35



Item #		HP	Peak/Rated Watt	Outlets	Run @ 1/2 Load	Price
STLSP-GG100	Α	2	1000/850/7amp	1/120 AC, 1/12V	8.5 hrs	\$249.16
STLSP-GG120	В	2.8	1200/1000/8.3a	2/120 AC 1/12V	7	\$459.63
STLSP-GG200	С	3	2000/1400/11.6a	2/120 AC 1/12V	9	\$437.54
STLSP-GG300	D	6.5	3250/2800/20.8	2/120 AC 1/12V	8	\$518.22
STLSP-GG350	E	6.5	3500/3000/25	2/120, 1/120/240, 1/12V	8.5	\$677.38
STLGG-750E	D	13	7500	2/120, 1/120TL, 1/120/240TL, 1/12V	9	\$1,082.58
						SHIPS BY TRUCK

CRUSHPROOF TUBING COMPANY Exhaust Tubing Hoses

Item #	Style	Size	Self Con.	Price
EXACT400DYNO	High Heat	4″x11′	No	\$278.42
EXACT500	Standard	5″x11′	No	\$314.11
EXACT600	Standard	6″x11′	No	\$396.68
EXAFLT250	Flared End	2.5"x11'	Yes	\$165.36
EXAFLT300	Flared End	3″x11′	Yes	\$137.78





POPULAR AC REPAIR

DIGITAL R134A RRR MACHINE



- · SAEJ2788 approved for the fully automatic operation
- 10 Micron 6CFM dual stage vacuum pump
- · Utilizes state of the art microprocessor controlled ball valves to avoid flow stops
- · Easy to program with simple commands · Comes complete with a 50LB DOT Tank, 8 foot hoses and couplers.







Oil-mist preventer exhaust cap keeps the oil in the pump not on the floor. No Hassle One Year Warranty

Item #	CFM	Price
CCVP6S	6	\$176.92
CCVPC2SU	2	\$114.40
CCVPC4SU	4	\$147.93




These Devices Protect Recovery Equipment and Vehichle Parts From Debris, Sealants and Contaminations. All From A Single Tool.

DUAL AUTOMATIC RECYCLE GUARD FOR R134A

- Compatible with all automatic A/C service equipment
- Switches automatically from recover to recharge
- · High and Low side protection all in one

• Traps shavings, desiccant particles, sealant & debris AR75000 \$463.24

PRO-SET ®OIL-**FILLED REFRIGERANT RECOVERY MACHINE**



- · Built-in suction filter located under suction port
- · Direct Vapor: 0.38lbs/min, Direct Liquid:
- 3.03lbs/min
- Push-Pull Liquid:12.22lbs/min (332kg/hr)

CCCR500

\$944.06



Unit Incorporates High and Low Side Charging



\$497.38

A/C CHARGE GUARD FOR **HYBRID VEHICLES**

- Eliminates risk of electrical damage caused by PAG oil entering electric compressors
- · Incorporates High and Low side refrigerant charging

AR72161



7 CFM VACUUM PUMP SINGLE STAGE

- · Cools down as deep and fast a Vacuum as a two stage pump
- Two stage performance using twin-port technology™ · Removes moisture and non-condensable gases
- 1/4" M.F x 1/2" Acme, 75 micron rating 3/4 horse, 3450 RPM
- Oil Capacity 17 ounce, comes with 2 bottles of oil

FJ6916



\$239.92

\$6,608.89

SPX

ROBINAIR

Single Stage Vacuum Pumps

These 110 Volt Robinair VacuumPumps feature the "One Year No Hassle Over the Counter" Replacement Warranty





RA15115

RA15310 RA15510

			10710010	
Item #	CFM	Ports	LWH"	Price
RA15115	1.5	R12/R134	11.25/5/9	\$127.48
RA15310	3	R12/R134	12.5/13.25/5.5	\$175.19
RA15510	5	R12/R134	13 25/5 5/9 75	\$224.83





Item #	Picture	Туре	Price
RA48134A	Α	Brass	\$100.35
RA49134A	В	Aluminum	\$117.24





R134A COMPUTERIZED FREON RECYCLER

Database expansion slot allows for vehicle specific charging info. The optional vehicle database makes it easier and faster to determine the charge capacity for refrigerant and oil. Included is the total system oil capacity as well as replacement oil amounts by component. The database (No. RA34411) covers vehicles from 1994-2007.

· Fully automatic function lets you recover, vacuum, leak test, charge, and then walk away.

RA34788

\$5,584.27

R134A AC RRR HYBRID/NON-HYBRID SERVICE MACHINE

RA34788-H

\$5.668.24

Get Cash Back when Purchasing Any of Robinairs RRR Machines!

Manufactured to the Highest Standards. Each Set Includes manual service couplers and 60' hoses for R134A service











SHIPS BY TRUCK

SPX ROBINAIR

PREMIUM A/C RRR MACHINE

Premium R134A Recover, Recycle, and Recharge A/C machine

Features: Automatic Dye Inject, Automatic oil measure & inject, A/C system flush, Print results function, Job completion

notification alarm, and more time saving functions.

Just set and walk away.

RA34988

SHIPS BY TRUCK

R134A MANUAL RRR MACHINE

Recovers, recycles, evacuates, leak tests, and recharges R-134A quickly and accurately.

· Features: Automatic Air Purge, Refrigerant Charging, Refrigerant Management, Vacuum

Function, New 4x20 multilingual display **RA34288**

\$4,467.93

34788 SD DATABASE INFORMATION UPDATE

 Charge capacity is imported to the charge model

· No more guessing how much oil to add back when replacing components.

RA34411-B

\$245.31



AC CHARGING AND DIAGNOSTICS





AC PROMOTIONAL PACKAGE

Get all the basic needs at once with this AC bundle pack. Kit includes:

- R134a Brass Manifold, 60" Hoses, **Economy Couplers**
- Air Operated Light Duty Vacuum Pump
- · 3-IN-1 Side Mount Can Tap Valve
- Universal Valve Core Remover
- 1" Pocket Analog Dial Thermometer 0 to 220?F
- Compact UV Leak Locator Kit (53580)
- Charging and Depressor Assortment (91207)

ML66661-KIT

\$229.81





ALUMINUM BLOCK MANIFOLD WITH SITE GLASS

- · Aluminnum site glass block with 60" Hoses in a Plastic Box
- Uses Standard couplers designed to work in the Mastercool tightest quarters. Also can be used with existing R12 hoses and snaps easily to A/C service ports
- Includes 85530 3 in 1 can tap tool for use on R-12, R-134a & 2oz oil cans

ML89660-PRO5

₩Mastercool ...



\$128.44

AND UV DYE INJECTOR

- R134A Aluminnum site glass block with 60" Hoses in a Plastic Box
- Uses Standard couplers designed to work in the tiahtest auarters. Also can be used with existing R12 hoses and snaps easily to A/C service ports
- Includes 10 Application Mini Dye Injector

ML89660-UV

✓Mastercool <u>...</u>




ALUMINUM MANIFOLD AND UV DYE INJECTOR PACKAGE

- R134A Aluminnum site glass block with 60" Hoses in a Plastic Box
- · Uses manual couplers with spring loaded depressors and will not damage service valves.
- Includes 10 Application Mini Dye Injector ML89661-UV

\$148.83





R134A BRASS MANIFOLD

Includes Manual quick couplers and 60" hoses \$99.58

ML66661

▼Mastercool ...



BRASS R134A MANIFOLD

- Manual couplers with 60" Hoses.
- Manual couplers have spring loaded depressors and will not damage service valves.

ML84661

\$131.76



Allows For A Target Vacuum Range To Be Programmed With A Light Sensor Indicator.

DIGITAL VACUUM GAUGE IN CASE

- · Sensor: Thermocouple sensor
- Operating Temperature: 32 degrees F to 120 degrees F
- Range: 20,000 to 1 micron, Accuracy Range*: ATM - 1000 Microns: ±5% of reading, 1000 - 100 Microns: ±3% of reading, 100 - 1 Micron: ±1.5%

ML98061

\$242.27



VECHICLE SPECIFIC DATA

Manufacturers Include all major brands. SPECIFICATIONS: Connection: 1/2" acme or 1/4" flare. Battery Life: 50-60 hours continuous use, Low Battery Indicator: Special ICON on LCD

ML99872-A

\$239.98




VALUE PACK
All the components needed for basic AC test maintenance. This kit includes:

- 90062-A Single stage 3 CFM Vacuum Pump
- R134a Brass Manifold, 60" Hoses, with Manual Couplers
- 3-in-1 Side Mount used on R-12, R-134a & 2oz oil cans
- Universal Electronic Leak Detector 55100 featuring multiple Detection levels with Visual Leak Level Indicator

ML90062-A-KIT



MANIFOLD GAGE SET



R1234yf high and low side couplers with extended disconnect protection sleeve meets SAE J639 & J2888

ML83272





50 LBS R134A Recovery Tank Without Float Switch \$189.05

ML66010

50 LBS R134A Recovery Tank

With Float Turn off Switch

30 LBS R134A Recovery Tank With Float Turn off Switch

ML67010 \$239.89 30 LBS R134A Recovery Tank

Without Float Switch

ML64010



R134 ALUMINUM BLOCK MANIFOLD SET

- 72" Hoses-Quik Couplers
- · Aluminum Block Design with Sight Glass.
- Anti-Flutter Design Gauges.
- Additional Access Port.



R134A ALUMINUM MANIFOLD PROMO KIT

• 72" hoses with Manual Couplers

 Includes Thermometer, Valve Core Remover, and R134a Can Tap in a Plastic Case

FJ6785

\$148.02



VACUUM PUMPS AND CHARGING EQUIPMENT





AUTOMATIC FREON RECYCLER WITH VEHICLE DATA

- Features Pre-Installed Vehicle Specific Information
- to Automatically Install the Proper Amount
- Internally Mounted 30 LBS Tank with IMO Tank Full Switch
- Recovers and recycles 1 LBS/minute. Programable recharge
- · Auto vacuum test, Auto oil discharge, auto alarm
- Desgin certified for compliance with SAE J2788

ML69788 \$3,799,95 **▼**Mastercool ...

TWIN TURBO RECOVERY MACHINES

New double piston compressor and cooling by the largest fan and condenser in the market makes the new 69300 series the most complete solution to your recovery needs!

- · Includes an oil separation module, filter dryer and sight alass
- · Revolutionary double piston oil-less compressor
- · Safety high pressure switch

For use with all refrigerants including R410A

Item #	Picture	Style	Price
ML69300	Α	Industrial	\$1001.69
ML69360	В	Automotive with Tank	\$1506.79



Recovers and Removes Oil From Refrigerant.



CERTIFIED AUTOMOTIVE AC RECOVERY SYSTEM

This system is designed to meet SAE J2810 and is compact, lightweight and works with all refrigerants. The unit offers a state of the art ½ hp oil-less compressor with a built-in high volume cooling fan.

- Offers a State of the Art 1/2 hp Oil-less Compressor with a built-in High Volume Cooling Fan for Fast Recovery
- Designed Certified to meet SAE J2810
- · Includes Recovery Unit, 30 lb DOT Tank, a 60" Yellow Service Hose, 72" Blue and Red Conversion Hoses, UL Approved High and Low Side R134a Manual Couplers and Oil Purge Bottle

ML69110

\$1,343.77

✓Mastercool ...



PORTABLE EVACUATION/ **CHARGING STATION**

A lightweight, durable, steel frame cart that contains all the necessary tools to quickly and conveniently charge the A/C system.

- Extruded aluminum manifold with long lasting valve design
- 2 1/2" gauges, hoses and manual couplers
- 240 lb capacity scale & 6 CFM vacuum pump

ML91585-B





6 CFM VACUUM PUMP

- Powers from a 1/4 horse motor with 75 microns of ultimate pull
- Uses maximum single stage power to give the feel of heavier duty pumps

ML90066-A





3 CFM VACUUM PUMP

High performance single stage with a deep vacuum 3 CFM air displacement with an ultimate vacuum of 75 Microns.

• 1/4 Horse Power pump, 1720 RPM

ML90062-A

\$153 75

\$134.52





1.5 CFM VACUUM PUMP

- 1/6 horespower motor
- Internal check valve on pump access fitting prevents oil blow ou
- Ultimate vacuum 100 microns

ML90059

▼Mastercool ... **AIR OPERATED VACUUM PUMP**

 Requires 4.5 CFM/90 PSI shop air. No moving parts, no oil required, 1.3 CFM air displacement venture type pump will pull up to 29 inches of vacuum (Hg.) at sea level. Includes 1/4° flare (R12) connection and 1/2" ACME (R134a) connection.

ML91200

\$66.86



Two Stage Performance **Using Twin-Port** Technology™

AC Repair Starter Kit

 Includes 6912 (5 CFM Vacuum pump) Includes 2850 (Electronic Scale), in

Shelf Storing ABS carrying case.
• Includes 6761 (72" R134A Freon Manifold Set). Features 72" Hoses-Quik Couplers & Sight Glass, Aluminum Block Design

FJTEDA1





3 CFM VACUUM PUMP

Two Stage Performance Using Twin-Port Technology Lightning Fast Design Removes Moisture and Non-Condensable gases that can destroy any A/C or Refrigeration system Lightweight

 Micron Rating: 75, Fitting Size: 1/4" M.F.x 1/2" ACME.

FJ6909

Two Stage Performance **Using Twin-Port** Technology™

5 CFM VACUUM PUMP

Tested-Proven-Reliable. Specifications: 5.0 CFM 75 Micron Rating 1/4" M.F.x 1/2" Acme Fitting Size 115V, 60 1Ph. 1/3 HP 1725 RPM 8.0 Oz. Oil Capacity





1.5 CFM VACUUM PUMP

Two Stage Performance Using Twin-Port Technology. Designed for Home & Commercial Use, R12 and R22 Use (1/4" SAE Fitting Included), Automotive R134a Use (1/2" ACME Fitting Included). Includes 8oz. of vacuum pump oil

FJ6905



\$104.54



1.3 CFM AIR VACUUM PUMP

90 psi minimum air pressure required. Fitting Size- 1/4" M.F. x 1/2" ACME

FJ6900

\$35.08



AIR CONDITIONING UV LEAK DETECTION

UV Leak Detection



SPOTGUN 12 VOLT UV LED LEAK DETECTION KIT

Services up to 64 vehicles. Quickly and easily injects due into A/C systems. Eliminates over injection and mess

- Features: Cordless/Rechargeable 12V UV MicroLED-LiteTM, Hybrid Safe UV A/C Dye (SAE-J2297 Certified & OEM approved)
- Kit Includes: Spotgun® Injection Gun, 12V UV MicroLED-LiteTM, One Universal A/C Dye Cartridge (8oz/240mL), UV enhancing glasses, 4 (AA) Batteries

UV414560

\$204.31



SPOTGUN JR LEAK DETECTION KIT

Services up to 20 vehicles. A professional dye delivery system utilizing the Phazer Lite - leadingedge technology with the use of 18 True-UV LED's

 Features: Spotgun Jr. Injection gun system with the new Phazer Lite with 18 True- UV LEDs to illuminate all UV leak detection dyes.

UV332000A

\$125.21



SPOTGUN INJECTION SYSTEM

- Easy Loading Pre-Filled Dye Cartridges
- Connects To Low Side Port & Prevents Venting Of Refrigerant Into The Atmosphere, Works With R-12 And R134A Refrigerants
- Includes: 1 Universal Dye Cartridge UV471500

\$102.68



• Spotgun jr. Injector, pico-lite

- Light, univ. A/C dye cartridge · R-134a adapter, r-12 adapter
- Glasses, service stickers

UV332220

\$102.30





1 WATT LUXEON

- · Professional compact fluorescent leak detection light
- · Utilizes a luxeon® led bulb, the latest in high intensity led technology
- UV glasses and 3 aa batteries included

UV413020

\$65.64





- · Light, univ. A/c dye cartridge
- · R-134a adapter, r-12 adapter
- · Glasses, service stickers

UV332010





6 LED LITE

- Professional compact fluorescent leak detection light w/ 6 LED's to illuminate all UV leak detection dves
- UV protection glasses and 3AA

UV413010

\$27.53



	UVIEW OILS & DYE SAE J2297 OEM APPROVED	
UV399020	Spot Gun Jr. Replacement Dye	\$43.63
UV488108E	8 Oz. Ester Oil Cartridge	\$12.76
UV488125P	Pag Oil Cartridge 125 Visc.	\$12.76
UV499108	Universal 8oz. AC Dye Cartridge	\$58.05
UV499109	Universal A/C Dye Cartridge with eBOOST	\$37.74

FLUKE

UV REFRIGERANT LEAK DETECTOR FLASHLIGHT

- Six UV LEDs
- · Laser pointer clearly locates center
- Three LED flashlight with 100,000 hr

FLRLD2

\$73.76



PRO SHOT DYE INJECTION SYSTEM

The Most Precise and Accurate Injection System on the Market.

- The Pro-Shot gun measures exactly 1/8oz of dye
- Eliminates over-injection · Includes 8oz cartridge of Stay-
- Brite Universal AC Dye.

BG130221



UV Flashlight

R134A RED DYE PREMIUM REFRIGERANT WITH LEAK STOP

Contains 12 oz R134a, and 1 oz of Leak Stop with red dye and O'ring conditioners.

View leaks without the aid of UV lights



R134A STOP LEAK WITH **RED DETECTION DYE**

Will only seal holes in rubber hoses & enlarges "O" rings



SUPER SEAL PREMIUM A/C SYSTEM LEAK REPAIR KIT

- Permanently seals leaks in condensers, evaporators, accumulators, compressors, gaskets, o-rings, metal lines & rubber hoses.
- Professional formula is easily installed

CG946KIT

\$40.35



16 oz.Universal eBoost **Performance Enhancing** Oil Dyes

- Includes MoistureGuard Technology
- eBoost Rejuvenates rubber seals and

O-rings to prevent leaks in AC systems



Pag Oil with Dye

\$16.92





UV LEAK DETECTION





AC DYE INJECTION SYSTEM

- · The easiest and most accurate gun available today.
- · No guesswork a pre-measured application every time.
- · One squeeze injects a pre-measure amount (1/8 oz.) of dye. No more adding too much dye.
- Brightest dyes in the industry, exceeds all industry performance standards
- OEM backed and approved
- Meets the new SAE J2297 standard for use with both R134A and R1234YF

\$147.92





Pulsating light makes finding UV dyes e · Adjustable focal lengthdetects leaks up tp 20

On/off strobe function

Uses 3 x AAA battery powered (included).

CG88DC



UV RECHARGABLE PHAZER LEAK DETECTION LIGHT

- High Output UV LED True UV: Fluoresces dyes brighter than blue LED lights
- Adjustable Lens Focus: Allows for focusing light intensity
- Rechargeable Lithium Ion Battery: Years of trouble free battery life
- · Compact Design: Perfect for use in tight areas
- Durable Aluminum Construction

UV413025



Get Your Customers On The Freon Insurance Plan



LEAK GUARD AC INSURANCE KIT

- LeakGuard permanently and safely seals A/C leaks in both rubber and metal components.
- It works by seeking out the oxygen present at the leak point. When combined with the pressure in the system, LeakGuard™ is pushed through the leak causing it to congeal and form a permanent chemical weld at the leak point.

UV480300

STREAMLIGHT



TWIN-TASK 3C **UV TITANIUM**

- · Combination of 6 UV LED'S and 1 Xenon Bulb
- 3 Modes of Lighting. Push-button switching
- Uses 3 C Alkaline Batteries

SG51018

\$55.79







	AC Dyes meet standard J2297	The same
FUTP3400-0601	Universal engine oil dye 6 pack	\$36.18
FUTP3405	Single application oil, fuel, atf universal dye	\$4.79
FUTP3812	Hybrid A/C Dye Kit Includes 3, specially packaged hybrid dye capsules and injection parts	\$73.49
FUTP3820-0601	R 134a PAG oil bottles, 6 pack	\$56.84
FUTP3900-0601	Coolant System Dye for standard coolants, 6 pack	\$23.96
FUTP3920-0601	Auto Body Leak Check dye 6 pack	\$26.62
FUTP3940-0601	Dye-Lite® Rite-Blend™ Dye – For Extended Life Coolants! including red/orange or yellow	\$26.62
FUTP9760-0108	8 Oz. R134A Pag Big EZ Dye Cartridge	\$57.44
FUTP9770-004CS	4 Oz big ez 32 vechicle universal dye cartridge	\$51.16
FUTP9770-0108	EZ Cartridge Universal Dye 8 oz Cartridge	\$61.54
FUTP9875-0601	Universal R-134a, Mini-EZ cartridges 6 pack	\$32.37







OPTI-LITE CORDLESS FLASHLIGHT KIT

- Power comparable to 50-watt lamps
- Inspection range of up to 2 feet (0.6m) or more, 100,000-hour bulb life, Powered by 3 AÁ batteries and Fluorescence-enhancing glasses included.

FUTP8620CS








UV SYRINGE STARTER KIT

Includes: OPTI-Lite™ 6-LED flashlight, Syringe A/C dye injector with hose for R-134a and R-12 adapter/purge fitting, 1 oz bottle co-solvent free universal A/C dye, services up to 4 vehicles, 1 oz bottle Dye-Lite All-In-One standard oil dye, services 1 vehicle, - 1 oz water-based bottle Dye-Lite, coolant dye, services 1 vehicle, 8 oz bottle of GLO-AWAY dye cleaner, fluorescence-enhancing alasses.

FUTP8621





 This Basic AC Starter kit gets the tech diagnosing for leaks more quickly than any other kit made.

FUTP8626

\$165.36

EZ JECT OPTI LITE KIT

Includes:TP-8620CS OPTI-Lite™ 6-LED, economy flashlight, EZ-Ject™ injector with universal A/C dye cartridge for servicing up to 14 vehicles, 1 oz bottle Dye-Lite, All-In-One™ standard dye for oil, fuel, ATF, PS and hydraulic leaks, services 1 vehicle, 1 oz bottle Dye-Life coolant/auto body leak dye, services 1 vehicle and Fluorescence-enhancing glasses and plastic case

FUTP8627

\$89.12



OPTIMAX JR EZ-JECT UV KIT

Complete OPTIMAX Jr /EZ-Ject™ kit - Powerful, Professional and Affordable!

 Includes EZ-Ject™ dye injector is the easiest, most accurate and most compact method of servicing a vehicle's A/C system with dye.

FUTP8647

\$103.80



THERMOMETERS AND AC SERVICE TOOLS



Use there thermometers for various diagnostics for AC, Brake, Engine and Chassis Repair. Most digital units measure in dual modes.

Item #		Style	Range	Notes	Price
Pocket, Digital,	and	Laser Non-C	ontact Thermo	meters	
RA10597	Α	Pocket	0-220F	1" Small Face Analog	\$9.96
RA10945	В	Pocket	0-220F	1.75" Large Face Analog	\$12.18
RA43230	С	Pocket	-40 to 390F	Digital Dual Degree	\$31.10
ML52220	D	Pocket	0-200F	Small Face Analog	\$8.04
ML52223-A	Е	Pocket	-58 to 302F	1" Digital Face	\$24.24
ML52224ASP	F	Infra-Red	-58 to 932F	Laser sighting non contact. Includes #52220 in carry case	\$57.56
ML52225-A-SP	G	Infra-Red	-83 to 1400F	Laser sighting non contact. Includes thermocoupler to contact measure up to 1900F	\$144.18
ML52224-C	Н	Infra-Red	-58 to 932F	Dual Laser sighting non contact	\$66.07
RKMT6	I	Infra-Red	-20 to 932F	Laser sighting non contact. 10:1 ratio at focus point. Includes case	\$64.80
RKST25	J	Infra-Red	-25 to 999°F	Smart sight Dual Laser sighting non contact. 16:1 ratio at focus point. Includes case	\$123.66



Top quality components packed in an easy pick package

Contains the most popular sizes

Popular Parts Kits			
TZ45201	270 Piece HNBR O-Ring Assortment	\$8.18	
TZ45202	407 Piece SAE O-Ring Assortment	\$17.21	
TZ45203	419 Piece Metric O-Ring Assortment	\$17.21	







Charging Module turns the ML98210 ACCU-CHARGE II into an Automatic Programmable Scale.

- Module allows the user to control the exact
- amount of refrigerant. Includes a short hose for tank connection, USB cord, & 1/4" FL-1/2" ACME adapter

\$179.13

ML98230



FREON SCALE

SMART CHARGE AUTOMATIC

- · Program and automatically transfer refrigerant to and from the A/C system.
- Over 700 models of cars from around the world is contained in the scale's memory.

\$525.96 ML98300

FLUKE

411D/62 DISTANCE METER **AND IR TEMP GUN KIT**

Laser Distance Meter and 62IR Non Contact Thermometer

- 62IR Laser distance meters utilizes simple design and easy one-button operation measures -40°C to 760°C
- 411D Invcreased accuracy for saving both time and money

FL3446013



ECONOMY SCALE

- 9" x 9" platform
- 175 lb. capacity

FJ2850





\$242.82

\$147.88



UNIVERSAL CHARGING HOSE REPAIR KIT

· Contains 50 pieces Fits all brand name aftermarket hoses for R12/R134

FJ6070

\$21.74





R134A POPULAR PARTS KIT

- 4 stems, 6 o-rings, 14 mm, 12 stem o-rings.
- 12 valve core depressors, 12 hose gaskets, 1/4".
- · 6 Quick SealTM o-rings for R-134a., 2 caps with straps, 1/2" Acme.. O-ring lubricant. Valve core remover/installer. 4 color-coded Lexan® handwheels and screws

Set of R-134a coupler o-rings, high- and low-side.

RA18576

\$90.07





- Charge Programming allows user to program desired auantities
- · Before charge is complete, an alarm will sound allowing user ample time to turn off refrigerant supply.
- · Allows user to know the amount of refrigerant that is left in the tank at any time
- Capacity of 240 lbs, removeable platform

ML98210-A

\$234.65





Wireless unit prevents unwanted tangles in wires

- Easily store the remote in the body of the platform
- · Keypad provides synchronization and zeroing
- · Extremely accurate weight sensor
- Magnet on remote allows easy placement on fixtures
- · Allows user to program desired quantities.
- Pause feature allows user to stop and continue charging (98315 model only)
- Tank capacity feature allows user to know the amount of refrigerant in the tank at any time.

Item #	Туре	Price
ML98310	Wireless Refrigerant Scale	\$275.19
ML98315	Wireless Refrigerant Scale with Solenoid	\$380.77



AC LINE, MANIFOLD FITTINGS AND COUPLERS



Service Couplers, Replacement Parts and Manifolds for R134A Air Conditioning Repair

FJ6005	Α	R134a 90° Quick Coupler Hi Side Female 14mm	\$12.64
FJ6006	В	R134a 90° Quick Coupler Lo Side Female 14mm	\$12.64
FJ6017	С	R134 Hose Connector	\$6.81
FJ6025	D	R12 To R134a Coupler Conversion Kit	\$29.34



Manual Couplers Adjust Easily To R134A Service Ports With Varying Dimensions. Spring Loaded Depressor Will Not Damage Service Valves. Can Be Removed From Service Ports Regardless Of Knob Position Without Losing Refrigerant.

ML82834	G	High Side Manual R134a 14mm-f X 16mm Quick Coupler	\$39.89
ML82834-E	С	High Side Manual R134a 1/4" Fl-m X 16mm Quick Coupler	\$42.11
ML82934	F	Low Side Manual R134a 14mm-f X 13mm Quick Coupler	\$39.89
ML82934-E	В	Low Side Manual R134a 1/4" Fl-m X 13mm Quick Coupler	\$39.89
ML84372	Н	R134a 72" Charging Hose Set	\$77.12
ML84721	Α	72" R134a Blue Hose	\$23.82
ML84722	Α	72" R134a Yellow Hose Auto Shut-off	\$31.12
ML84723	Α	72" R134a Red Hose	\$24.29

This Unique Patented Design Easily Snaps On And Off The A/C Systems Service Ports Under Any Pressures. The Swivel Feature Enables The User The Flexibility To Easily Access All Service Ports Even In The Tightest Quarters.

ML82214	E	E-z snap coupler (high side) r134a 14 mm-f- x 16mmm	\$50.44
ML82224 I	D	E-z snap coupler (low side) r134a 14mm-f x 13mm	\$50.44

R134 LOW SIDE QUICK COUPLER BLUE

· Blue, Low Side

RA18190A \$51.14 R134 HIGH SIDE QUICK COUPLER RED

· Red, High Side



COUPLERS AUTOMATIC TYPE

Compact design easily fits into tight quarters, which is especially handy for retrofits. Six-ball couplers provide a more stable grip on the fitting than do couplers with four balls.

RA18341 \$37.78



R134A QUICK STYLE COUPLER SET

- · Integral safety sleeve, which protects against injury and refrigerant loss if the coupler is disconnected under pressure.
- The compact design easily fits into tight quarters • Six-ball couplers provide a more stable grip on

RA18192

the fitting



3-IN-1 SIDE MOUNT CAN TAP Used on R-12, R-134a & 2oz oil cans

ML85530





REPLACEMENT AC VALVE CORE AND TOOL KIT

5 Different Valve Cores and Tools for Standard and Large Valve Cores

37 Pieces 20 Part # 2672, 3 Part # 2673, 4 Part # 2674, 4 Part # 2676, 4 Part # 2677, 1 Part # 2744, 1 Part # 2745

FJ2680





TANK AND HOSE CONNECTION **ASSORTMENT**

- Popular connection fittings for R12 and R134
- Connects hoses
- · Connections to Freon tanks, and more

FJ6072

A/C SYSTEM FLUSH SOLVENT

 Removes moisture, acid and contaminants-100% environmentally friendly Gallon size

FJ2128



\$48.68

MULTI-USE VEHICLE LINE EASY SPLICE KIT



- Quick, effective line repair with no line removal Installs in five minutes or less
- No special tools or adhesives needed
- For A/C, Transmission, Power Steering and Heater lines. Burst tested to 2300 PSI. Fits in tight places
- 8 times more sealing surface than standard compression fittings. One each 5/16", 3/8", 1/2", 5/8", 3/4" Repair Kits

AR76050

■ **®** AIRSEPT

CLICK LOCK SECURITY FREON LINE CAPS

- Patented caps show if A/C system has been opened
- Unique serial numbers
- allow easy Repair Order tracking Allows you to check for potential refrigerant

cross-contamination AR72921 \$52.04



AC SYSTEM FLUSH KIT Includes flush gun, hose and

canister adapter, to clean contaminents from AC systems

ML91046A

\$63.74





AC SERVICE TOOLS AND KITS

V-Mastercool ...

Use MI71201-001 A-REPK To **Field Service** Your Hydroflare Tool. Consists Of Assorted Parts.





UNIVERSAL HYDRAULIC FLARING TOOL SET

- Fabricates push connect flare, 1/4", 5/16" & 3/8"
- GM fuel line flare 5/16" & 3/8"
- 5 Double flaring adaptors for 3/16" 1/2"
- Metric bubble flare 4.75, 6, 8, & 10mm

ML71475





37° FLARING & DOUBLE FLARING HYDRAULIC TOOL KIT

- This kit fabricates 37 Degree Push Connect Flare 3/16, 1/4, 5/16, 3/8, and 1/2"
- · Applications include Aviation, Motorcycle and Industry

ML71480

\$379.92





FLARING SET, DOUBLE FLARING AND CUTTING TOOL SET

- Heavy duty tube cutter ML70033 (1/8" to 1 1/8" tubing);
- Standard 45° flaring tool flares 7 sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" and 5/8" O.D. tubing
- · Five double flaring adapters cover 3/16", 1/4", 5/16", 3/8" and 1/2" O.D.


ML70092



ISO METRIC BUBBLE FLARING TOOL Flares without removing brake lines from the vehicle.

- Includes hardened steel bar and carrying case.
- Set includes: Adapters for 4.75mm, 6mm, 8mm and 10mm tubina

ML71100







· 5 piece universal kit will remove and install any style orifice tube

ML92311

\$35.12





Item #	Pics.	Use	Price
ML81290	А	R134A Large Bore Valve Core Remover	\$7.87
ML81490	В	R134A Under Pressure Remover and Replaces	\$53.01
ML91290	С	Universal Valve Core Remover	\$7.87



A/C COMPRESSOR **CLUTCH INSTALLER/** REMOVER KIT



 Replaces clutches found on FS6, C171, 6P & 148 compressors GM R4 & A6, HR-6, DA-6 & V5 A/C compressors, Sanden compressors SD505, 507, 510, 575, 708 & 709

\$39.03

AO7886



ORAFICE TUBE REMOVER AND INSTALLER KIT

· Easily removes orifice tubes without damage.

for standard and "T"-top orifice tube

FJ2830







MASTER FLARING TOOL KIT

- 6 Kits in One Covers all the capabilities of the following separate kits;
- Single Flare Standard Lines 3/16" 5/8", 4mm 14mm
- Double Flare Standard Lines 3/16" 1/2", 4mm
- Bubble Flare Standard Lines 3/16" 1/2", 4.75mm - 10mm

OT6502



FLARING TOOL KIT

- Just dial and activate your required operation and the flaring is completed instantly sizes 3/16" to 3/8". Reduce flaring labor by 20 minutes or more per job
- Creates 45° & single (mushroom and bubble) flares; 45° sizes - 3/16", 1'4", 5/16" & 3/8" and DIN - 3/16" (4.75 mm)

SRRFT351

\$333.76

V-Mastercool ... \

HYDRA-KRIMP DELUXE A/C HOSE CRIMPER KIT

- Fabricate A/C hoses as easy as 1, 2, 3
- · Hand held hydraulic press is portable
- · Dies snaps quickly into holding fixture
- Comes with a complete set of dies for for sizes #6 , #8, #10, & #12 standard and reduced barrier hose

ML71500







BASIC A/C HOSE CRIMPER KIT

- Crips hoses fast & easy
- · Comes with four die sets for hose sizes (#6, #8, #10, & #12) and base for bench mounting
- ML71550

\$220.87





UNIVERSAL R12/R134A **VALVE CORE KIT**

- · Allows the user to remove or install the service port valve core without losing the systems
- Covers R12 and R134a systems. Includes five valve core arbors, high and low R134a couplers, ball valve assembly and 1/4", 3/16", 1/8" adapters for R12 systems.

ML58490

\$181.60





DELUXE CLUTCH HUB PULLER & INSTALLER KIT

· Kit contains a complete offering of A/C compressor clutch hub pullers and installers for GM, Ford, Chrysler and imports Includes a compressor identification chart and comes in a custom molded case

ML91000A

\$104.68





4 IN ONE TUBING BENDER

- For 3/16", 1/4", 5/16" and 3/8" (4,6,and 8mm) O.D. tubing Open side design slips over tube.
- Makes smooth short radius bends up to 90 degrees. Calibrated to show angle of bend

ML70069-A

\$37.87



AC SERVICE AND LEAK DETECTION

SPX ROBINAIR

Advanced Infrared Sensor Designed To Last A Minimum Of 10 Years.

INFRA-RED LEAK DETECTOR

- Three sensitivity levels down to 0 15 oz./year.
- · Automatically recalibrates in highly contaminated areas to help pinpoint the exact location of the leak.
- · Senses CFC, HFC and HCFC blend refrigerants.
- · 8-hour lithium Ion battery lasts all day long
- · Visual alert and peak button make it easy to find leaks in noisy environments.

RA22791

\$456.39



FREON LEAK DETECTOR

- For all CFC, HCFC, and HFC refrigerants.
- Uses corona discharge technology.
- · Audible and visual leak indications.

RA16600

\$211.60



RATCHETING **TUBING CUTTERS**

Designed for confined spaces. Unique ratcheting action operates like a socket ratchet but cuts copper, aluminum, stainless steel, and PVC Spring-loaded adjusting screw applies continuous pressure while cufting



1/8" to 1/2" tubing. RA42071

1/4" to 7/8" tubing.

RA42080

1/4" to 1-1/8" tubing.

RA42090

\$50.00

\$44.44







· For damage-free removal and installation of the clutch hubs on these air conditioning compressors: GM-Harrison DA-6, HR-5, V-5, A-6 and early R4; Nippondenso Ford/Chrysler A590, C171, FS-6, 6P148A (new style); Sanden & Sankyo; York/ Tecumseh HR980; Zexel/Mitsubishi CH series.

OT4535



UNDER PRESSURE VALVE CORE REMOVAL KIT

Remove the valve core without loss of vacuum.

- The VCR kit allows for servicing both high side & low side ports
- · Extractor shaft assemblies allow service of all valve cores in all R-134a and R12 systems

CG312KIT

\$109.87

UNIVERSAL FREON LEAK DETECTOR WITH UV LIGHT **ATTACHMENT**

Meets all US and International standards for utomotive use including SAE J2913 for HFO-1234yf,

SAE J2791 for R-134a and European Standard EN14624:2005.

 New E_MOS™ sensor technology incorporates a proprietary pulse modulation design to increase both battery and sensor life.

CCLDA1000UV

FREE!



Patented selective Water Vapor Filter allows operation in damp environments and checking evaporator leaks

MULTI FREON LEAK DETECTOR

Detects all refrigerant and blends-R12, R22, R123, R134a. 18" Flex probe, ten sensitivity lev Visual and audible leak location and intensity indicators. Patented selective Water Vapor Filter allows operation in damp environments and checking evaporator leaks. Exceeds SAE J1627 moving probe specifications.

CCLS790B




CLIP ON TRUE UV LIGHT



as a Inspection Mirror, Leak Detector or Video Boroscopes.

· Visually confirm leak sources.

CCUVMINI





AC ELECTRONIC LEAK DETECTION **VALUE BUNDLE**

Bonus: Includes and R134a Brass Manifold with 60' Hoses, Manual

Couplers, and a 3-in-1 Side Mount Can Tap Valve

- Offers an accurate and reliable solution to Electronic Leak Detection.
- · 3 Levels Of Sensitivity (5 Levels Of Detection)
- Visual Leak Level Indicator
- · Detects Leaks As Small As 1/10 oz Per Year
- Detects All Refrigerants, CFC'S, HCFC'S, HFC'S
- Includes a Custom Molded Carrying Case

ML55100-R-KIT





ELECTRONIC LEAK DETECTOR

- Visual Leak Level Indicator
- 3 Levels of Sensitivity (5 Levels of Detection)
 Detects Leaks as small as 1/10 oz (3gr) per year
- Includes a Custom Molded Carrying Case.
- Detects all refrigerants (CFC's, HCFC's, HFC's)
- Meets and exceeds SAE J1627

ML55100



The fast and affordable solution for repairing damaged A/C line including pinholes, cracks, and corrosion. Make both aluminum to aluminum and aluminum-to-rubber repairs.

- Kits include compression union, rubber hose adapter, clamp holder, and clamps
- (hose sold separately) Available in 3/8", 1/2", 5/8", and 3/4" sizes

3 / 9"

CDD V C 438

3KKAC030	3/6	\$29.10
SRRAC812	1/2″	\$29.16
SRRAC1058	5/8″	\$29.16
SRRAC40	3/8",1/2",	\$114.24

5/8", & 3/4"

\$20.16



Make instant repairs to A/C lines on hundreds of vehicles with this easy-to-use kit.

- Repair damaged rubber and aluminum lines including pinholes, cracks, kinks, and more
- On-the-car repairs made simple
- Make connections easily by hand; no specialty tools required
- Covers most common line sizes
- Both kits contain hose, compression unions and line adapters designed specifically for A/C repair applications
- Conforms to SAE J2064 specifications for low permeability
- Pressure rated up to 600 PSI

SRRAC1347 47 Piece Kit \$425.10

SRRAC1387 87 Piece Kit \$613.98



A/C LINE REPAIR/IN LINE FILTER KIT

Repair a damaged A/C line or install an in-line filter in as little as 5 minutes with this unique, dual-purpose repair kit

- REPAIR CARS, TRUCKS & SUVÜS Works on hundreds of domestic and foreign vehicles
- REDUCE LABOR Avoid difficult work removing and installing lines

SRRAC128

\$73.58



KNIVES AND SHARPENING TOOLS



Item #	Description	Price
	es feature SpeedSafe easy ide lock. Blade Length, 1-1	

KR1600	Silver	\$60.66
KR1600BLK	Black	\$79.34
KR1600PINK	Pink	\$56.00
KR1600SS	Stainless	\$79.34
KR1600VIB	Rainbow	\$79.34

Kershaw Leaks feature speed-safe assisted Open thumb-stud folder with index finger lever and safety lock. nlade length 3", handle length: 4", overall length: 7"

-		
KR1660	Silver	\$70.00
KR1660BB	Black/Blue	\$70.00
KR1660BR	Black/Red	\$70.00
KR1660CB	Composite	\$102.70
KR1660OCC	occ	\$84.02
KR1660PINK	Pink	\$74.68
KR1660ST	Serrated	\$70.00
KR1660TROUT	Trout	\$102.70
KR1660VIB	Rainbow	\$93.36



- PowerGlide brings back the design of the "Paratrooper" knife with updated materials & technology. Simply split the handles and draw them apart for the blade to appear.
- Features Zytel alloy for lighter weight and better grip.
- The lever arms are geared for smoother action and higher strength
- · Blade shape has a modern utility design.
- Comes with a cell-phone style carrying clipholster, allowing the knife to be worn securely while hanging from equipment
- while hanging from equipment.
 Length, Open: 9.325", Length, Closed: 5.625", Blade Length: 3.875"

SWPGBT

\$24.79



Item #	Pic	OAL	Handle	Blade	Price
SWBLOP3R	Α	7.7″	4.3"	3.4"	\$54.79
SWEE2BS	В	7.7"	4.4"	3.3"	\$59.78
SWCK109	С	7.4"	4.4"	3.0"	\$17.34
SW911N	D	8.2"	4.8	3.4	\$74.73
SWCK111S	E	7.3"	4.2"	3.1"	\$19.82
SWFR	F	8.0"	4.7"	3.3"	\$24.79
SWMP4LBS	G	8.6"	5.0"	3.6"	\$59.78
SWCK114L	Н	11″	6″	4.9	\$31.12
SW32C	ı	8″	5″	3″	\$21.16
SW3600C	J	8.1″	4.75"	3"	\$18.68
SW3600CS	K	8.1"	4.75"	3"S	\$18.68
SW3700	L	8″	4.7"	3″	\$18.68
SW3700S	М	8″	4.7"	3"S	\$18.68
SWBLOP3R	N	7.7″	4.3"	3.4"	\$54.79
SWBLOP3RS	0	7.7″	4.3"	3.4"S	\$54.79
SWBLOP3TBL	Р	7.7″	4.3"	3.4"	\$54.79
SWBLOP3TBLS	Q	7.7"	4.3"	3.4"S	\$54.79





- Offers 3 ways to sharpen your tools: Top Side with Tool Rest, the Chisel and Plane Iron Port and the Edge-Vision Port.
- Sharpens chisel and plane blades up to 2" wide to a perfect 20, 25, 30 or 35 degree bevel angle without any set up time!
- Allows you to sharpen a perfect 5 degree micro-bevel for even faster re-hoping
- micro-bevel for even faster re-honing.

 Air-cooled dry sharpening system

DDWS3000

\$269.17





BASIC MULTI FUNCTION TOOL AND BLADE SHARPENER

- Sharpen nearly any tool or blade in your shop.
- The WS2000 offers 3 ways to sharpen your tools: Top Side with Tool Rest, the Chisel and Plane Iron Port and the Edge-Vision Port.
- Sharpens chisel and plane blades up to 1 5/8" wide to a perfect 25 degree bevel angle without any set up time!
- without any set up time!
 1/5 HP, 1750 RPM Max Wheel Speed,

DDWS2000

\$144.15



FAST BACK UTILITY KNIFE WITH STRIPPER

- One Handed Blade Opening Flip Blade Open up to 3X Faster
- Tool Free Blade Change Change Blades up to 5X Faster
- Wire Stripper, Integrated Gut Hook Cuts Without Opening Knife

MWK48-22-1901

\$20.88



11 PIECE KITCHEN CUTLERY SET

Includes Steak Knives, Scissors, Sharpener, and Assorted Dicing and Chopping Blades Great for every day use, and dishwasher safe

ISSCH15CS

\$56.04





KNIFE SHARPENERS, POCKET AND UTILITY KNIVES



2 STEP KNIFE SHARPENER

The SharpNEasy™ 2 Step Knife Sharpener


- Features pre angled coarse and fine ceramic rods that maintain an accurate edge.
- Just 7 strokes for a smooth sharp finiish.
- · Light Weight
- •Rubber Molded Grip and Feet for Safety
- Lanyard Hole allows for easy attachment to string or cord or key chain


AP334CD



DURA EDGE SHARPENING SYSTEM

Guarantees a perfect edge on all types of blades • Features 70, 120, 600,





 Includes base for work bench mount to add additional precision when maintaing your blades sharpness

ISSCKIT1

\$49.82











The Knife Sharpener anyone can use!

 No more messy oils or stones. Only 10 seconds to sharpen all types of knives, cleavers, axes, machetes, and many other cutting tools.

 The large ergonomic handle fits either hand safely and securely.

Sharpening blades are Diamond Honed
 Tungsten Carbide for years of reliable use.

AP001C	Knife Sharp	\$13.31
AP002C	Shear Sharp	\$10.74
AP005C	Camo Knife	\$18.44





MIGHTY CUTTER

Makes accurate, straight cuts with clean edges on rubber or plastic hose, PVC pipe and certain types of wire and wire cable

- Handles up to 1 1/8" O.D. material
- For automotive, autobody, marine and aviation shop.

TA14300

\$23.14

GEARWRENCH

7



2 PC LOCKING HOSE CLAMP PLIER SET

- Innovative waffle iron design securely grabs and locks the wire hose clamp in place
- 2 pc set includes 7" and 9" pliers
- Chrome plated for a lifetime of corrosion resistance
- Ideal for cooling systems, hydraulic work, and brake lines
- Drop forged head provides extra strength and durability

KD82060

\$53.62

GEARWRENCH



HOSE CLAMP CABLE PLIERS

- Dual sided clamp allows for a range of 0-2" and 1-3"
- Lock mechanism keeps hose clamps steady during work
- Great for cooling systems, hydraulic work, and brake lines

KD82115

\$69.05



CABLE HOSE CLAMP PLIERS

 Allows for removal of plastic and/or metal selftightening hose clamps with diameters of 11/16" -2-1/2" (18mm - 54mm)

AO9409A







RADIATOR HOOK AND PICK SET

- 90 Degree Hook, C-Hook, 45 Degree Hook, Cotter Pin Puller
- 10" Overall Length Heat Treated and Tempered Steel with Dominator handle

MH60008

\$55.01



HEWI

Item #		Name	Description	Price
Smith & Wes	sson,	and Taylor Brands Pock	et Knives	
SWATL	Α	SWAT Tactical	4.8" (12.2cm), 3.7" (9.5cm), Stainless Steel Drop Point	\$54.53
SWCK46BT	В	Bullseye Extreme Ops	4.2" Blade Tanto Liner Lock 5.7" overall w/ nylon sheath	\$44.70
SWCKLP	С	Bullseye Little Pal Silver	2.3" Blade Plain blade, stainless handle	\$9.96
SWCKLPB	D	Bullseye Little Pal Black	2.3" Black blade, stainless Black handle	\$9.96
SWCKLPC	Е	Bullseye Little Pal	2.3" Blade Urban Camo blade, stainless Urban Camo handle	\$9.96
SWOTF2DB	F	Out the Front Bayonet	Slide button allows spring action and shoots the blade out the front. Blade: 3.0° with Window Breaker	\$54.79
SWSWFRS	G	First Response	3.3" First Response Folder Serrated Drop Point Blade, Seat Belt Cutter, & Window Punch	\$24.79
TBARMY1CS	Н	US Army Liner Lock	Linerlock black titanium drop point blade w/ thumb knob & index knob & hard rubberized MARPAT camo handle 3.3" blade, 4.5" handle	\$24.90
TBARMY3BS	I	US Army Tanto	Linerlock black titanium tanto blade w/ thumb hole & steel handle	\$24.90



RADIATOR SERVICE



major car brands. Includes pressure testing pump with gauge and hose, thermometer adaptors for testing.

- · Use for: Chrysler, Ford, GM, Mitsubishi, Nissan, Mazda, Toyota, Infiniti, Lexus, Honda, Audi, BMW, Mercedes Benz, Jeep, SAAB, Volvo, and VW
- · May also work on other brands not listed.

FJ43650



MASTER RADIATOR ADAPTOR AND CAP PRESSURE TEST KIT

For Use in Testing Radiators and Radiator Caps Confirms Radiator and Cooling Systems

- Leaks
- Test Radiator Caps for Proper Operation
- Includes Adapters for Late Model GM & Ford · Use for most brands on car manufacturers

FJ43645

\$307.02





encapsulate clamp compressing tips. · Tool allows the mechanic to easily rotate the

clamp to a position where it can be easily accessed for removal using this tool.

LT998 THEXTON

HEATER CORE



HEW!

- **BACKFLUSH TOOL** • Fits 1/2", 5/8", & 3/4" heater hoses.
- · Saves costly replacement of even most stubbornly clogged heater cores.
- · Basic garden hose hook-up cleans cooling systems & heater cores without disassembly.

TX356



22-GALLON PORTABLE POLY ANTIFREEZE DRAIN

- Designed for the high-volume automotive service facility.
- · 16" deep-drawn, offset steel funnel with expanded metal screen.
- 3" swivel casters and 10" fixed wheels
- Pop-up fluid level indicator, Includes gravity drain valve. Built-in filter drain

JDI-22DCAF

\$609.05



VACUUM PURGE AND REFILL KIT

- Allows for easy purge & refill of cooling system
- Unit is suitable for domestic and import vehicles
- Set includes: Radiator Cap Quick Coupler, and Coolant Hose Quick Coupler, Universal Rubber Radiator Adaptor and Coolant Hose

AO78586

\$102.20



Complete Coolant **Exchange in Less** Than 15 Minutes



Ships By Truck

COOLANT CLEAN 111

Excellent return on investment. One service per day will pay for the machine in Just a few monthsl

- System Allows for Both Static and Dynamic Óperation
- One Multi-Function Switch Operation
- On-Board Waste Tank has a 28 Quart Capacity
- Unique Vacuum Switch Allows for Cooling System Depressurization
- Easy Service Filter
- Industrial grade radiator hoses & adapters included Dual pump operation

MTV500-5100





EZ RED ANTIFREEZE HYDROMETER

• Range From +32(F) To-60(F)

EZS102

\$10.00



Universal Design Fits **Most Automotive** Radiators and **Expansion Tanks**

UNIVERSAL RADIATOR ADAPTOR

- · Universal design fits most automotive radiators and expansion tanks
- · Inlet fits standard adapter available on all brands of pressure testers

MYMV4506





GREAT BIG HOOKER JR

• 11" overall length with 6" exposed shaft.

TA13840

\$12.00



Handles Standard & Space Saver Clamps up to 2-3/32"

CATS PAW HOSE CLAMP PLIER

- · Solid, One Piece Construction!
- · Handles Standard & Space Saver Clamps up to 2-3/32"
- · Locking Device For Control & Comfort!

MH45650

CABLE HOSE CLAMP PLIERS

- Allows technician to access the flat-type hose clamps located in hard-toreach areas
- · Pliers has locking mechanism to hold clamp in the open position,
- · Heavy-duty 24" cable flexes to almost any position. Pliers is spring loaded to the open

OT4525





LOCK AND HOLD 14" **FLEXIBLE DRIVER SET**

Fits the most common hose clamp

sizes including 1/4", 7mm, and 5/16"
• Securely locks and holds clamps in place to prevent them from spinning around the hose

SRRLHD454

TOOL AID

HOSE CLAMP PLIERS SET

- Jaws rotate to access at any angle
- Ratcheting locking mechanism.

TA19750



GEARWRENCH.

Soft Hose Pinching Pliers

Used to pinch rubber hoses to stop flow of liquids. Popular for use on radiator and heater hoses, water, air, vacuum and fuel lines.





Solid Steel Hose Pinching Pliers

Pliers Have Comfort Grip Rubber Handles and are Self Locking for Secure Clamp Offs

0.75	\$18.91
1.25	\$27.77
2.5″	\$51.18
	0.75 1.25



RADIATOR SERVICE



UNIVERSAL RADIATOR PRESSURE TESTER & **VACUUM TYPE COLLING** SYSTEM KIT

- · Unit is suitable for domestic and import vehicles
- Color coded radiator test caps make it easy to choose the suitable test cap for the job
- Special design of vacuum purge & refill tool connection fits nearly all type of radiator
- 17pcs, uncluding universal adaptor and Test Caps for testing cooling systems on most domestic and import vehicles

AO78585

\$346.44



Designed to Fit Most Major Car **Brands**



UNIVERSAL RADIATOR PRESSURE TESTER

- Fits for most domestic and foreign vehicles,
- Includes pressure testing pump with gauge and hose, thermometer, 4 chromed steel cap adapters, and 8 anodized aluminum cap adapters. Also includes a quick-connect adapter to allow use with other cap adapters available on the market

AO7858





AIR LIFT II RADIATOR REFILL TOOL

- · Allows technician to quickly refill the cooling system and eliminate air locks that cause overheating, Connects to shop air supply
- Made of composite plastic

UV550500



GAS AND DIESEL COMBUSTION **LEAK TESTING KIT**

- · Confirms if the engine head is cracked by diagnosing radiator gases
- Dual Chamber filters out alkaline particles that may causea false positive
- Universal test solution for gas and diesel stock just one chemical
- C/W 16 ounce test fluid good for 16 applications.


UV560000

THEXTON



• Large Professional Size 16 1/4

TX106



COOLING SYSTEM PRESSURE TEST KIT

Α

AHFZ128

AHFZ138

AHFZ148

ΔHF722

AHFZ25

AHFZ29

AHFZ35A

AHFZ37

AHFZ41

AHFZ47

AHFZ55

AHFZ1002

Α

В

С

D

F

G

Н

J.

Κ

L

- Inflatable bladder attaches to radiator or header tank for universal system testing.
- · Fits bayonet and threaded filler necks on radiators or header tanks.
- · Fluid drain tube allows coolant to be returned to the coolant reservoir
- Complete with 4 double ended adapters for testing 8 different radiator cap types.
- Suits neck diameter up to 45 mm

PBT70888





- · Allows technician to quickly refill the cooling system and eliminate air locks that cause overheating, Connects to shop air supply
- Brass manifold

UV550000

\$176.92



Nissan, Eagle, Mazda Cooling System Adaptor

2000 Toyota Tundra, Celica GT-S, MR2 Spider.

VW, Audi cooling sys adaptor

Small Asian Cap Tester

GM & Ford 94 up sprt/SUV

Tank adapter Ford newer vech

new Beetle; 1999 VW Golf and Jetta

Tank Adapter for Dodge Sprinter Van Applicable to 2007-2008 Dodge Sprinter Van

Volvo, Jeep, Saab, Sterling Adapt

Dodge, Toyota, Mitsubishi Cooling System Adaptor

1996-2008 Audi A4; 1993-2008 Audi A6, VW Passat, and

European Set. Includes AHFZ 22, AHFZ 25, AHBMW350,

Applicable 2004 and newer Mazda 3, and Vovo S40 series.



\$51.16

\$51.16

\$39.41

\$34.51

\$34.51

\$13.74

\$49.19

\$49.19

\$49.19

\$49.08

\$48.79

\$276.59

COOLANT VACUUM KIT

Uses Shop Air to Evacuate & Leak Test an Auto's Cooling System

• Use to Refill Coolant in Minutes

FJ43610

STANT



RADIATOR PRESSURE TESTER KIT

 Operates to 30 psi for new high pressure cooling systems in Audi, BMW, Mercedes, Volkswagen, and other late model cars

SN12270





SPILL FREE FUNNEL W/ THREADED CAP

 Spill-Free™ Radiator Funnel Saves Time! Eliminates Spills and Mess

LS24610

\$28.35



SPARK PLUG REPAIR AND ENGINE SERVICE

5.4 Spark Plug Repair





5.4 SPARK PLUG PORCELIN EXTRACTOR

• The New Ford Spark Plug Porcelain extractor works to remove broke porcelain from Ford 5.4L engines Allows user to adhere extractor to porcelain and remove from the frozen stainless steel sleeve

ET39200



FORD SPARK PLUG REMOVAL KIT

• This tool kit is needed for the removal of sparks plugs that break off in the cylinder head during removal on 5.4L Ford engines

ET391

\$66.18





FORD SPARK PLUG INSTALLER KIT

- · Used to repair damaged heads from blown spark plugs with an alloy steel insert.
- Saves time, increases profit for the shop. Repair time could be as low as 20 minutes

FT38900





FORD TRITON 3-VALVE **INSERT INSTALLER KIT**

Designed to aid in the repair of a common problem in the Ford Triton family of motors.

- This kit will speed repair of damaged threads or blowouts in 30 minutes or less per cylinder.
- Needed for 3-valve 5.4 L and 6.8 L engines built before October and November 2007 and 3-valve 4.6 L engines built beforefound in 2004-2008 Ford, Lincoln and Mercury.

CV39300





\$255 77

• This tool set removes the broken spark plug from 2004 and up Triton 3 valve per cylinder engines,

LS65600

\$98.79

KeliCoil

Thread Repair and Replacement



Inch Coarse Master Set to repair 1/4-20" x .375 Length, Thread Size 5/16-18" x .469 Length, Thread Size 3/8-16" x .562 Length, Thread Size 7/16-14" x .656 Length, Thread Size 1/2-13" x .750 Length and Instalation Tools (one Per Size), and 4 Drill Bits (One Per Size).

HC5621

\$186.95

Inch Fine Master Set to repair 10-32 x .285 Length, Thread Size 1/4-28" x .375 Length, Thread Size 5/16-24" x .469 Length, Thread Size 3/8-24" x .562 Length, Thread Size 7/16-20" x .656 Length, Thread Size 1/2-20" x .750 Length, and Instalation Tools (one Per Size), and Instalation Tools (one Per Size), and 4 Drill Bits (One Per Size)

HC5625

\$271.06

Metric Fine Master Set to repair: M5x0.8 x 7.5mm Length, M6x1 x 9.0mm Length, M8x1.25 x 12.0mm Length, M10x1.25 x 15.0mm Length, and Instalation Tools (one Per Size), and 4 Drill Bits (One Per Size).

HC5626-125

\$188.57

Metric Coarse to repair M5x0.8 x 7.5mm Length, M6x1 x 9.0mm Length, M8x1.25 x 12.0mm Length, M10x1.5 x 15.0mm Length, and 4 Taps (One Per Size), and Instalation Tools (one Per Size), and 4 Drill Bits (One Per Size)

HC5626-150



Typically used in Cadillac, Honda, Toyota & other import vehicles

- Use on sizes 11mm x 1.5mm
- Kit includes:- High speed drill bit, High speed steel tap, Installation tool, 12 stainless steel inserts. HC1130

\$286.39

OXYGEN SENSOR THREAD REPAIR KIT

Piloted reamer - no drilling necessary to assure perfect alignment of the new tapped hole



Replaces stripped spark plug threads on aluminum heads with 14mm spark plugs. Installs a new spark plug thread insert in original thread location.

LS65000

\$110.65

HeliCoil





With Heli-Coil threads, tapped holes are strengthened and thread life is dramatically increased even after repeated assembly and

disassembly.	on anoi ropo	atou doco.	nory and
Item #	Size	Thread	Price
HC5521-1	1224	Coarse	\$33.65
HC5521-10	5/8″-11	Coarse	\$56.97
HC5521-12	3/4″-10	Coarse	\$72.46
HC5521-14	7/8″-9	Coarse	\$169.14
HC5521-16	1″-8	Coarse	\$195.69
HC5521-2	8″-32	Coarse	\$33.65
HC5521-3	10″-24	Coarse	\$31.58
HC5521-4	1/4″-20	Coarse	\$24.66
HC5521-5	5/16″-18	Coarse	\$24.66
HC5521-6	3/8″-16	Coarse	\$24.66
HC5521-7	7/16″-14	Coarse	\$26.57
HC5521-8	1/2″-13	Coarse	\$32.29
HC5521-9	9/16″-12	Coarse	\$56.97
HC5523-12	12 x 1.25	Spark	\$124.75
HC5523-14	14 x 1.25	Spark	\$151.91
HC5523-18	18 x 1.5	Spark	\$166.24
HC5528-10	5/8″-18	Fine	\$64.70
HC5528-12	3/4″-16	Fine	\$80.26
HC5528-3	10″-32	Fine	\$38.92
HC5528-4	1/4″-28	Fine	\$38.92
HC5528-5	5/16″-24	Fine	\$38.92
HC5528-6	3/8″-24	Fine	\$38.92
HC5528-7	7/16″-20	Fine	\$38.92
HC5528-8	1/2″-20	Fine	\$43.23
HC5528-9	9/16″-18	Fine	\$64.70
HC5542-10	10MM -1	Fine	\$64.70
HC5543-10	10MM -1.25	Fine	\$52.31
HC5543-11	11MM -1.25	Fine	\$57.82
HC5543-12	12MM -1.25	Fine	\$61.74
HC5544-12	12MM-1.5	Fine	\$72.95
HC5544-14	14MM-1.5	Fine	\$82.79
HC5546-16	16mm-2	Fine	\$82.79
HC5546-10	10MM-1.5	Coarse	\$39.74
HC5546-11	11MMX1.5	Coarse	\$46.04
HC5546-12	12MM-1.75	Coarse	\$49.14
HC5546-14	14MM-2	Coarse	\$75.05
HC5546-18	18MM-2.5	Coarse	\$87.10
HC5546-3	3MM-0.5	Coarse	\$73.27
HC5546-4	4MM-0.7	Coarse	\$42.68
HC5546-5	5MM-0.8	Coarse	\$35.67
HC5546-6	6MM - 1	Coarse	\$34.51
HC5546-7	7MM-1	Coarse	\$40.07
HC5546-8	8MM-1.25	Coarse	\$32.42
HC5546-9	9MM-1.25	Coarse	\$39.74



TRANSMISSION, AND FUEL LINE SERVICE



6.0L FORD GLOW PLUG TOOL

· Safely remove and install the glow plug harness on 2004 and newer Ford 6.0L Diesel engines.

OT6768

\$32.15






FORD 6.0L DIESEL IPR CONTROLLER

- · Use when a hard start or no start condition exists
- Tool allows a technician to close the Injector Pressure Regulator in order to determine if proper injector control pressure is achieved and sustained for the starting process.

OT6764



FORD 6.OL FUEL HIGH PRESSURE TEST ADAPTER SET



OT6763





· Required for removal of the vehicle's injector wiring harness without causing damage to the component.

OT6766





OUICK COUPLER FUEL INJECTION TESTER

- · Can easily be expanded to provide additional coverage using Tool Aid's quick coupler adapters to create a custom kit.
- · Includes Cat. No. 53908, Large Schrader Valve Test Adapter for GM and Chrysler.
- · 2-1/2 In diameter gage with dual scale and hang-up hook measures 100 PDI and 7 BAR.

TA53770

\$54.24



IPR FORD DIESEL SOCKT

- · Used to remove and replace the Injector Pressure Regulator (IPR) on Ford 6.0L and other diesel engines.
- · Use with 3/8" drive.
- · Ford 6.0L and other diesel engines.

LS68210

\$28.35

TOOL AID



TRANSMISSION AND **ENGINE OIL PRESSURE TESTER KIT**

- Check oil pressure in automatic transmissions and engines.
- Adapters provide coverage of most domestic and imported cars and light trucks including late models
- Includes 6' of oil proof hose and 10 assorted fittings.

TA34580



COMPACT FUEL LOCK RING TOOL

- Remove and Install Plastic Fuel Tank Lock Rings from 4" to 7-1/4" Without Damage.
- · Works on the new smaller GM serrated rings and traditional rings.

LS63000



Compact Tool Design Fits Tight Spaces.
• Two sizes, 3/8" and 5/16" are designed to release the nylon retaining clip used on the fuel lines of newer GM and Chrysler vehicles with electric fuel pumps.

LS39160

\$9 43





QUICK CONNECT FUEL LINE DISCONNECT SET

- · Low profile design also allows the user to pry off trouble connectors.
- Opening is 3/4" and tapers down to 1/8" for multi size use

ET230TNZ

\$20.88









HEATER HOSE DISCONNECT SET

· 40 degree offset to help work around obstructions. Sizes5/8" to 1"

ET244TNZ



VOLVO FUEL PUMP SOCKET


- Designed to remove the left and right fuel pump retaining nuts on all late model Volvos.
- This tool also gives easy access to the XC90's left tank unit retaining nut without removing the large frame under the seat bottom
- Fits on: \$80 1999 & later All 2001 & later

SL69800

\$48.31




GAS TANK FUEL PUMP **REMOVAL TOOL**



 Versital adjustable design fits most plastic retaining rings.

LT940

\$24.68





FUEL INJECTION AND ENGINE SPECIALTY TOOLS

MOTORVA®

Complete, professional fuel injection cleaning and engine decarbonizing service. Built in diagnostic capabilities. Utilizes MotorVac's proprietary CarbonClean chemistry



NEW CARBON CLEAN MACHINE

Fuel System Cleaning and Decarbonizing Service

- · Unique adapters make it easy to hook up to vehicle's fuel rail, saving time and money.
- · An easy to use online application guide provides visual, step by step instructions on how to attach to thousands of vehicles quickly & easily.
- · Features built in diagnostic capabilities, including fuel pump performance testing.
- Uses MotorVac MV-5: Maximum Strength Fuel System Cleaner and Engine Decarbonizer # MTV400-0050

MTV500-0220

\$1,479.29

DETERGENT CONCENTRATED FUEL CLEANER

• Exclusive Hydrobond Technology uses proprietary chemistry to "steam clean" combustion chamber deposits.

MTV400-0050

\$16.73





FUEL INJECTION PRESSURE TEST KIT

· Accurately diagnose fuel delivery problems with this advanced tester including faulty fuel pumps, pressure regulators, fuel lines, check valves, and fuel filters.

SRRFPT22



UNIVERSAL FUEL INJECTION **CLEANER ADAPTER KIT**

- · Universal to almost all fuel injection test systems in todays shops
- · Convenient adapter kit now allows you to easily connect to most name brand diagnostic test sets

SRRFIC440

\$182 50





FUEL LINE REPAIR AND REPLACEMENT KIT

• This fuel line repair kit will save time and labor, while increasing profits. Save up to 75% off installation time. Convenient push button thumb release makes connections quick and easy. Nylon lines are flexible. No more difficulty handling rigid steel lines.

SRRKP1200

\$216.60

TOOL AID





OUICK COUPLER MASTER FUEL INJECTION PRESSURE TEST KIT

- 4 foot hose provides more mobility
- · Bleed off valve with 6' of translucent hose safely depressurizes system after completion of testing.
- Includes two gages with dual ranges: 1-100 PSI (0-7 BAR) and 0-50 PSI (0-3.5 BAR).
- Bleed off valve with 6' of translucent hose safely depressurizes system after completion of testing.

TA58000



OUICK COUPLER

- DESIGN FUEL TESTER Includes 2 Gages
- Tests Ford, GM and Chrysler vehicles with multi-port and some TBI
- In plastic storage case

TA53980

\$123.90



PRESSURE TESTER

- 2 Gages and Quick Coupler
- · Tests ford, gm, Chrysler and ford vehicles with multi-port and some tbi.

TA53950

TOOL AID



MULTI-PORT FUEL INJECTION PRESSURE TESTER SYSTEM

- For domestic and foreign vehicles
- · In storage case with quick couplers.

TA56250

\$180.88



IN-LINE IGNITION SPARK CHECKER

· Visually check condition of each cylinder

TA23900

TOOL AID



Adapters fit 14 & 18mm plugs. Gage range 0-300 psi & 0-21 bar.

TA34000

\$59.30





IN-LINE SPARK CHECKER KIT FOR RECESSED PLUGS

- · A must for testing newer vehicles with recessed spark pluas
- Troubleshoots virtually all domestic and import cars, SUV's & trucks
- Provides information not available with OBD II code reading devices
- Shows a duplicate view of the ignition spark

TA23970

TOOL AID

Quickly diagnose "no start" and engine misses conditions in the electrical fuel injection and spark plug circuits.



IN-LINE RECESSED SPARK CHECKER IAC AND NOID LIGHT KIT

- Use to test spark plug circuits, electronic fuel injection signals and idle air control circuits. Includes the recessed in line spart testing
- 8 Noid Lights for checking GM PFI, Ford TBI, GEO TBI, BOSCH PFI, GM TBI, GM SCPI, BOSCH 2 and GM MULTEC 2
- 2 IAC Test Lights for straight and 90° applications

TA36350

\$63.28



Quickly diagnose electrical fuel injection, IAC and spark plug circuits

TA36330

\$50.56



EXHAUST BACK PRESSURE TESTER

- Threads into the Oxygen Sensor Port
- Kit includes 41" hose and 12MM and 18MM adapters to fit most domestic and imported vehicles.

TA33600

\$53.27



FUEL INEJECTION, SPECIALTY CAM ALIGNMENT AND ENGINE TOOLS



MINI COOPER ENGINE ALIGHNMENT TOOL SET

- Makes an impossible job possible by using the right tools
- Used on the N14 Turbocharged engines, most cars 2009 and newer

AHMC1400

\$289 11



V6 VW AUDI CAM HOLDING TOOL 3.2L

- 2 Cam Lock Clamps Used for locking camshafts when setting valve timing.
- Audi: 3.2L V6 4v (BKH), 4.2L V8 4v (BAR, BNS, BVJ, BYH and CAUA) and 5.2L V10 4v (BXA and BSM)
- VW: 2.5L I5 (BGP, BGQ, BPR, BPS, CBTA and CBUA)
- · Order T40069 locking pins to aid in this repair

AHT40070 \$212.84

BMW ENGINE TIMING TOOL SET

Used to Set Timing on Cams of Both Cylinder Heads

- Includes Hold Down Tool for Cam Fixtures
- · Crankshaft Timing Pin Included
- Applicable to: N62 and N73 Engines

AHBMW6208

\$297.46



TIMING BELT TOOL SET FOR VW T.D.I.

Used for setting & adjusting the cam/crank/ pump timing on 1999–2008 VW TDI engines.

kit contains The #3359 TDI, Lock Pin, #3428 New Style TDI Cam Lock Bar, #H 2587-1 & #H 2587-2 Timing Belt Tensioner Spanner Wrenches, #T 10115 Tensioner Lock Pins, #T 10050 Crankshaff Stop & the #T 10100 Oval Pulley Crankshaff Stop.

AH6800TDI

\$290.1





FORD MAZDA 2.3L TIMING SET

- Ford/Mazda Timing Kit used on the 2.3L Non-Turbo engines.
- Comparable to factory tool numbers 303-507 (Crank pin) and 303-465 (Cam bar)
- Applicable to: Mazda: 3 (2004-2009), 5 (2006-2010) and 6 (2003-2008), Ford: Escape (2005-2008), Focus (2003-2007) and Fusion (2006-2009)

AHFM2300

\$42.86

Cam Tools Н OT6468 2.0L Cam Pulley Holding Tool For Probe \$18.64 C OT6469 Bird, Couger, Mustang, Mountaineer \$42.55 OT6470 D 3.8, 5.0L Sensor Sync Tool Explorer, Mustang, Windstar, \$42.55 \$17.63 OT6471 F 3.0L Cam Sensor Synchronizing Tool Taurus, Sable OT6472 3.0, 4.0L Sensor Synchronizing Tool Explorer, Ranger, Tarus, \$32.15 OT6473 3.0L Sensor Synchronizing Tool Ranger, Tarus, Windstar, Sable \$48.77 G OT6474 н 2.0L Cam Alignment Tool Contour, Mystique \$18.64 OT6475 2.0L Crank Tdc Timing Pin Contour, Mystique П \$18.64 OT6476 4.6,5.4,6.8L Positioning Tool Vans, Expedition, F Series Trucks \$48.77 OT6477 K 5.4, 6.8L Holding Tool Vans, Expedition, F Series Trucks, Navigator \$63.32 **OT6478** 4.0L Cam Gear Holding Tool Explorer, Mountaineer \$76.79 OT6479 М 4.0L Crankshaft Holding Tool Explorer, Mountaineer \$94.46 OT6480 N 4.0L Cam Holding Adapter Explorer, Mountaineer \$48.77 0 OT6481 4.0L Cam Holding Tool Explorer, Mountaineer \$48.77 OT6482 4.0L Cam Gear Holding Adapter Explorer, Mountaineer \$42.55 OT6483 4.0L Cam Sensor Synchronizing Tool Explorer, Mountaineer \$42.55 s OT6485 4.0L Gear Bolt Skt & Extension Explorer, Mountaineer \$39.41 OT6467 3.8L Cam Sensor Sync Tool For Ford Mustang, T Bird Cougar \$25.93 Windstar OT6489 Ford Master Cam Tool Kit \$513.09





DIESEL ENGINE COMPRESSION TESTER SET

- Consists of five of the most popular diesel adapters for Audi, small
- Cummins, Ford/International, GM, Mercedes Benz, Volkswagen and Volvo.
- Optional adapters available for other applications

TA34900

\$164.59



PROFESSIONAL COMPRESSION TESTER KIT



- Full coverage kit, automotive, industrial, marine, and small engines.cylingers and valve train damage.
- 6.5" 14mm short thread hose, 12" 14mm short thread hose, 12" 14mm long thread hose, 12" 18mm short thread hose.
- 14mm female, and 18mm long reach adapters.
- Small engine/Motorcycle adapters 10mm & 12mm. Air hold quick connector adapter

MY5530

\$85.13





COP QUICK PROBE KV TESTER

The fastest way to verify the firing of a Coil Over Plug ignition coil and spark plug.

Eliminates the need for back -probing coil wires
Variable sensitivity (VS) for greater diagnostic

accuracy Super Bright LED kV Strobe and Green LED Arc Indicator

WA76562

\$139.58



ECTRONIC CHICA BRODE

UNIVERSAL ELECTRONIC QUICK PROBE

- Probe is specifically designed to detect the vibrations emitted when the injector fires.
- Adjustable sensitivity using the thumb-wheel
- Bright LED strobe will flash each time the injector opens and closes

WA76462

\$139.58



IMPORT SPECIALTY PULLERS AND CAM TOOLS



MASTER IN LINE DOWEL PIN PULLER



Master Set includes both SAE and Metric Collets Extracts Dowels without the use of a slide

- hammer. · Can be used with air ratchet, or traditional ratchet
- SAE sizes includes 3/16, 1/4, 5/16, 3/8, and 1/2
- Metric sizes Includes 4, 5, 6, 8, 10, and 12MM

CV95400

\$213.12



HEAVY DUTY SINGLE PRESSURE BEAM BEARING SPLITTER

- Push Puller is thread matched to the splitter
- · Interchangeable legs shorten or lengthen the range of pull.
- For use on most bushing or bearing jobs up to 4" in diameter.

OT4526

BEARING PULLER SET

- For pulling jobs requiring an internal pull, such as pilot bearings.
- Four collet sizes: 7/16" to 1/2", 9/16" to 11/16", 5/8" to 1", 1" to 1-1/4".

OT4581

7 TON - MULTI-PURPOSE BEARING AND PULLEY **PULLER KIT**

- Wide Spread Crossbar with 3 pin-hole; 7-1/4" to 9"
- 2 pair of long reach jaws gives user reach options of 5-1/2" and 9-1/2"
- 2 long reach forcing screws (live center) for pushes of 4-1/2" to 10-1/2"

\$193.81



PULLER-BEARING SEPARATOR SET

- Includes two popular bearing "splitters" (2" and 3"), four sets of hex push-puller legs and a bar-type puller head with a 9/16" forcing screw
- 5" puller cross-bar with a 6-1/4" forcing screw

OT4518



For a wide range of pulling jobs, including: bearings, alternators, generators, power steering and crankshaft pulleys, timing gears, and harmonic balancers.

MULTIPURPOSE BEARING & PULLER SET

 Spread: 3" to 5", Reach: 1" to 2-1/4" OT4534 \$203.51

MASTER BOLT GRIP PULLER KIT

Includes

- One heavy duty, forged, three way puller flange
- Two different length live center forcing screws
- Four live center adapters
- · Eleven sets of heavy duty, washer head, hardened steel bolts
- One special set of shoulder bolts for the 3300 /3800 GM V6

\$207.65

OT7793

REAR AXLE BEARING **PULLER SET**

Set contains slide hammer and popular attachments needed for servicing flange type floating rear axle bearing and seals

 7495A fits min. bearing tube I.D. of 1" and max axle tube I.D. of 1-7/8". 7496A fits min. bearing tube I.D. of 1-5/16" and max axle

OT6540

BEARING SPLITTER PULLER SET Push Puller is thread

- matched to the splitter.
- Interchangeable legs shorten lengthen the range of pull.
- · Designed of high quality tool grade materials for a lifetime of use.
- For use on most bushing or bearing jobs up to 3" in diameter.

OT4527



\$147.28

SLIDE HAMMER SET

- · Two- and three-way cross blocks and cone provide the perfect jaw configuration
- Set also includes a grip wrench adapter and a dent puller attachment for sheet metal or other unique pulling requirements.

OT4579

NEWS

\$427.55



BMW V8 CAM ALIGNMENT TOOL Comparable to BMW tool number 112440.

- Applicable for M60, M62, M62TU and V8 motors 1994-
- · Includes 4 blocks (2 for each side) and 2 locking fixtures for setting camshaft timing.

AHBMW480



VW & AUDI TIMING BELT TENSIONER RELEASE TOOL

Compress the hydraulic timing belt tensioner when servicing the water pump without the need to reset the timing as the engine is held at TDC

 This tool works on: 1.8L turbo 1996-2006 VW Golf, Jetta and new Bettle Audi TT & A4

SL67650

\$70.17



Camshaft alignment fixture used to hold and align the camshafts. Applicable: Audi 3.0L V6 (5V), used in 2002-2005 Audi A4 and 2002-2004 Audi A6. Used in conjunction with tools T 40011, T 40026, and T 40028.

AHT40030

VW-AUDI CAMSHAFT **LOCKING TOOL**

- · Camshaft Locking Tool for the 2006-2008 VW/Audi 2.0L Turbo Engines (BPY)
- Used in conjunction with: AHT40080, AHT10115 & AHH2587-2.

AHT10252

\$126.48

\$277.85

3 PIECE LOCKING PIN SET

3 Piece locking pin set used to lock the timing belt tensioner while relieving pressure from the belt. Applicable: VW/Audi 3.0L V6 (5V), some 1.8L 4 Cyl (5V) turbo and 4.2L V8 5V with timing belt.

AHT40011

\$19.01

CAMSHAFT ADJUSTING SOCKET Camshaft Adjusting Socket used to adjust variable valve timing on the exhaust side camshaft to basic position. Applicable: Audi 3.0L V6 (5V) Used in conjunction with tools T 40011,T 40026, and T 40030.

AHT40028



CRANK LOCK PIN

Crank Lock Pin used to lock the crankshatt at TDC position when replacing the timing belt. Applicable: Audi 3.0L V6 (5V). Used in conjunction with tools T 40011, T 40028, and T 40030

NEW!

AHT40026

AUDI 3.0 LITER **TIMING TOOL SET**

CAMSHAFT PULLEY

HOLDER KIT

· Do the job like the deale

Applicable: Audi 3.0L V6 5V, used in 2002-2005 Audi A4 & 2002-2004 Audi A6.

AHT4306



Fits belt-driven 4, 6 and 8 cylinder Toyotas & VW/Audi 1.8L, 2.0L turbo, 2.0L BBW, 2.5L, 3.2L.& Comes w/ 3 sets of interchangeable pins.

Overall length 18". 12" Spread between pins at tip of arms, when pivot arm is at 90°.

• GM Pins sold separate (7200-4)

AH7200

CAMSHAFT ALIGNMENT TOOL FOR AUDI 40V V-8

Used to hold both camshafts at TDC position while replacing the timing belt. Used in with #3242. Applicable: Audi/VW with 40v V8 (5v per

cylinder) with timing belt. AHT40005

\$150.34






HARMONIC STEERING AND ENGINE PULLEY TOOLS

REMOVER INSTALLER SET

 For easy removal of most harmonic balancers and drive pulleys which are press-fitted onto the crank-shaft.



OT4531

\$137.21





POWER STEERING PUMP PULLEY KIT

- A complete set of tools required to remove and install power steering pump pulleys of most domestic vehicles.
- Fits pulley hubs with diameters of 1-1/8", 1-1/4", 1-5/16" and 1-3/8"
- · Includes the necessary adapters for servicing: GM 3.1 L, 3100, 3400, and 3800 V6 engines, GM 2.3L Quad 4 four-cylinder engines and Ford 4.6L, 5.4L, and 5.8L modular V8 engines.

OT4530



MASTER BOLT PULLER SET

- Covers almost every car, pick-up, & SUV
- · Use for: harmonic balancers, steering wheels, crankshaft pulleys, and gears.

OT6294

GM/CHRYSLER/ MISUBISHI HARMONIC **DAMPER PULLEY PULLER**

Use on the following: •GM 2000 Generation III 4.8L, 5.3L, 5.7L 6.0L, and 8.1L V8s.

Also works on Cadillac 4.5, 4.6, and 4.9L V8s beginning in 1988. Chevrolet trucks 2003-later 4.2L 16, 2004current 3.5L I5 and 2005-current 2.8L I4.

OT6667

\$103.80



MASTER POWER STEERING PULLEY PULLER KIT

- Remove & install press-on type belt-driven accessory pulleys.
- · Unique interchangeable components remove and install pulleys on GM Quad 4, GM 3.1L, and Ford 4.6L engines.

KS5238



3.4L TOYOTA HARMONIC DAMPER **PULLERY HOLDER**

- · This tool works on the following trucks and SUV's. 4 Runner 1996-2002
- T100 pickup 1996-1998. Tacoma pickup 1996-2004. Tundra pickup 2000-2004

SL64400

\$85.93







22 PIECE ALTERNATOR DECOUPLER KIT

- · Used to install and or remove Alternator **Decoupler Pulleys**
- The tool can be used on products produced by all of the major ADP manufacturers, such as INA, Gates and Litens.

CV750





MASTER FLANGE-TYPE PULLER SET

- · Versatile puller capable of removing a wide variety of components having tapped pulling holes, including harmonic balancers, gears, crankshaft pulleys, etc.
- Capable of handling 2- or 3-way bolt pulling applications.

OT7790





MASTER HARMONIC BALANCER PULLER KIT

- Remove the harmonic damper pulleys found on many Chrysler and G.M. engines.
- · Eliminates the time consuming process of removing the radiator or other components.
- 4.2L Straight 6 cyl, 3.5L Straight 5 cyl., 2.8L Straight 4 Cyl. And more

SL64900

\$122.48



POWER STEERING PULLEY KIT

- Removes pressed-on alternator and power steering pulleys
- Installs late model GM alternator & power steering pulleys including Quad 4

AO7874





HARMONIC BALANCER PULLER SET

- Designed for use on harmonic balancers, crankshaft pulleys, steering wheels and gear pulleys
- · Can be used on tapped flywheels of electric or two-cycle motors

AO7846

\$62.99





ALTERNATOR PULLEY SERVICE KIT

· These tools hold the alternator shaft still so th pulley can be removed or installed. Kit includes: Decoupler tool assembly, 17 mm hex drive and Allen wrench. 110 mm socket extension. 28 mm / 21 mm and 28 mm / 18 mm hex cap nut drivers. 22 mm hex cap nut driver

OT6617

GEARWRENCH

GM CHRYSLER HARMONIC **BALANCER KIT**

- · Balancer puller kit for use with most Chrysler, Hyundai, Mazda models
- · Removes, installs harmonic balancer without removing radiator
- · Includes puller body, pin set, holding ring

KD41750

GEARWRENCH



MULTI USE PULLER KIT

· Master Bolt Grip Kit works on harmonic balancers, steering wheels, crankshaft pulleys, and gears. Capable of handling almost every two or three-way bolt pull possible on most cars, pickups, SUVs, and small engines.

KD41600

GEARWRENCH



PULLEY PULLER AND INSTALLER SET

- Remove pressed-on alternator and power steering pulleys.
- · Will not work on 3.3L and 3.5L Chrysler engines
- Puller Pin for Quad 4, Screw Installer for Quad 4, Puller Pin for GM 3.1, Screw Installer for Ford 4.6 and Screw Installer for All Others.



HONDA ACURA CRANKSHAFT HOLDING

- Holds crankshaft in place allowing for removal of hard-to-loosen crankshaft damper bolts.
- Fits most Honda & Acura 4-cylinder applications from 1990 and up.ir.
- Works with 1/2" square driv

KD3970

\$44.53



SERPENTINE, PULLEY AND STEERING TOOLS



AUDI AND VW FAN CLUTCH PULLEY HOLDING TOOL

- For Audi 1996 2001 A6 2.8L V-6 & VW 1998 & later Passat 3.0L V-6
- · Use SL63600 with companion tool SL62100

\$1,63600

\$85.93



32MM BMW & **AUDI FAN CLUTCH WRENCH**

• BMW & Audi Fan Clutch Wrench

SL62100

\$46 37



GM / CHRYSLER WATER PUMP FAN CLUTCH PULLEY HOLDER

- · Used on vehicles using pressed on pulleys.
- · With the use of a 36 mm open end wrench part #88550, #93260 or #95210 the technician can loosen and tighten the fan clutch on many 1998 and later trucks/suv's

SL99800A



TOYOTA SERPENTINE BELT WRENCH

- · Saves time, no need to use a vehicle hoist to R&R serpentine belt
- Specially designed 12 point 14 mm/19 mm sockets
- Applications: 2002 present Camry; 2004 - 2008 Solara; 2009 - present Matrix; 2001 present Highlander; and 2004 - present Rav 4

SL10200

\$75.19



Truck engine • Engages the hard to reach holes on the conical shaped water pump pulley.

· Works on the 2009 and later 5.7 liter Hemi

SL10800

\$85.93



FORD DIESEL FAN CLUTCH PULLEY HOLDING TOOL

Works on 2011 - newer 6.7 Liter Ford Diesel Power Stroke. 100% Made in USA

SL10900



HONDA / ACURA SERPENTINE BELT TENSIONER WRENCH

- Fits 2006 & later Civics and works on most Honda and Acuras
- 6 point 19 mm won't strip the aluminum hex on the belt tensioner

SL10950

\$75.19

GEARWRENCH

GEAR WRENCH SERPENTINE BELT TOOL

• 100% coverage of all vehicles including the 3/4 Volvo

Easy access with both crowsfoot and socket sizes

KD3680

\$87.65



STEERING WHEEL PULLER KIT

- Remove steering wheels from most domestic and import cars with or without telescoping tilt
- Use the puller legs with the steering wheel puller to remove steering wheels on late model GM vehicles

KD41620

\$57.91

GEARWRENCH.



FAN CLUTCH WRENCH SET

- Removes and installs the fan clutch on many models when repairing or replacing water pump, timing chain, or the fan clutch.
- · Universal Pulley Holder- Designed to trap and hold bolt-on pulleys by the mounting bolts.

KD41580

\$112.70



BELT HOLDING TOOL

- Keeps belt from falling off of a pulley during belt installation.
- Universal design to fit most pulley styles & sizes.
- Super strong magnet to hold the belt firmly on the pulley.

\$20.73

OT7424



ECOTEK WATER PUMP TOOL

- · Holds timing chain in place so
- water pump can be removed for service Special design allows easy installation
- regardless of timing chain orientation
- Tool saves costly loss of timing on 2002-2008 GM 2.2L and 2.4L

OT6616



WRENCH KIT

· Universal design fits many different types of pulleys having slots or holes, including camshaft pulleys and Wrench is adjustable from 1-1/4 inch to 5 inches; works with a 1/2 inch drive ratchet or breaker bar.

OT6613

\$93.43





POWER STEERING EVAC ADAPTER

- · Adapts to the varying diameters of many automotive power steering reservoirs.
- · Fits snuggly in the neck of the reservoir

MYMVA660

\$22.75





PNEUMATIC FAN CLUTCH WRENCH SET FORD GM & CHRYSLER

- · Set includes 7 driving wrenches that fit Ford, GM and Chrysler.
- Driving wrench sizes include: 36mm, 1 1/2", 1 9/16", 41mm, 42mm, 1 7/8" and 2". Use with an air hammer.





UNIVERSAL FAN CLUTCH WRENCH SET

- · A Nearly Universal Fan Clutch Wrench Set! · Unique hooked wrench design will hold bolted on water pump pulleys
- 1/2" square drive allows extra force to be applied.

LS43600



G.M. DIESEL WATER PUMP FAN CLUTCH PULLEY HOLDER

Used on vehicles using pressed on pulleys.

- · With the use of a 48 mm open end wrench
- Used on the following applications:
- G.M. 6.5 Liter diesel engine 2000-2001 G.M. / Isuzu-Duramax 6.6 Liter diesel engine 2001-2005
- G.M. / Isuzu-Duramax 6.6 Liter diesel engine with new pin bar fan hub 2006 & later.

SL61500B





EURO STRETCH BELT INSTALLATION TOOL

Larger with a Euro style pin configuration Accommodates larger pulleys with different

Quickly and easily installs Stretch Belts.

ET735



TRU-GRIP SERPENTINE BELT TOOL WITH GRAB FORKS

Clamping jaw allows user to position serpentine belt without the belt slipping out of the tool.

Tru-grip and long reach allows belt routing in tight access areas that would normally be difficult if not impossible.

ET734

\$27.52



ENGINE, BUSHING AND BEARING SERVICE



- remove and install roller chain master link horseshoe clips that typically require frequent
- maintenance and service. · Works on chain master links up to 120 series.

OT4745

MASTER CHAIN

LINK PLATE TOOL



- Quickly and easily remove master link plates without damage.
- · Levered jaw fits #25 to #60 size chains without separaté adapters.

OT4746

\$30.01



- Starter set includes a handle and discs (5/8" to 2" diameter, in 1/8" increments) specially selected to provide the driver sizes usually needed in automotive service.
- · All discs are 1/2" thick.

OT27793





LARGE VALVE SPRING COMPRESSOR

- Two valve spring adapters, fit valve spring retainers up to 1" and 1-3/16".
 Jaw opening (A) of 1-3/8" to 5-5/8" throat clearance of 5-7/8".

OT4572

\$74.58





- This Master Set Contains 11 Drive Automobiles and Trucks up to 1 Ton.
- · This set also includes 2 handles, one for hammering and a pneumatic handle for use with an air hammer.

LS12800

\$128.44



GENERAL PURPOSE BUSHING DRIVER KIT

· Perfect for removing and inserting bushings in cars, trucks, buses, tractors, construction and off road equipment. Includes small, medium, and large drivers and bushing adapters from 3/8' to 1-3/8"

KD41780

\$48.18





BACK PRESSURE TEST KIT

Quickly test back pressure and clogge obstructed catalytic converters

- Three stage adapter has 12MM & 18MM thread
- Standard 1/4"-20 tip provides the ability to test through the exhaust pipe when O2 sensor ports are inaccessible.

WABPT02

₹P|TOOLS CHILEY PRODUCTS IN



VALVE SPRING COMPRESSOR

- · Ability to actuate the compression tube even in tight confined locations
- Access to valves in areas that are not in open areas with engine in vehicle

SL91400B



LEXUS ENGINE BRACKETS

Saves time when working on the oil pan and timing cover

The sub frame needs to be removed to access the oil pan

- Easy to install and remove when job is done
- · Allows open access to top and bottom of the engine Works on: 2006 and later IS250 2WD, IS350 2WD,
- GS 300 2WD 2007 and later GS350 2WD

SL10700



11 PIECE GASKET PUNCH SET

- · Designed to cut holes and internal RADII in gaskets and other soft material such as rubber, lead foil, linoleum, felt fiber and other similar materials.
- Contains long driving mandrel. Ten punch sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8", 1".

KS950

\$43.38



4 PIECE BEARING RACE PUNCH SET

- Contains: 7/16 x 6", 1/2 x 10", 9/16 x 14" & 5/8 x 20" Bearing Race Punches
- Oval tip designed specially for bearing race application

MH62015

\$88.66



8 PIECE MASTER OXYGEN SENSOR SOCKET KIT


Allows for easy removal and installation of oxygen sensors, oil pressure sending units, and vacuum switches on many import and domestic vehicles

• 1-3/16", 7/8" (22mm), 1-1/16" (27mm), 7/8" (22mm), 7/8" (22mm) Low

KD41720



These 1/2" Drive Impact Sockets are Specially Sized for Tightening and Removing Most OEM Head Bolt Screws from These **Brands of Vehicles**









7 PIECE 02 SENSOR SOCKET SET


- · Set includes:
- 4673-1 29 mm, 4673-2 7/8", 4673-3 27 mm, 4673-47/8", 4673-5 1-1/16" & 1", 4673-6 7/8" Long

OT4673



Pilot Bearing Pullers and Attachments

Remove pilot bearings, thrust washers, and smaller



Item #	Pics	Spread	Reach	Price
OT4420	Α	3/8" to 1 1/2"	3/16" to 1 1/4"	\$51.89
OT4421	В	5/8" to 1 1/2"	3/16" to 1 1/4"	\$31.12
OT4422	С	3/8" to 1 1/2"	3/16" to 1 1/4".	\$62.26





UNIVERSAL COMPACT OXYGEN SENSOR WRENCH 6/12 POINT

SL88750A





LS12390

DUAL DRIVE OXYGEN SENSOR SOCKET

Tool comes with both 1/2" and 3/8" drive; Fits oxygen sensor applications with a heat shield


\$22.81



SPECIALTY AND IMPORT SERVICE TOOLS







 Includes sockets, bits, adapters, hexagonal nuts and pins for most applications

EZAK411

\$124.77





HUB KNOCK TOOL

Hub Tool to be used with hammer

· Absolutely Essential For Super Duty's

CV90100

\$44.31



Hub Bearing Removers for use with Air **Hammers**



12 MM X 1.75 THREAD

Use on Chrysler, GM, Ford, Mazda, Saturn, Volvo, Isuzu, Saab and other vehicles with 12 mm X 1.75 thread.

SL69610

\$26.86

14 MM X 1.5 THREAD

Use on 1999 - present GM, Ford, Dodge full size 2 wheel drive trucks and SUV's, Chrysler, GM, Ford, Honda, Nissan, Infinity, VW, Audi, Mazda, Volvo, Mitsubishi, Kia, Hummer, and other vehicles with 14 mm X 1.5 thread.

SL69630





CYLINDER LEAK DOWN TESTER

- Quickly diagnose internal engine problems such as bad rings, valves and leaking head gaskets.
- Dual 2-1/2" gauges with protective outer boot.
- · Scales read 0-100 psi and 0-700 kPa.
- Pressure regulated manifold.
 Long flex 24" 14 mm hose.
- 10 mm, 12 mm and 18 mm thread adapters.

OT5609





CYLINDER LEAK TEST SET

- Measures the ability of an engine cylinder to hold compressed air using shop air pressure and supplements a compression tester.
- · Pinpoints bad valves, worn rings, cracked cylinder walls, and blown head gaskets.
- Features a precision regulator with a combination M14 and M18 adapter on a 26" hose assembly and has dual easy-to-read gauges

KSCLT-2PB

\$120.92





VOLKSWAGEN AUDI **12 POINT AXLE NUT SOCKET SET**

 14MM Allen, 17MM Allen for VW- Audi A6 1999-2004 newer Audi A4. 30MM 1/2" Drive Socket Mid 99 and newer Golf, Jetta, Cabrio and Beetle. 32MM 3/4" Drive Socket - VW Touareg

AH6500

\$101.14




STRUT, BALL JOINT AND CHASSIS REPAIR



Correctly Installs The Seal Onto The Axle Shaft and Into The Wheel Knuckle, Preventing Front Hub Vacuum Leaks That Would Cause The 4WD To Not Engage.

FORD AXLE SHAFT SEAL INSTALLER LATE MODEL F250/350



OT6697

\$114.20

FORD AXLE SHAFT SEAL INSTALLER LATE MODEL F450/550

· Works on 2005-newer Ford F-450, F-550, 4X4s having the vacuumoperated front axle.



\$134.97





FORD VACUUM HUB INSTALLER

 Works on 1998-newer Ford F-250, F-350, F-450, and F-550 4X4s having the vacuum-operated front axle.

OT6695

\$103.80



GM TORSION BAR UNLOADING TOOL

· Accommodates the beefed-up torsion bar · Works on 1988 and newer GMC and Chevrolet 1/2-3/4- and 1-ton pickups; S-10 Blazers S-15 Jimmys 4WD pickups with 4.3L V-6 engines; and 1991 and newer Olds Bravada.

OT7822A





CLAMSHELL STRUT COMPRESSOR

Fits a wide range of struts

and requires no special adapter shoe.

- · Safety locking pins hold the compressor jaws in place.
- Tool compresses springs of 4" to 9" O.D., with wire diameters of 7/16" to 11/16"
- · Built to use with an impact wrench

OT6494





PINION SHAFT SEAL INSTALLER. MAGNETIC

to drive seal.

Ideal for Driving Pinion and Other Seals Into Place. Hollow adapter allows driver to slide over shaft

- · Neodymium magnets on both driver faces hold seal in place until you are ready to drive into
- Adapter is double-sided for different sized seals.

LS56950

\$85.10



STEPPED PICKLE FORK KIT

Step Design Helps Keep Tool from Bouncing Back When Separating Ball Joints, Steering Dampeners, Tie Rods, Pitman Arms and Other

· Applications. Six tools in one. One handle for hammering; one for use with an air hammer (.401" shank). Forks are heavy-duty heat-treated, alloy steel forgings. Steps can be resharpened if needed.

LS41400

\$63.34



STRUTTAMER EXTREME

Simply the most effective compressor for virtually any straight, conical, or offset spring.

- Extreme duty design to handle the heavier springs found on mid- and some full-size truck strut assemblies.
- · 2:1 reduction gearbox standard. Allows for a 2:1 torque compression increase when compressing struts.
- Open-ended design means you can take the strut in and out, quickly and easily.
- · The arms adjust in and out, up and down, to accept many sizes of springs. (2-1/2" to 10" diameter)(2-1/2" to 24" vertical stroke)

\$969.62



WALL MOUNT STRUT COMPRESSOR

· Handles the heaviest coil-over-shocks, the Ford F-150 and even the Toyota RAV-4 without need for additional adaptors.

• The front is now opened for easier access with added longer handles for extra torque.



AXLE POPPER

Break loose haft shafts with ease.

- Tapered ends of the fork allow the technician to strike the Axle Popper Wedge or use it as a pry bar to release the half shaft.
- The Shim is included to fill the gap between the half shaft and the transaxle on some vehicles.

SM71410



HUB REMOVAL KIT FOR DODGE

- Separates the Frozen Hub Assembly from the Steering Knuckle on Dodge Vehicles
- Tool drives against loosened retaining bolts to separate assembly.
- Prevents damage to the knuckle and complete hub assembly.

LS38210

\$41.58





T.O.M.C.A.T. CAMBER ADJUSTMENT TOOL

- Makes Camber Adjustment a One-Man Job
- · Inflatable air bladder fits between tire and strut for easy and controlled adjustment of camber
- · Camber can be easily set with wheels on the ground.
- Eliminates the need for special camber bolts.

JDTC-614

\$213.33





UNIVERSAL BEARING CUP INSTALLER

- Designed for installing wheel bearing cups of tractor/trailer wheels from 11000 to 50000 lb. capacity
- Adjusts from 3 5/8" to 6 1/2" dia. bearing cup OD

OT7180

\$345.25





OUTER TIE ROD REMOVER

- · Works on FWD and RWD import and domestic vehicles.
- Up to 5 tons of force can be applied.

OT7503



· Comprehensive set allows for easy removal of the most popular types of Pitman arms, tie rods, and ball joints

Kit Contents, Pitman Arm Puller 22 x 140mm, Tie Rod Puller, Universal Ball Joint Separator, Tie Rod End Puller and Pitman Arm Puller and Universal Tie Rod End Remover

KD41690





HONDA/ACURA BUSHING X-TRACTOR

· Easily and quickly remove and install trailing arm bushing in 15 minutes per side versus the Honda factory "book" time of 1.8 hours per side.

 Comes updated with an adapter ring to fit between the existing cup and bushing for Acura Integras 1990-1993.

· No need to disconnect brake parts such as calipers, rotors, brake shoes, brake fluid lines and emergency brake cables

SL65130

\$230.71



BUSHING, BALL JOINT, CHASSIS AND AXLE REPAIR



BALL JOINT MASTER SERVICE KIT

- Complete coverage of Car and Truck/Van/SUV applications. With 70+ adapters, c-frame and application guide means there is nothing else to add for servicing ball joints.
- Contains application charts and diagrams with step-by-step instructions.

OT6559

\$1,090.35



TRUCK MASTER BALL JOINT SERVICE KIT

This 55+ piece kit covers pressinball joints on the following:

- Toyota, Hyundai, KIA, Infinity, Isuzu, Nissan, Chrysler, Dodge, Jeep, Plymouth, Mitsubishi,
- Ford, Lincoln, Mercury, Mazda, Chevrolet, Buick, Oldsmobile, Pontiac, Cadillac, GMC, Hummer.

\$863.19



MASTER BALL JOINT SET DOMESTIC AND FOREIGN AUTOS

- Master Service Kit 50+ piece set.
- Comprehensive manual includes diagrams with instructions eliminating guesswork of which adapters are required

OT6529





AUTO ADAPTING TIE ROD TOOL

Designed to remove and mount inner tie rods on

- · Features a roller and cam mechanism that adapts itself automatically to every kind of shape and diameter of the inner tie rod.
- Range: 35mm 45mm / 1-3/8" 1-3/4"
- · Works on 99% of inner tie rod models.

MH29910

\$160.29







Item #	Size	Sale
SU10213	1-59/64"	\$23.45
SU10214	2-9/64"	\$23.60



MASTER INNER TIE ROD SET

- Works on Inner Tie Rods with Inaccessible Wrench Flats.
- The inner tie rod can be removed and installed without removing the rack
- · Case is designed to hold up to 4 additional crowsfeet

\$141.87



- · Use with a Pry Bar to Separate the Lower Control Arm from the Ball Joint Stud.
- · Makes service work on cv joints, front hub assemblies and other components easier. Use up to a 3/4" pry bar.

LS64700

\$28.35



Manual Bushing R&R Tool allows the technician to service a wide range of bushings without removing components from the vehicle.

- · A budget minded alternative to hydraulic systems.Allows
- quick R&R of suspension bushings
- · Comes with 22 cups and receivers for 100's of size combinations (Range OD 44 mm / ID 34 mm to OD 90 mm / ID 80 mm)
- 4 acme thread spindles, 10 mm, 12 mm, 14 mm & 16 mm featuring ball bearing thrust washers to insure smooth operation

SL11100





MANUAL BUSHING REPAIR KIT

Allows the technician to service a wide range of bushings without removing components from the vehicle


Comes with 22 cups and receivers for 100's of size combinations (Range OD 44 mm / ID 34 mm to OD 85 mm / ID 75 mm). 4 acme thread spindles, 10 mm, 12 mm, 14 mm & 16 mm


SL11000

\$4,660.77



MASTER BALL JOINT SERVICE KIT





· Set includes all the receiver tubes and removing/installing adapters needed to work on press-fit upper and lower ball joints on most GM, Ford, and Dodge 2 and 4 wheel drive pickups, vans and sport utility vehicles through

AO7897

\$190 91



UNIVERSAL BALL JOINT ADAPTOR SET



Includes all the receiving tubes and removing/ installing adapters needed to work on most GM, Ford and Dodge 2-wheel and 4-wheel drive pick-ups, vans and sport utility vehicles.

AO7868





BALL JOINT & 4 WHEEL SERVICE TOOL



· The heavy duty tool set is excellent for removal and installation of press-fit parts such as ball joints, universal joint and truck brake anchor pins

It will remove even rusted and corroded parts

AO7865





FLOATING AXLE RESTORER SET

 Aids in the servicing of front and rear floating axle housings on sport utility vehicles, light and medium duty trucks and vans

 Sizes include: 1-5/8" x 16, 1-13/16" x 16, 2" x 16, 2" x 16LH, 2-1/8" x 16, 2-1/4" x 16, 38 x 1.50mm

KS2577





REAR BEARING PULLER

- ·Saves time and effort, Quickly and easily remove rear bearing wheel axles.
- No more banging with a slide hammer to remover these difficult bearings.
- · Use the yoke and feet to set the removal foot over the bearing. Use an air wrench and remove the bearing completely

ET91800





LOWER CONTROL ARM TOOL

Removes ball joints without damage.

- Installation now as easy as removal.
- One man operation.
- · Makes strut replacement easy

LT680A

\$210.44



STRUT, BALL JOINT. CHASSIS REPAIR AND U-JOINT



Use with impact wrench or hand tool ON or OFF the car.car. Contains complete instructions and safety kit. Not for use on any unusually large MacPherson Strut springs which have a coil outside diameter of over 6" or a wire diameter larger than 5/8". Do not use on General Motors "A", "C", "J" or "X" Body cars.

TA63000

COIL SPRING COMPRESSOR

Single Action Coil Spring Compressor Remove, install and compress coil springs that can be reached through the center of the coil. Acme

TA62200



STRUT ALIGNMENT LEVEL

- · Use to restore strut to original alignment position after repair or replacement.
- · Super strong magnet mounts on brake rotor or spindle. Works on all vehicles equipped with MacPherson Struts.

TA61800

\$31.76



TA91000	Α	.401 Tie Rod Tool Sleeve Breaker	\$19.74
TA91025	В	.401 Tie Rod Separator Tool 21/32	\$43.16
TA91700	В	.401 Ball Joint Separator 15/16	\$43.08
TA92350	В	.498 Tie Rod Tool Sleeve Breaker	\$32.24



Same 1 Hour per Side in Labor Time

- · Removes and installs lower ball joints on the car versus removing steering knuckle and using a shop press
- Updated design used with quick disconnect or spring type air hammers
- Works on Honda / Acura and many other makes of automobiles

SL68600A



PNEUMATIC TIE ROD RATTLER

- · Loosens bolts and clamps on tie rods for removal or adjustment.
- · Use with an air hammer to vibrate seized clamps and bolts on many sizes of tie rods. Standard .401" shank

LS54640



FORD DRIVE LINE FLEX IMPACT SOCKET

12mm 12 Point 1/2" Universal Impact Socket, 4-9/16" long

SU212ZUMDL

\$32.11

GEARWRENCH.



- · Indexes every 20 degrees to allow for better access and hand protection
- Works with manual or pneumatic hammer attachments

KD43990

\$79.94



INDEXIBLE SEAL PULLER

- Provides 11 total positions for unmatched
- · Easy to use spring loaded button firmly locks the position in place

KD3995

\$27.82



10 LBS FRONT WHEEL AND HUB PULLER SET

- Heavy duty 10 lb. Slide Hammer on Steel Shaft reduces effort, time and labor to make a tough iob easy
- Pullers fit 4, 5 and 6 bolt patterns for use on most domestic and imported cars and light trucks.
- Easily removes front wheel hubs and flange type rear axles.
- Axle and Hub Pulling Adapter accepts other 5/8"-18 female threaded pulling attachments.

◎▲ TOOL AID°

FRONT WHEEL HUB PULLER Separates the front hub from

the axle on front wheel drive cars.

- Can be used with any slide hammer having a 5/8"-18 male thread or the included 5/8"-18 x 5 1/2" long Forcing Screw.
- · Hex Nut makes using with a standard slide hammer easy.

TA66350

\$31.49

Quickly and easily removes sealed U-joint cups without the need for hammering or heat.



HEAVY-DUTY UNIVERSAL JOINT PULLER

· Fits practically all Class 7 and 8 trucks, including: Spicer drivelines 1610, 1710, 1760, 1810, 1880 Spicer SPL 140, 170, and 250 "Life Series" Meritor (Rockwell) 16N, 17N, 18N, 1710 Meritor RPL 20 and 25 "Permalube" Series

OT5190



TRUCK PITMAN ARM PULLER

 Services medium- and heavy-duty trucks. Max jaw spread: 2-1/4".

PITMAN ARM PULLER

• Services cars and light trucks to 3/4-ton

OT7311A





SUV PITTMAN ARM PULLER

- · Labor intensive removal of steering sector is now unnecessary.
- Compact design of puller allows easy access to the Pitman arm.
- · Fits most domestic SUVs and pickups.

OT6496



DIFFERENTIAL **SIDE BEARING PULLER SET**

- Includes 4 step plate adapters to fit carrier bearings.
- Reach: 1-5/8". Spread: 2-5/8" to 3-3/8"
- Forcing screw is 3/4"-16 mm x 6-11/16" lg.

\$145.35





5 PIECE TIE ROD PICKLE FORK SEPARATOR SET

- · Used to remove shock linkage, tie rods, and ball joints.
- Includes: 11" lengths 1-1/8", 1-5/8", and 1-7/16" Fork Spread; Sizes 16" length X 11/16", and 15/16" Fork Spread

OT6299

\$129.76



ENGINE, CHASSIS AND BRAKE SERVICE



Shop Tools

Item #	Description	Sale
LS11770	Ford Radio Removal Tool	\$7.54
LS12050	Magnetic Chuck Key, 1/4 & 3/8"	\$18.90
LS12060	Magnetic Chuck Key, 3/8-3/4"	\$23.60
LS13250	Oil Pressure Switch Skt 2-5/8 XI	\$8.95
LS14900	Terminal Release Tool For GM	\$15.10
LS18000	Universal Cam Bearing Removal Tool	\$205.83
LS19380	Inductive Pencil Type Spark Tester	\$8.46
LS20130	Magnetic Glove Dispenser	\$25.52
LS21400	24" Bar Magnetic Tool Holder	\$36.86
LS22500	Thermostat Gasket Cleaner	\$22.66
LS22850	2 Piece Hose Pinchers Set	\$6.59
LS26000	Tamperproof Torx Set T10-T40	\$18.70
LS26280	10 Piece External Master Torx Set	\$34.51
LS28500	Strap Filter Wrench	\$23.60
LS29200	3/8 Drive Impact Driver Set	\$37.80
LS30280	Automatic Center Punch	\$16.53
LS34400	Pneumatic Exhaust Pipe Stretcher	\$112.38
LS34550	Handy Bearing Packer	\$25.10
LS35260	Plastic Fastener Remover	\$11.32
LS35400	Upholstery Remover	\$8.77
LS36880	Dual Overhead Cam Lock Sprocket Holder	\$37.80
LS45300	Harmonic Balancer Puller for GM 3300 & 3800	\$43.47
LS45750	Inner Tie Rod Removal Socket Set	\$89.17
LS52000	Razor Blade Scraper	\$11.14
LS57340	Steering Wheel Lock Plate Removal Kit	\$21.71
LS75500	Combustion Leak Detector	\$39.71







POPULAR UNDER CARTOOLS

PARKING BRAKE ADJUSTING SPOON FOR FORD

 Double-Ended Tool Speeds Star Wheel Adjusting on Ford F-150. Also Works on F-250/F-350 Super Duty Trucks with Dana 80 Rear Axles.

\$14.15

LS51300



NEWI

GM SINGLE SPRING INSTALL/REMOVE TOOL

Quickly and Easily Releases Tension on Large and Small Single Spring Brakes on GM Vehicles.

 Uses the hook to grab onto the spring while the tool tip is used as a fulcrum to pry the spring free. Used to re-install the w spring also.

LS49100

PARKING BRAKE

\$34.02

Allows Technician to Remove Parking Brake
 Cable by Compressing the Spring.

LS40750

\$9.43



02 SENSOR WRENCH

- Flexible head design assists in the removal of stubborn O2 sensors that are 7/8" in diameter, a common size to most vehicles.
- Patented features allow extensions or wrenches to apply force in tight areas, even on seized components.
 OT6500 \$73.69

Asle NEW!

IMPACT PIPE STRETCHER KIT

- \bullet Stretches Pipe on or off the vehicle up to $\overline{4}$ -1/4"
- Use with an impact wrench to quickly stretch pipes.
- Collet sets expand pipes from 1-5/8" to 4-1/4".

LS17350

\$237.83



ENGINE, CHASSIS AND BRAKE SERVICE



BRAKE AND ENGINE CYLINDER HONES

The Flex-Hone® Tool is a perfect solution for many of your finishing, deburring and edge-bending needs.

euge-benui	ng needs.		
Item #	Size	Grit	Price
BUBC1	1″	180	\$18.57
BUBC1/2	1/2″	180	\$15.41
BUBC10MM	10MM	180	\$14.48
BUBC1-1/2	1-1/2″	180	\$23.23
BUBC11/4	1-1/4"	180	\$21.05
BUBC11/8	1-1/8″	180	\$19.54
BUBC12MM	12MM	180	\$15.12
BUBC13/4	1-3/4"	180	\$24.26
BUBC13/8	1-3/8"	180	\$21.60
BUBC14MM	14MM	180	\$15.47
BUBC15/16	15/16"	180	\$17.14
BUBC1-5/8	1-5/8″	180	\$22.13
BUBC18MM	18MM	180	\$16.79
BUBC2	2"	180	\$25.14
BUBC21/2	2-1/2"	180	\$29.36
BUBC21418	2-1/4"	180	\$27.25
BUBC23/4	2-3/4"	180	\$32.42
BUBC3	3″	180	\$35.80
BUBC3/4	3/4"	180	\$16.40
BUBC5/8	5/8″	180	\$15.58
BUBC7/8	7/8″	180	\$17.41
BUGB31/2	3-1/2"	180	\$45.21
BUGB31/4	3-1/4"	180	\$42.44
BUGB41/8	4-1/8"	180	\$51.80
BUGB4-5/8	4-5/8"	180	\$53.71
BUGBD3	3"	180	\$61.54
BUGBD31/4	3-1/4"	180	\$63.52
BUGBD4	4"	180	\$74.81
BUGBD41/2	4-1/2"	180	\$85.12
BUGBD5	5″	180	\$96.86
BUGBD6	6″	120	\$115.10



CV JOINT PULLING TOOL KIT

 Remove an axle assembly from the transaxle without causing damage to expensive aluminum transmission cases or other components.

OT7509

\$104.86





General Purpose Shop Tools

Item #	Description	Sale
LS10000	Brake Hone	\$17.27
LS13200	Oil Pressure Switch Socket	\$7.54
LS39500	30mm Axle Nut Socket	\$15.10
LS39550	36mm Axle Nut Socket	\$17.96
LS39700	32mm Axle Nut Socket	\$17.01
LS11750	Clutch Coupling Remover. Ford	\$5.91
LS14540	Headlight Adjuster	\$17.96
LS42000	SAE Folding Hex Key Set	\$8.00
LS42020	Metric Folding Hex Key Set	\$8.46
LS42040	Folding Torx Key Set	\$19.65
LS42150	Standard Hex Key Set	\$8.00
LS42500	Long Arm SAE Hex Key Set	\$9.43
LS42650	Long Metric Hex Key Set	\$10.20
LS42750	Metric Speed Hex Key Set	\$17.01
LS50950	Oil Filter Pliers, Truck/Tractor	\$46.33
LS53200	Tractor Oil Filter Wrench	\$13.03
LS18700	Hot Sleeve	\$15.10
LS24800	Seal Driver Kit	\$46.33
LS30500	Boot Band Pliers Earless	\$22.66
LS36500	Ridge Reamer	\$75.65







LS39500











BRAKE DRUM AND ROTOR PULLER

- Handles brake drums, rotors, drive wheels, gears, flywheels, and pulleys.
- Spread to 12-3/4" and 5" of reach.
- 7-tons of force Can be used with air tools to reduce time and fatigue.

OT6980

THEXTON



ENGINE HOLDING TOOL KIT

- Fits GM front wheel drive vehicles with engine torque struts used on most transverse mounted engines.
- Replaces existing torque strut (dogbone) and allows engine to be tilted forward for engine work

TX419X \$60.18



EXHAUST CUT-OFF TOOL 1-3/8"-2.5"

Cuts Out-of-Round Pipes.

- Four knife-edged cutting wheels cut quickly and cleanly.
- Less than 1/3 turn cuts all the way around the pipe.

LS31500

\$36.86





EXHAUST TAIL PIPE CUTTER

 Exhaust and Tail Pipe Cutter Cuts pipe from 3/4" to 3" in diameter. 15 blades effectively cut pipe so only 1/4 turn is needed to complete cut.

KD2031

\$48.20



BRAKE BLEEDERS AND REPAIR

GEARWRENCH.

DIAPHRAM POWER **BRAKE PLEEDER**

- · Automatic fluid shut-off with 4 gallon capacity tank
- 12 ft. long hose for access; attached to pulling pole for convenient storage
- New Industry-Standard 2100 Series Disconnect
- · Wheels instead of feet; greater mobility when tank is full

KD3795

\$425.33

GEARWRENCH

AIR OPERATED VACUUM **BRAKE BLEEDER**

Bleed brakes on most new Asian, Domestic and European Cars

· Uses standard workshop air supply.

 Includes 1 Liter capacity vacuum brake bleeder complete with new fluid supply bottle, new fluid bottle adaptors for different master cylinder designs, and a 40" bleeder hose for tight access applications.

\$113.76

KD3737

ONE MAN BRAKE BLEEDER

GEARWRENCH

- · Automatically refills brake luid reservoir during brake bleeding
- · Retaining clip provides positive clamping to all master cylinder reservoir types
- Positive venting system supplies unbroken continual fluid flow
- On-Off tap eliminates brake fluid spills
- · Height adjustment feature prevents running brake fluid reservoir dry

KD3982

THEXTON



FULL BLEEDER KIT

- Professional kit includes long-lasting aluminum adapters for US and metric fittings.
- US adapters: Two 3/8-24, two 7/16-24, two 9/16-18, two 9/16-20 and two 1/2-20.
- Metric: Four M10x1.0, four M10x1.25, two M11x1.5, two M12x1.0, two M12x1.5 and two
- · Plus check valves, hose, thread gauge, instructions and case.

TX803X



SPEEDY VAC BRAKE BLEEDER

- · Fast efficient vacuum brake bleeding
- · Internal overfill valve prevents brake fluid spray if container reaches capacity
- · Convenient hang hook and quick release trigger allows hands free use
- 500ml fluid collection container

PBT70850

\$119.80

LINCOLN Compressed Air Operated Brake Bleeder Kits to Get the Job Done

These compressed-air-operated bleeders offer professional grade brake and clutch bleeding performance.

- Bleeds up to 2 quarts per minute, and its simple operation allows clean, quick bleeding of brake and clutch lines.
- Kits include 6' bleed hose assembly, 4' fluid evac hose, automatic fluid refill kit, Hanging hook, and 3 Universal bleed screw adapters



Item #	Pics.	Stye	Price
MY6830	Α	Basic Kit with Refiller	\$179.08
MYMV6835	В	Basic Kit with Clamp-on Refiller	\$201.92
MYMV6838	С	Master Kit with Auto-refill Kit and Adaptors	\$267.12





SILVERLINE ELITE AUTOMOTIVE REPAIR AND DIAGNOSTIC KIT

Silverline Elite Automotive Testing Kit

- Applications: Vacuum & pressure related engine performance diagnostics and tune-ups
- Brake bleeding
- Fluid transfer, evacuation, and sampling
- Produces vacuum or pressure at the turn of a
- · Pump Displacement 1 in 3 (16cc) per stroke, Max. Vacuum/Pressure 25 in Hg (85kPa)/30+ psi (207 + kPa)

MYMV8500





77 PIECE BRAKE BLEEDER **REMOVAL TOOL KIT**

- · Reduce labor time
- Avoid unnecessary and difficult drilling, tapping, or heating
- Works with both aluminum and cast iron calipers

SRRBB007

\$105.93

\$83.79



MASTER CYLINDER **ADAPTOR KIT FOR BRAKE BLEEDING**

Each adapter is designed to match a specific manufacturer

- Color Coded Anodized Aluminum caps for easy recognition
- · Virtually fits all car Manufacturers

PPBAKIT01

\$509.71



BRAKE BLEEDER KIT

- Includes seven (7) master cylinder adapters to connect to most American, Asian, and European manufactured cars and light trucks
- · Large 1.2-gallon (5-liter) fluid capacity
- · Integrated manual pump adds air above the fluid level to prevent aeration
- ON/OFF and flow control valve are conveniently located near fluid output
- Utilizes push-to-connect, quick-change style accessory connections

MYMV6840

\$382.69





BRAKE AND CLUTCH BLEEDER HYDRAULIC HAND PUMP KIT

The Maxi-Ject PRO can develop 150 psi of injection pressure with a I5ml injection. It Makes Brake & clutch bleeding a simple one man

- · Bleed new anti-lock & diagonal brake systems, bleeds brakes quickly & efficiently
- Bleeds master cylinder in seconds
- Bleeds hydraulic clutch linkage

PHMAXPRO205 PHOENIX







REVERSE FLUID INJECTION BRAKE & CLUTCH BLEEDER

The V-12 Injector performs reverse flush, vacuum/ pressure bleeding, and master cylinder bench bleeding.

- Develops 125 psi with comfortable hand force.
- Includes: V-12 injector, Smart-Pak Accessories (reservoir bottle, hoses, bleeding adapters, brake fluid bottle adapters, tee fittings, plugs),





DX BRAKE BLEEDER AND REFILL SYSTEM

- The powerful Series DX extracts fluids from vehicle brakes quickly and safely via vacuum bleeding, plus generates slight overpressure to empty the unit's fluid canister.
- Handle Engages Both Vacuum, and Overpressure Modes (suctioning or emptying of fluid in the canister)

VU12-016-1050

\$282.87



BRAKE AND TIRE SERVICE TOOLS



- · Unique design allows for measurement on the vehicle without the removal of any components in most cases (wheel assembly or brake caliper).
- · Quick reference of brake pad condition via color code scale.

OT6596



BRAKE FLUID TESTER

- Tester determines quality of brake fluid.
- · Match color of LEDs with color chart to determine brake fluid quality after test

OT4598





HEAVY DUTY HUB PULLER

The Final Answer" to frozen hubs, axle shafts, and other tough pulling applications.

- Adjustable sliding puller legs can be positioned anywhere on the puller center hub for a true universal fit on wheel hubs with 5"-8"+ bolt circles.
- Pulling plate allows for quick attachment and an even pull on the popular 5 bolt hubs with 4"-5" bolt circles.

OT6574





A complete solution for servicing wheel hubs and bearings on the vehicle without removing the steering components or knuckle.

- Specifically designed to apply maximum force with minimal effort from an impact gun to also minimize service time.
- New adapters increases application coverage up to current model year. Also includes tie rod/ball joint tool and 2 Ford axle installers.

OT6575

\$681.46



- Kit includes everything to update the 6537 Hub Tamer Kit to the New Hub Grabber kit.
- Includes the Hub Grappler Puller, 6 new adapters, misc, hardware and the new Hub Grappler Application Guide.

OT6575-2

\$371.18

DIRECT SOURCE

4 PIECE LINE QUICK RELEASE PLIERS SET

- · Easily fits in tight locations using verticle or angle styles
- · Use with: Gas filters, Vacuum lines, Push lock fittings, Air & Hydraulics, PVC valves, Wiper lines, Water lines, and steering lines on cars and trucks

QRP4S







BMW. MERCEDES VW AUDI MASTER CYLINDER ADAPTER

- · Used in conjunction with pressure bleeder.
- For Brake Master Cylinder or Clutch Master Cylinder reservoirs.

AHTA18



BRAKE FLUID TESTER

- · Quickly determines percentage of moisture in brake fluid
- Red, Yellow & Green indicator lights for easy readings.
- Handy pocket clip. Includes 1 AAA Battery.

TN51400



EURO-PASTE TIRE COMPOUND

11Lb White X-Tra Seal Euro-Paste Mounting & demounting compounds to prevent damage to tire bead

GP14-701

TIRE LUBRICATING FLUID

Gallon Tire Mounting or Demounting Lubricant to prevent damage to tire bead

GP14-753PM



Updated HubShark has greater capacity to handle larger bearings. Replace the front wheel bearings on front wheel drive vehicles without removing the steering knuckle from the vehicle - in about 20 minutes per wheel.

- Pull and press any hub or bearing on domestic and import vehicles
- Includes a thrust bearing to reduce friction between the main screw and the body
- · Made in U.S.A.

KN7326

\$548.90



5 PIECE AIR LINE DISCONNECT SET

- Disconnects quick connect push-in connectors found on heavy-duty truck air systems and more.
- Set comes with five popular sizes: 1/8"-5/32", 1/4", 3/8", 1/2"

LS42400

\$37.80



Use an Air **Hammer to Get** this Job Done



BRAKE CALIPER RESCUE TOOL

Saves time and expense of replacing calipers or wheel cylinders

- Frees up frozen bleeder valves for easy removal
- · Kit includes Driver, 3 adapters, asst of reinforcement rods, blow molded case

VU12-080-1000

GEARWRENCH



BRAKE RESET GAUGE

- Used to set the proper clearance between brake lining and drum prior to assembly. Inside calipers measure drum diameters and outside calipers transfer measurement to brake shoes.
- · Working drum diameter range: 6-1/2" to 14-1/4". Calibrated in 1/32" (1mm)

KD3377



PEDAL DEPRESSOR AND STEERING WHEEL HOLDER KIT

Holds steering wheel, brake pedal, accelerator or clutch pedals in desired position

TA66400





BRAKE PAD AND CALIPER PRESSURE DIAGNOSING KIT

Eliminates guesswork when troubleshooting disc brake problems.

- Comes with 2 load cells attached to analog gauges with a range of 0-5000 PSI (0-350 BAR).

 • Allows for one-man brake testing.
- Tests sticky or frozen brake calipers
- Identifies the cause of uneven brake pad wear

IP7884

\$235.16



SPINDLE SOCKETS, BRAKE AND TIRE SERVICE TOOLS



18 PIECE BRAKE CALIPER SET

- Complete set of adaptors for a wide range of vehicle applications
- Designed for push back and wind back brake
- · Provides both left-handed and right-handed thrust bolt assemblies

AO78618

\$52.84





1/2" DRIVE 4 PIECE "FLIP" SOCKET SET

A set of four (4) thin wall "flip" style impact sockets that have two different hex sizes in each socket.

• 3/4" x 13/16", 19mm x 21mm, 7/8" x 15/16" 1" x 1-1/16" (not guaranteed)

GY1504FW

\$36.27





INNER CAP & STUD KIT

A unique multi-piece tool for the removal of broken/stripped inner cap nuts and spoke wheel studs.

- · Eliminates the need to buy an entire new tool when the teeth wear... replace only the low cost rib nuts.
- Inclueds (1) Drive-On Tool, 1-1/8", 5/8", 3/4" Rib Nuts (not guaranteed)

GY2413

\$80.59







1-1/16" and 17mm, 19mm, 21mm, 22mm, 23mm. They feature protective (color-coded) plastic sleeves and internal plastic inserts

GY1511TP

\$116.25



DEEP METRIC AXLE NUT SOCKET SET

· Set contains five popular spindle nut impact socket sizes 30, 32, 34 -36mm

GY1705SN



12 POINT DEEP METRIC AXLE NUT SOCKET SET

• Includes sizes 29, 30, 32, 34-36, 38 and 39mm.

GY1708SN

\$118.20



OUICK OUAD PAD BRAKE SPREADER

· A Quick Way to Spread Brake Pads and Compress Disc Brake Pistons for Pad Replacement on Single, Double & Quad Piston

· Can be used while caliper is on the vehicle or hanging free.



LS24300 \$42.79

DUAL PISTON CALIPER BRAKE COMPRESSOR

Compresses brake pistons In seconds

LS25750



WHEEL WEIGHT TOOL

Removes, trims and installs clip-on wheel weights. Also includes lever and offset flat tip for removing wheel covers.

1868130



CV BOOT CLAMP PLIERS

Crimps Ear-Type Clamps in Hard-to-Reach Areas.

LS30600







WHEEL LOCK KEY SET

- Used to remove ten different versions of the wheel lock bolts
- Applicable: ABC (Altenloh, Brink & Co) bolts. (Fits approximately 2002 and newer)

AHT40004

■GEARWRENCH



6 PIECE SPINDLE NUT KIT

Chrome vanadium steel 1/2" drive sockets for most 4WD SUV and light truck axle locknut applications.

Includes:, 4 lug 4WD Spindle Nut Socket ½ to 3¼ ton Dana 44, 6 lug 4 WD Spindle Nut Socket 3/4 to 1 Ton Dana 44, 4 lug with Extension 1/2 ton Dana 80, 4 WD Spindle Puller, Toyota Lock Nut Tool, 4 lug 4 WD Spindle Nut Socket 1/2 ton Dana 50

KD41660

\$85.89



ONE HANDED PNEUMATIC BRAKE CALIPER PISTON COMPRESSOR KIT

Serious Time-Savings with less effort

- Allows the technician for easy piston compression with a squeeze of the trigger
- Rotates LEFT or Right in order to Wind-Back Pistons
- Magnetic pad attachment base securely holds press pads
- Current Pad configuration covers nearly every vehicle around the world.

SU3935



DISC BRAKE CALIPER TOOL SET 18 PIECE

- The Master Brake Caliper Tool Set contains caliper adapters that range from 1-3/16" to 2-1/2" as well as adapters specifically designed to service Nissan Saab and Honda models
- This set also contains a caliper rotation tool with left hand threads. This left hand thread is especially useful when working on 2004-2007 models



AND AXLE SOCKET SET

- Sizes 29-32, 34-36, 38, 39mm
- · Backed by Sunex Tools® industry leading Lifetime Warranty for impact sockets

SU2835



1/2" DRIVE SPINDLE **NUT SOCKET SET**

· 30mm, 32mm, 34mm, 36mm

SU2838 \$70.46 1/2" DRIVE 7 PIECE SPINDLE NUT SOCKET SET

 Includes 29, 30, 32, 34,-36 and 38 mm SU2839



4 PIECE 1/2" DRIVE 12 POINT SPINDLE NUT SOCKET SET

Sunex Tools offers one of the most complete toughest Impact Socket lines ar

- Chrome Molybdenum Construction from the finest steel - the best choice for strength and durability.
- Set includes: 30mm, 32mm, 34mm and 36mm

SU2837

\$82.96



MEASURING, BRAKE AND TIRE SERVICE TOOLS



Use the Setting Master Kit for accurately setting any bore gage up to 6" in diameter to an accuracy of .0001"!

Each Set includes:

- Setting Device, with base anvil: 2.750" x .80" and adjustable anvil 2.375" x .375" (two each)
- Internal capacity: 6", Depth capacity: 1", Centralizer capacity width: 2.625"
 Quick-release holder for fast adjustment.
- · Economy Gage Block Set Features:
- Tolerances to ± .00005"
- Gage not included
- · All in a high quality aluminum case!

FOW73-646-000

\$259 49



DELUXE CYLINDER BORE GAGE

• Range 2"-6" diameter, .0005" graduations, 6" depth

FOW72-646-300



CYLINDER DIAL BORE GAGE 1.4" TO 6"

- Range: 1.4"-6", Carbide anvils, Graduation:
- · Easily adjustable, Self-centering
- · Insulated grip, Chrome plated handle
- · Includes extension holder and fitted case.

FOW72-646-400



ELECTRONIC BORE GAGE TO 6"

Bore Gage Features:

- · Carbide anvils. Range: 1.4"-6"/35mm-150mm
- Easily adjustable. Insulated grip. Self-centering. Includes extension holder.
- Dual reading inch/metric electronic indicator. Bar graph and numeric digital display. Resolution: .00005"/.001 mm. Preset with recall. ABS/INC measurement.

FOW74-646-401

\$298.97





- Jet black, grey enamel finish. Large LCD display.
- Resolution .00005"/.001mm, range 0-1"/0-
- Direct RS 232 output. Carbide measuring faces.
- Absolute and incremental modes. Ratchet
- Includes shop hardened case.

FREE! Ball Attachment FOW74-870-001

owler



METRIC OUTSIDE MICROMETER SET

- · 0-100mm Range, .01mm graduations.
- · Measuring faces are carbide tipped. Friction/ ratchet style thimbles
- Insulated frames, Positive lever-locking clamp.
- · Sizes over 25mm include standards.Includes wrench and fitted case.

FOW72-229-220



HARDENED STRAIGHT EDGES

18' STRAIGHT EDGE FOW72-480-050

36' STRAIGHT EDGE

FOW72-480-060

24' STRAIGHT EDGE

FOW72-480-055

\$104.40

\$90.66

owle



FLEX ARM BASE & WHITE FACE DIAL INDICATOR COMBO

Flex-Arm Mag Base features:

 85 lb. pull, Holds rigidly in any position desired. V-base for placing on round surfaces. On-Off lever release magnet

Indicator features:

1" travel, AGD group 2, 2-1/4" dial diameter, Reading: .001", Continuous reading: 0-100, Revolution counter, Tolerance indicators

FOW72-641-300



 Double action rigid handle with self centering feature for quick checking of inside measurements

· Constant spring tension for uniform feel.

FOW72-470-006

\$102.64





ARTICULATING MAG BASE & INDICATOR COMBO SET

Adjust in almost unlimited ways. Fine adjust, 85 lb. pull, Articulating Mag Base

 V-slot on base for mounting on rounded surfaces. Can be set up in almost unlimited positions! AGD Indicator

1" travel. Continuous reading: 0-100. AGD group 2, 2-1/4" dial diameter. Revolution counter Tolerance markers, Lug back mount, Carbide point

FOW72-585-150

\$103.96

-owler



DEPTH GAGE

- Spring-loaded and hold measurement button for ease-of-use
- Super-large display, Range: 0-6"/150mm
- Resolution: .0005"/.01mm (Fractions in 1/64" increments).
- · Supplied in shop-hardened case.

FOW74-225-555

\$53.19

CHROME FLEX ARM MAG BASE INDICATOR SET

AGD Group 2, Dial diameter: 2-1/4", Travel: 1", Reading: .001 Continuous reading: .100", Carbide tipped point

 Included Magnetic Indicator Back for mounting to most metal surfaces!

Flex Arm Mag Base features:

Corrosion resistant chrome plated flex arm., 85 lb. pull magnet, Holds rigidly in almost any position., V-base for mounting on rounded surfaces

Magnetic Indicator Back features:

 Use for positioning the indicator on most metal surfaces. Protective coating

FOW72-585-500

Central Tools, Inc.



UNIVERSAL PINION DEPTH **SETTING GAUGE SET**

- · Works on all cars and light duty trucks
- · Allows quick and accurate pinion depth set up for all after-market rear ends.
- · Also works on OEM gear sets with premeasurements of pinion depth.
- · Incorporates a swing arm assembly and indicator holder.
- Range: 0-3", Graduation: .001", Reading: 0-100 Item Weight: 4.9 Pounds. Height: 12.60 inches Length: 8.90 inches. Width: 3.50 inches

CE6470

\$776.17



BRAKE, TIRE AND MEASURING TOOLS



ELECTRONIC CALIPER

- Range: 0-6"/150mm, Resolution: .0005"/.01mm, Stainless steel frame.
- Direct inch/metric conversion. 4 way measuring Complete in case.

FOW74-101-150-2



ROTOCAL ELECTRONIC ROTOR GAGE WITH TWIN CONICAL ANVILS

- Range: 5.5"/140mmResolution: .0005"/.01mm (fractions in 1/64" increments)
- · Water resistant to IP54 standards.
- Conical anvils measure scored surfaces. 3.5" jaw depth for larger rotors

FOW74-150-004

\$79.12



ROTOCAL ELECTRONIC ROTOR GAGE WITH 6' EXTENDED JAW DEPTH

- Range: 5.5"/140mm, Reads in inch, metric, and fractions
- Direct inch/metric/fraction conversion
- Resolution: .0005"/.01mm (fractions in 1/64" increments)
- · Water resistant to IP54 standards.

FOW74-150-002



ELECTRONIC DRUM AND ROTOR MEASURING KIT

- Measures disc brakes and up to 12" on brake drums.
- When measuring brake drums only, add 8" to measurement— allows for long cone & jaw widths. For use with 6" & 8" calipers 0-6" Caliper features:
- Resolution: .0005"/.01mm. Direct inch/metric conversion. Absolute/incremental measurement. Furnished in shop-hardened case.

FOW74-101-777

\$90.66



EZ-DRUM ELECTRONIC BRAKE DRUM GAGE

- · 4" to 20"/100 to 500mm Capacity
- 4" drum preset, Zero set and Hold function
- · Preset depth at 1" and 1.5"
- Beam has vernier scale to double check reading.
- · Can be used to check some disc measurements

FOW74-150-020

\$197.80



12" ELECTRONIC CERAMIC CALIPER

- Measuring Range 12" (300mm)
- · Resolution (Decimal Inch): .0005", Accuracy (in): +or-.002

FOW74-100-112-1

\$163.19

ELECTRONIC CALIPER POLY-CAL ENGLISH/METRIC/FRACTION

- · Range 6"/150mm
- Polycarbonate Frame.Large easy-to-read display.
- · Direct inch/metric conversion. 4 way measuring
- Accuracy +/-.008"

FOW74-101-175

\$22 97



MAG BASE AND DIAL **INDICATOR SET**

- Includes 1" indicator and mag base, plus rods, swivel clamp and wooden case.
- The 2" diameter .001" indicator features: satin chrome finish, tolerance hands, lug back and revolution counter.
- The 6" high mag base features a 1.5" x 1.5" x 1.75" 50 lb. pull base and a 4.5" long sidearm. All exposed metal is finished in anodized black for corrosion resistance.

FOW72-522-101



X-PROOF WATER RESISTENT **INDICATOR SET**

- · Fine adjustment Base dimensions: 2" x 2-11/32" x 1-13/16"
- · Mounts test indicators with 1/4" post.
- 85 lb. pull. On-Off lever release magnet.
- V-base for placing on round surfaces.
 Travel: 1". Reading: .001"

FOW72-585-155



MINI MAG PROTRACTOR

Protractor provides instant 360° digital inclination display of any angle

- Embedded magnets with 35lb. pull.
 Uses standard 9V battery (250 hrs.)
- Measuring range: 360° (4 x 90°) Display inverts.

FOW72-422-450-1



OUTSIDE MICROMETER SET 0-4'

- .0001" graduations.
- Measuring faces are carbide tipped.
- Accuracy: ± .0001" for 0-1" and 1-2" sizes.
- Friction/ratchet style thimbles. Positive leverlocking clamp.
- · Sizes over 1" include standards. Includes wrench and fitted case

FOW72-229-214

\$132.97





DISC AND ROTOR/ BALL JOINT GAGE

- · Checks ball joint wear and disc rotor runout.
- · Checks tire and wheel runout, gear backlash, valve guide wear, etc.
- Meets state inspection requirements.
- · Indicator features 0-1" travel, and .001" graduations.; Inch/Metric 1"/25mm, .001"/.01mm grad.
- Includes shop-hardened case.

FOW72-520-757

\$91.87



Desc.

Capacity

Sale

Digital Calipers with Inside, Outside, Depth and Step Measurements

CE3C301

Steel Body

0-6"/0-150mm

\$31.80

CE3C351

Composite

0-6"/0-150mm

\$16.84

ROTOR RUN-OUT SET

- Range 0-1", .001" Graduations
- · Locking pliers clamp to any convenient object

CE3D103

\$94.53



DIGITAL ROTOR GAGE

Easy to read digital display with

inch/metric conversion • 0-5.50"/0-140mm Range

- Measure brake rotors and ball joints
- Pointed anvil and 3.50" long arms to inspect rotors

CE3M430

\$71.91



BRAKE AND TIRE SERVICE TOOLS



Brake Lathe Accessories





AM40410









AM40435

Popular Carbide Brake Lathe Bits

AM40415

Item #	Brand	Fits	Price
AM40410	Ammco	FMC	\$47.34
AM40415	Ammco	Kwik	\$72.37
AM40420	Ammco	Hunter	\$34.79
AM40430	Ammco	Perfor.	\$26.77
AM40435	Ammco	Accuturn	\$56.51
AM40610	Ammco	Round	\$62.33
AM6914-10	Ammco	Ammco	\$27.82
AM6918-6	Ammco	Am/Pos	\$40.57
SR060-10	Ammco	Accuturn	\$38.46
SR062-10	Shark	Ammco	\$17.47
SR069-10	Shark	ProCut	\$48.35
SR407-10	Shark	FMC	\$38.46
SR802-10	Shark	Kwik/Snap/Pos	\$48.90





AM6918-6





SR069-10

SR407-10





3/16" BRAKE LINE REPLACEMENT KIT · Includes 112 pieces and 25' brake tubing

\$103.57

FLARING TOOL KIT

SRRBR-EZ14

SRRBR-EZ316

Designed to replace brake lines when the OEM line has failed. These kits conform to SAE hydraulic brake tubing specs and are pressure rated up to

3,000 PSI. This product does not corrode

special bending tools. 1/4" BRAKE LINE REPLACEMENT KIT

in harsh environments and requires no

Includes 41 pieces and 25' brake tubing.

Die sizes 4.75, 6, 8 &10mm. Crack free bubble flares

on soft wall tubing OT4504



OT4503

Die Sizes 3/16-1/2(4.8-12.7mm)

\$38.73

Brake Line Tubing Repair



BUBBLE (I.S.O.) FLARING TOOL KIT IN PLASTIC CASE

- Forms the International Standards Organization (I.S.O.) bubble flare used on Japanese, European and domestic vehicles.
- $\stackrel{\cdot}{\ }$ Works without having to remove the brake line
- For 4.75mm, 6mm, 8mm & 10mm tubing.
- · Includes yoke with forcing screw and handle, four adapters, flaring bar & wrench with height gauge

TA14825

\$36.79



DOUBLE FLARING TOOL KIT

- Flares 5 sizes of copper. aluminum, soft steel and brass tubing: 3/16" 1/4",5/16",3/8" and 1/2".
- For double or single flares up to 45°

TA14800

\$34 31





 Cuts thin-wall steel, plastic, copper and brass tubing from 1/8" - 5/8" O.D.

TA14850

\$5.52



DOUBLEAND BURBLE FLARING TOOLKIT

Complete double and bubble flaring tool assortment.

· Precisely flares tubing up to 0.040 wall thickness to SAE/Metric 45° flares. Hardened bar assembly clamps 11 tubing sizes: 3/16", 1/4",5/16",3/8",7/16",5/8",1/2",4.7,6,8, and 10mm.



\$126 56





MASTER TUBING SERVICE KIT

Most complete kit available. Double Flare, Bend, Cut, Ream, and Deburr.

• Includes:Mini Tubing Cutter, Tubing Bender, Deburring Tool, Flaring Adapter Kit, Holding Bar and Yoke

KD41590





\$84.45

TUBE BENDER

• Bends 1/4", 5/16" and 3/8" O.D. tubing without without kinking or collapsing.

TA14860

\$13.87



Reduce Book Labor Times



In-Line Close Quarters Flaring Tool Kits

The low profile design of this tool allows techs to make flares on the vehicle without having to make tedious disassembly or reassembly.

- · Make flares along frame rails or areas in the engine compartment
- Increases profits since components do not need to be removed
- · Make perfect flares every time with less risk of breaking adapters.

Item #	Sizes	Price
CV154	Metric Kit (4.75mm, 5mm, 6mm in case)	\$41.76
CV161	Automotive Kit (3/16" & 4.75mm in pouch)	\$31.69
CV164	SAE Kit (3/16",1/4",5/16" in case)	\$41.63



BRAKE AND TIRE SERVICE TOOLS

Digital and Tire Inflator Gauges

STEELMAN

TPMS DIGITAL TIRE INFLATOR

• Allows user to preset target inflation pressure for reference

JS97952

\$113.05



TPMS DIGITAL TIRE PRESSURE GAUGE

- 3 99 PSI. Accuracy: +/- 1 PSI Auto delay shut-off function
- Aluminum housing with rubber nose and tail for added protection

JS97926

\$14.51



TIRE INFLATOR WITH GAGE

 Easy to read pop up gage measures from 10 to 120 PSI in 2 PSI increments

TA65100





TRUCK TIRE INFLATOR WITH DIAL GAUGE

- Extra long reach 14" dual head chuck with internal lock on threads
- Easy to read, dual calibrated scales (0 160 PSI and 0 - 1100 kPa)
- · Protective rubber, corrosion resistant brass pressure relief valve

TA65130





TIRE INFLATOR GAGE WITH VIEW WINDOW

 Easy to read gage is calibrated from 10 - 120 PSI in 2 lb. increments. Three function lever:

TA65120

\$50.46



DUAL HEAD TIRE INFLATOR

Window Style lens Reads tire pressures accurately from 10-120 lbs

MI506S

\$52.66



• Easy to read LCD Accurate to +/-

DIGITAL DUAL STRAIGHT HEAD RV & TRUCK GAGE

PRDT150-38CV

DIGITAL DUAL HEAD TIRE CHECKING GAGE

PRDT150-33CV



TPMS DIGITAL TIRE PRESSURE **INFLATOR WITH QUICK CHUCK**

- Easy Change Chuck System 1 Button Operation, Auto shut-off for increased battery life
- · LCD Back Light Allows accurate reading of tire pressure, assisting with TPMS (Tire Pressure Monitoring Systems)
- Two position lever. 1st position deflates, 2nd position inflatesn system

AO3018



DIAL STYLE TIRE INFLATOR

- · Aluminum die-casting unit covered with rubber sleeve
- · Clear and easy to read 3 in 1 function: inflate, deflate and measure tire pressure
- Two position in flate/deflate level
- 80mm pressure gauge (0-12 Bar/174Psi)

AO3081





TIRE INFLATOR GAGE WITH 12" WHIP HOSE

Easy to read dial is calibrated 0 to 160 PSI. Unit is protected with a heavy rubber cushion "bumper." The tapered chuck and swivel dual foot make getting into tight spots easy. A must for racing tires and truck fleets.

AF135



GAGE BAYONET STYLE

- 12" Hose with swivel dual chuck
- Tapered end fits wheel cover holes on cars and light trucks

AF101D

\$49.25

TOOL AID **DEPTH GAGE**

· Sliding gage measure in inches and millimeters TA65140 \$4.18

M TOOL AID

TIRE VALVE CORE TOOL

- · Removes and installs tire valve cores.
- Shaft extends 2" beyond handle.
- 5 1/2" overall length.

TA65150

STEELMAN

SPARE TIRE REMOVAL BARS

- · Allows anyone to quickly remove difficult to reach spare tires
- Applications include many trucks and SUV's where spare tire is located under the vehicle

JS96090A

\$115.36



BEAD EZE TIRE AND RIM LUBRICATOR

 Use to lubricate tire for easier bead seating.

KN35847

\$15.98



TIRE LUBE BRUSH

· Used for brushing lubes on to the tire to make rim mounting easier

KN30511



TIRE TEST DUNK TANK

 Heavy duty plastic tire and tube test tank. 31" x 12" x 12"

AL19822

\$67.80





TIGHT ACCESS COPPER BENDING PLIERS

· Bends 3/16" Brake Lines Without Kinking or Flattening, Especially in Tight Spots. Bends all types of 3/16" OD tubing. Unique head design bends tubing without collapsing the tube. Won't mark tube surface.

LS44150

1/4" TUBING BENDING PLIERS

 Bends 1/4" Brake Lines Without Kinking or Flattening, Especially in Tight Spots. Bends all types of 1/4" OD tubing

LS44070



BRAKE SPRING PLIER

· Longer and slightly wider with stronger tips

Holds the spring better without leaving a deep cutting mark.

VT989

\$31.85





TIRE REPAIR



	GF 14-514	GF14-314W	GF 14-313H	GF 14-317	GF14-317F	GF 14-320
Ite	m #	Description				Sale Price
GP	11-311				quare 2 1/4". ng works with radial	\$36.67
GP	11-322				ned for chemical backing. 25 Per Box	\$17.62
GP	11-325		rsal Medium oval anization. Black v		. Designed for blue poly backing.	\$19.15
GP	12-213	Arrow Head 5/	16" Orange Vulca	nizing Insert (25	Per Box)	\$16.15
GP	12-214	Arrow Head 7/	16" Orange Vulca	nizing Insert (15	Per box)	\$16.15
GP	12-361R	4" Flat Brown St	ring, 50 Pieces			\$14.74
GP	14-008	236ML Chemic vulcanization.	al Vulcanizing Ce	ement for chemic	cal or heat	\$15.56
GP	14-101	32 oz Bead Sec	aler for use with Tir	e inflation mach	ines	\$15.13
GP	14-303	Carbide Power	Rasp Tool			\$24.77
GP	14-305	Flexible Skiving	Knife			\$16.36
GP	14-310	Power Awl				\$9.87
GP	14-314	3/16" x 1-1/2" W	Vood Handle Sticl	her		\$12.87
GP	14-314W	1-1/2" x 1-1/2" \	Wood Handle Stic	her		\$31.13
GP	14-315H	Hoe Style Inner	Liner Scraper			\$12.28
GP	14-317	Split Eye Tire Ne	edle Insert Tool C	hrome T-Handle		\$16.51
GP	14-317P	Spiral Probe Ch	rome T-Handle Tir	e Reaming Tool		\$16.51
GP	14-320	2-1/2" Carbide	Tire Buffing Whee	I		\$6.28
GP	14-552	Tire Yellow Mark	king Crayon			\$10.90





Get in the Know for basic tire patching repair. This kit is a fix all for customers that need a fast plug or patch.

Pays for Itself in just a few jobs.

 Contains 1 box 12-220 (fiber seal inserts) 50 per box, cement, pistol grip spirial cement probe, pistol grip split eye needle, 15 Euro-Style medium square patches, and a repair booklet.

GP12-221





MUSHROOM STYLE TIRE PLUG KIT

 Includes: 2 Boxes 12-213 (5/16 Orange vulcanizing insert, 25 per box), 1 Box 12-214 (7/16 Orange vulcanizing insert, 25 per box), 1 Can of cemment, and probe tool

GP12-210



TOTE TIRE REPAIR KIT

Tire Repair for the Do it yourself or Pro

· Includes; 50 pieces of 4" fat brown string. 1-spiral, 1-open eye needle, 1-jar plug lubricant, 1-razor blade knife, Easy to follow instructions for home or professional use

GP12-361







AUTO AND LIGHT TRUCK REPAIR KIT

 Kit contains: 30 - 4" strings, metal insertion tool, extra insertion needle, metal Thandle spiral probe, lube, instructions

NSKAP30

PROFESSIONAL TIRE REPAIR KIT **METAL T TOOLS & 60 STRINGS**

- The Deluxe Kit contains 60 4 inch (10cm) repairs
- Metal T-Handle Insertion Tool
- Extra Insertion Needle. Metal T-Handle Spiral Probe. Lube Instructions. MADE IN THE USA

NSKAP

\$59.89



LOW SPEED TIRE BUFFER W/REAR HOSE ASSEMBLY

- 2,600 RPM
- · Complete with Rear Hose Assembly for Hook-up
- Full 1/2 HP Stall Resistant Motor
- 5/16" Integral Hex. Chuck

FP709

\$100.51



TIRE CHANGING



BLUE COBRA TRUCK TIRE DEMOUNT TOOL

Fast and easy, the 54" Blue Cobra truck tire demounting tool is strong but economical and offers a golden value for tire changing

- Quickly demount nearly any 20", 22.5" and 24.5" tube-type and tubeless truck tires, up to a 13" wide wheel
- Allows demounting of the tire without lifting the entire wheel and tire off the ground
- Aluminum bead support to grab the top bead of Super Single and Super Wide tires

KN35440

\$342.88



19.5" TIRE MOUNT/DEMOUNT SET

- (2) Two Nineteen-Five Bars (# 33199) for mounting and demounting tires, measuring 38-inches each in length and only 3.5-pounds in weight
- (1) One patent-pending Bead Holder (# 33196) for 19.5" aluminum wheels, measuring 7-1/2 -inches in length
- (1) One Solid Brass Bead Holder (# 31710) for stéel wheels
- (1) One patented Leather Aluminum Wheel Protector pad (# 31810), which protects rims from marring and scratching

KN33195



32" BEAD BREAKING WEDGE WITH POLYMER HANDLE

- · Hump Design prevents tool from wedging between rim and bead.
- · Breaks the bead with little or no prying.

KN35460

32" DUCK BILL BEAD BREAKING HAMMER

· Fiberalass handle with curved head hammer.

KN35429

\$118.84





AIR BLASTER BEAD SEATING TOOL

- Used on Auto, ATV, and Truck Tires
- Designed for use on tires up to 24-1/2" diameter
- ASME certified 5-gallon tank

KN31444

\$293.19



Slide Hammer Bead and Valve Breakers

NEW!

LONG VALVE BREAKER SLIDE HAMMER

Long 45" Valve Breaker Slide Hammer

KN35936

\$207.71



SHORT VALVE BREAKER SLIDE HAMMER

KN35934

\$204.18



IMPACT TIRE BEAD BREAKER

- · Bead breaker loosens beads with bead-breaking foot and ram bar, but never cuts the bead of the tire. The wedge foot is forced between the bead and rim flange.
- · Exclusive spring action design to reduce user fatigue. 50" lenght, 80" fully extended.

KN35926

\$223.25

Small Impact Bead Breaker Slide Hammer KN35924

\$165.82





INNER DUAL WHEEL PORK CHOP

1-1/2" Wrench holds outer cap nut on dual wheels while the inner nut is turned. Lip fits in hole to secure wrench in place. Sizes offered fit standard and metric cap nuts

KN30609



13 PIECE DELUXE LUG NUT WHEEL LOCK REMOVAL SET

Easily removes most lug nuts and wheel locks on domestic and import passenger vehicles and light trucks



· Set includes 11 sockets, extension and extractor punch in plastic storage case

KN30171

\$131.75



DUAL HEAD AIR CHUCKS

No more frustration with air chucks too short to reach inner dual wheel tire valves.

Item #	Style	Lenth	Price
MIS-690-12	Standard	12″	\$15.08
MIS-693-12	Straight Foot	12″	\$18.15



PNUEMATIC TIRE BEAD SEATER

- Makes seating the most difficult bead safe simple, fast and economical.
- Features 5 gallon capacity ASME certified tan designed for commercial use on all tires ATV to 24.5" truck tires.
- Safely rests on your leg at a 45° angle to the
- · The discharge valve design allows tank discharge in one quick motion.

CHECH5

13 GALLON TANK TIRE BEAD SEATER

 Trigger-style discharge valve allows for optimum airflow control

 Unique nozzle contains discharge holes strategically placed for

optimum inflation Ball valve included for filling tank also provides compressed air for filling the tire while seating the bead. ASME approved tank with relief

pressure valve for safety. OT5713

\$726.88

\$317.95



HEAVY DUTY SLIDING TIRE SPOON TOOL


"Convex Slip Head" curved design allows the spoon to slide easily into the tire bead while the spoon bump limits the depth for quick-and-easy

 Inner slide bar provides hammer action to easily insert and remove the spoon.

38" in length and extends to 52 inches for increased leverage.

OT5716





DIGITAL TIRE DEPTH TREAD GAGE

- · Reads in inch, metric and fractions!
- Spring-loaded & hold measurement button
- Super-large display, Range: 1"/25mm
- Resolution: .0005"/.01mm, fractions in 1/64" increments.

FOW74-225-500

\$18.13





TIRE AND LUBE



TORQUE SOCKETS

	TORROL SOCKETS
ltem #	Description
LT1500-AA	22MM 80 Ft/Lbs. Land Rover Lemon Green
LT1500-B	21mm - 80 Ft/Lbs., 110 N.M Orange
LT1500-BB	21MM 150 Ft/Lbs.Truck & Van Turquoise
LT1500C	3/4"/19mm - 100 Ft/Lbs., 135 N.M. Grey
LT1500-CC	17MM 90 Ft/Lbs. Volkswagen Pink
LT1500-DD	21MM 100 Ft/Lbs. Chrysler/ Dodge Sky Blue
LT1500-EE	22MM 140 Ft/Lbs. Truck/SUV Safety Purple
LT1500-GG	1 1/16" 80 Ft/Lbs. Land Rover Beige
LT1500-HH	1 1/16" 100 Ft/Lbs Land Rover Light Orange
LT1500-I	7/8" 120 Ft/Lbs. Chevy/GMC White
LT1500-J	1" 140 Ft/Lbs. Light Truck and Van Tan
LT1500-K	17MM 110 Ft/Lbs. Mercedes Purple
LT1500-L	1" 170 Ft/Lbs. Light Truck & Van Appl Grn
LT1500-LL	22MM 175 Ft/Lbs.Truck/SUV Bubble Gum
LT1500-NN	19MM 90 Ft/Lbs. Gold
LT1500-OO	13/16" 75 Ft/Lbs. Neon Green
LT1500-Q	7/8" 140 Ft/Lbs. Light Truck & Van Aqua
LT1500-QQ	22MM 95 Ft/Lbs. Honda, Acura, Land Rover Salmon
LT1500-R	17MM 70 Ft/Lbs.
LT1500-S	19MM 55 Ft/Lbs Light Blue
LT1500-SS	21MM 110 Ft/Lbs Dodge/Chrysler Silver
LT1500-TT	15/16" 135 Ft/Lbs.Truck & Van Lime Green
LT1500-UU	14MM 75 Ft/Lbs. Dark Purple
LT1500-V	1-1/6" 140 Ft/Lbs.Truck & Van Maroon
LT1500-XX	13/16" 160 Ft/Lbs. Truck/SUV Truck Socket Vanilla
LT1500-Y	7/8" 100 Ft/Lbs. Navy Blue
LT1500-Z	7/8" 65 Ft/Lbs. Jaguar Cool Gray



7 PIECE 1/2" DRIVE WHEEL TOROUE EXTENSION SET

- · Does the work of 16 regular torque sockets.
- · Each kit includes a color wall chart

LT1470

LT1593



\$245.69





• Tightens Lugnuts To Correct Torque First Time, Every Time On Most Domestic/Import Cars & Light Trucks. Helps Avoid Over-Torquing & Prevents Wheel And Brake Damage

<u>LINCOLN</u>

Lincoln Rotary Pumps Feature Graphite Three-Vane Design for exceptionally smooth fluid flow for no-splash fills. Use in Agriculture, Heavy Equipment, Construction, Trucking/Transport, Automotive, and Industrial

- High-tolerance micro-finished bore & vanes provide outstanding pump life
- Self Priming / Outstanding vacuum
- 10 Gal/Min at 120 RPM low viscous fluids, 7 Gal/Min at 80 RPM motor oil

ROTORY PUMP NON CORROSIVE FLUIDS

Use for Oils, diesel, kerosene, coolant, and non-corrosive materials

LN1385





FUEL TYPE ROTARY PUMP

Use for Gasoline, Oils, medium viscosity petroleum based fluids,

diesel, kerosene, coolant, and non-corrosive materials. Fully serviceable and FM Approved.

 Includes Flame Arrestor and Anti-Siphoning Vacuum Break, Heavy-duty 8' x 3/4" anti-static hose with non-sparking aluminum nozzle with hanger

LN1387

\$282.05





PL55161 PL55150 PL55017 PL55123 PL55303

RYTON LEVER BARREL PUMP

- · Polypropylene housing, stainless steel rod with Viton seals. Pumps all types of fluids
- Fits 5-55 Gallon Drums

PL55161

RYTON ROTARY PUMP FOR ACIDIC FLUIDS OR OILS

· Will pump acids, alkalines, gas, diesel, machine oil, water, alcohol, thinners and petroleum based products. Fits 5-55 Gallon Drums

PL55150 \$205.97

ECONOMY ROTARY BARREL PUMP

· Rugged cast iron pump housing

PL55303 \$79.56

ECONOMY BARREL PUMP


• Die cast head with garden hose threads

\$34.35

HEAVY DUTY PETROLEUM FLUID BARREL PUMP

• Two-piece telescoping suction tube fits 30 -55 gallon drums, delivers 10 oz per stroke

PL55123 \$43.65



Use with Light Viscosity Non Corrosive Fluids and Lubricants

Item #	Pics.	Fits Tubes	Fluids	Price
TA17500	Α	5, 6	Thinner	\$24.20
TA17550	В	15, 30, 55	Non water base	\$36.79
TA17560	С	15, 55	Non water base	\$34.53








Used for marking spare parts and glass

Item #	Color	Price	
SH63606	Purple		\$3.21
SH63613	White		\$3.21





Item #	Pics.	Size	Fluids	Stroke	Price
LN1340	A	16 to 55	Non water base	14	\$55.28
LNG400	В	25-50lb	Gear Oil	NA	\$39.56
LNG401	С	5 to 30	Petro Based	10	\$38.46
LNG410	D	16 to 55	Water Based/Light Corrosive	NA	\$36.40

TOOL AID



TIRE WHEEL STEP

- · Mount on tires from 14" thru 20"
- · Aids in reaching dificult areas by use of elevating the tech

TA19600

\$96.88



2 Speed Flow

LCD Flow Meter

18v Lithium


GREASE AND LUBE

LINCOLN



These Kits feature the latest digital technology

· LCD flow meter displays grease output, cartridge level, and batter charge level. It also prevents over lubrication and wasted grease



18 V High-Amperage Lithium Ion

Batteries Provide Outstanding

- · LED lights up fittings when under equipment or in shaded areas
- · 36" long-reach hose with spring guard
- Ergonomically designed and balanced for
- One hour fast charger rapidly charges the 3.0 amp batteries.

Item #	Fits	Price
LN1862	18-Volt Lithium Ion Kit	\$402.35
LN1864	18-Volt Lithium Ion 2 Battery Kit	\$524.43

Lincoln Power Luber Accessories



Cordless Grease Gun Parts for Lincoln Series Grease Guns

Item #	Pic	Part	Info	Fits	Price
LN1224	Α	Hose	24"	All	\$32.68
LN1230	Α	Hose	30"	All	\$35.69
LN1236	Α	Hose	36"	All	\$41.29
LN1401	В	Battery	HD	14 Volt	\$96.41
LN1410	С	Charger	AC 120v	14/18 Volt	\$55.36
LN1415A	D	Charger	12V Car	14/18 Volt	\$56.92
LN1801	E	Battery	HD	1840 Series	\$100.51
LN1861		Battery	Li-lon	1860's	\$180.22
LN1850		Charger	Li-lon	1860's	\$81.32

THE TAKE

POCKET NEEDLE LUBRICATOR

Push button delivery system allows precise control over placement of lubricant

- Machined aluminum body for extended life
- · Designed for intricate and delicate machinery

TN15200

\$9.98



FITTING ASSORTMENT

- Top quality components
- packed in an easy pick package Contains the most popular sizes
- TZ45215



70 PIECE GREASE FITTING ASST.

- · Contains 9 popular sizes in SAE and Metric Sizes
- · Convenient resealable plastic case





LINCOLN Lincoln: The "Originator of the **Battery-Operated Grease Guns**


Two-speed transmission gets the job done quickly - 300% greater grease flow (up to 9 oz perminute) - 35%more operating pressure than an other "cordless" gun unclogs stuck fittings - A patented stroke indicator button for

grease flow measurement Best grease output in cold temperature operation (down 18 Volt Cordless to 10°F). Overload protection. Grease Gun Kit



LINCOLN

MECHANICAL OIL DISPENSING METER



- Dial Toal 16 quarts, dispensing graduations 1/4
- 10" flex with nipple, dispenses 4 gallons per minute

LN877

\$405.96

\$345.61

LINCOLN

HIGH PRESSURE **GREASE CONTROL VALVE**

- Use with power operated Lubriguns
- Includes 6" extension tube and hydraulic couplerwithstands 10,000 p.s.i. \$140.51

LN740

FULLY AUTOMATIC AIR GREASE GUN

- Fully automatic, continuous operation, Variablespeed trigger
- 30" high-pressure hose with coupler and attachment clip
- · Includes a combination filler nipple and bleeder
- Pump Ratio: 40:1 at 150 psi
- Max. Grease Pressure: 6,000 psi (414 bar)
- Air Pressure Range: 40 150 psi (2.8 10.3 bar)

\$102.89

LN1162 LINCOLN

50:1 GREASE PUMP

- · Includes #740 Grease Control Valve and #81387 Universal Swivel, and four wheel band dolly
- A standard metal follower plate with a flexible wiper edge cleans the drum and helps prime the pump to use more of the available grease. A heavy duty 1/4" Aj Coupler and Nipple are also included.
- Fits on a 120lb factory arease container

LN6917







FLUID RECOVERY, GREASE AND LUBE

LINCOLN High Pressure Grease Fittings and Adaptors

Universal and Popular Fittings for Manual, Air, and Hydraulic Lubricating Equipment.



u nuuptoi o			
Item #	Pics.	Fits	Price
LN5803	Α	Needle Nozzle	\$11.21
LN5812	В	12" Hose	\$18.13
LN5818	В	18" Hose	\$20.33
LN5845	С	Hydraulic Coupler HD	\$12.09
LN5848	D	360° Hydraulic Coupler	\$48.90
LN5849	Е	360° Degree Extension Coupler	\$62.59
LN5852	F	Standard Hydraulic Coupler	\$6.37
LN5852-54	F	Standard Hyd. Coupler (54 Pack)	\$171.50
LN5855	G	Straight Extension	\$36.95
LN5858	Н	Two Way Extesion Adaptor	\$40.66
LN5859	I	Locking Coupler	\$28.42
LN5861	В	36" Hose	\$36.51
LN5883	J	Angle Grease Fitting	\$8.57
LN80933	K	Button Head Coupler 7/8"	\$70.20
LN81387	L	Z Swivel 1/4 MPT x 1/2-27 Male	\$69.19
LN83278	М	U Joint Attachment	\$44.24
LN83594	L	Z Swivel 1/4"x1/4"	\$96.15
LN81458	N	Button Head Adpt. Coupler 5/8"	\$53.82
LN81980	0	1/8" Sleeve Locking Adapter	\$23.71
LN82399	Р	Swivel for Air Pumps 1/4 NPT - 1/2"-27	\$37.05
LN82784	Q	Needle Adapter Extension and Locking Sleeve	\$26.31







Factory Drop Ship

FLEET SWEEPER FUEL TRANSFER AND FILTRATION SYSTEM

Cleans & transfers diesel fuel, use on: Trucks, Tractors, Farm Equipment,

55 Gallon Drums and Storage Tanks

- · Water blocking filter with clear sight glass
- Special wands included for accessing the bottom of the fuel tank
- Includes hoses & quick disconnect fittings
- Rotary Vane Pump 120V AC (6.5 Amp)
 Flow Rate: 18 GPM, Input: 1" Diameter, Output: 3/4" Diameter
- Filter: 10 Micron (Water Blocking)
 Dimensions: 12" W x 20" H x 13" D, 32lbs

IP9049M

\$1,882.28





GREASE JOINT REJUVENATOR MASTER PROFESSIONAL MODEL

- Opens clogged grease fittings & joints
- Cleans & replenishes old & dirty grease fittings

· Loosens dried grease in joints IP7863



PROFESIONAL GREASE JOINT REJUVENATOR

Opens clogged grease fittings & joints

- Cleans and replenishes old and dirty grease
- · Loosens dried grease in joints
- Cleans ways and stays in milling machines and
- Lubricates bearings on farm, lawn & construction equipment

IP7862

\$53.25

LINCOLN

HEAVY DUTY LEVER GREASE GUN

- Heavy Duty Construction
- · Three way loading
- Positive priming with "flip over follower"



LEVER GREASE GUN

- 18" Whip hose and coupler.
- · Fast one-hand operation
- · Follower flips over for use with cartridge 16 oz. bulk 14.5 oz cartridge lube capacity

\$47.18

290.11

LN1147

LINCOLN

PISTOL GREASE GUN

Includes 12" flexible grease hose and coupler.

LN1133



18 GALLON PRESSURIZED OIL EVAC SYSTEM

Designed to provide an affordable option to draining, transferring and evacuating used oil quickly and safely

· 18-gallon tank includes a preset air regulator that allows the use of standard shop air up to 150 psi.

 14-inch telescoping bowl with a height adjustment range of 45 to 72 inches.

LN3601



25 GALLON FUEL CADDY

- · Large capacity 25-gallon welded steel tank
- · 2-way rotary moves 1 gallon per 12 revolutions
- 7' (2.1m) long wire-reinforced fluid transfer hose
- · Easy-to-read sight gauge
- Fire-screened vent cap prevents tank pressurization
- · Includes ground wire and antispark skid pads

LN3675

John Dow 1 Industries

25-GALLON GAS CADDY U.L. APPROVED

- · 25-Gallon Steel Tank, Heavy-duty, UL Listed cast iron pump with carbon vanes
- Two-way operation, one gallon for every 12 revolutions, with fill level
- Heavy-duty 10" steel wheels
- · Ground wire and clamp

JDFC-25GC

\$810.46

\$635.90



ATF SERVICE, FLUID RECOVERY AND TRANSFER



Fluid Evac and Replacement Systems

Mitvvac fluid evacuators are ideal for removing fluids from small tanks and reservoirs. These units are lightweight and portable, and include integrated reservoirs. Applications include evacuating engine oil, coolants, transaxle grease, and power steering, transmission, and brake fluid. Hoses and general application fittings included.



Item #	Pic	Capacity	Pump	Price
MY7201	Α	2.3G	Pump Press/Vac	\$127.18
MY7300	В	2.3G	Air Vac	\$141.03
MY7400	С	1.9G	Pump Vac	\$96.41
ATF REFILL KIT WITH I		TOR		

- · Converts MV7201 Fluid Evacuator Plus into an automatic transmission refill system. Quickchange coupler allows fast adapter changes
- Brass ball valve controls the flow of fluid
- Ten (10) adapters fit Ford, Toyota, BMW, Honda, Nissan, VW, Audi, and Mercedes transmissions
- · Includes custom-molded storage case for adapters

MYMVA7216

TRANSMISSION DRAIN FUNNELS

Transmission Drain Funnel Heavy-duty plastic lift drain funnels extend the catch area of any lift



FUNNEL 22" X 23"

AL17892

OVER SIZE TRANSMISSION DRAIN FUNNEL 24" X 36"

AL17902



30 OUART MULTI DRAIN TUB

· 30 quart heavy-duty, plastic drain tub

AL17922

\$50.84





PLASTIC DRIP PAN

Made of durable polyethylene material Dimensions are 24" x 36" x 1 1/2"

AL19722





TRUCK DRAIN ON WHEELS

- Easily holds up to 60 quarts
- Equipped with 4 rollers and a handle
 Height 10", width 24 1/2", length 43".

AL19122

\$225.48



NCOLN ATF Refill Systems

Dispenses fluids to fill or top-off master cylinders, coolant bottles, automatic transmissions, differentials, power steering and other reservoirs.

- · Performs hydraulic brake & clutch bleeding with additional adapter purchase
- · Large 1.2-gallon (5-liter) fluid capacity

ATF REFILL SYSTEM MYMV6400

\$196.41



ATF REFILL SYSTEM KIT WITH ADAPTORS MYMV6410

MOTORVAS



IN LINE TRANSMISSION

TransTech III is designed to exchange virtually all of the used automatic transmission fluid in a vehicle's transmission by the in-line process

- 12-volt DC power makes the unit portable.
- Two 26 quart reservoirs. Service can be completed in 10 minutes. Comprehensive cooling line adapter kit included

MTV500-1100

\$5,273.04

SHIPS BY TRUCK

MotorVac is an Excellent Return on Investment

TRANSTECH IV

Connect to a transmission cooler lin button and walk away, or use the dipstick exchange which requires no additional tools or adaptors.

- Includes a complete adapter kit
- Drain pan feature allows operator to drain transmission pan for a convenient and messfree filter change. 26 quart reservoir

MTV500-1125

\$5.974.73





Funnel Filters

Porous filter material allows fluid to quickly pass through into funnel or pan.

15" Round Oil Splatter LS38750 Protective Pad

\$10.86

LS38780

22" Square Oil Splatter Protective Pad

\$25.05





Rugged Portable Adjustable Height Oil Lift Drains

Item #	Size	Reach	Funnel	Price
AL11102	8 Gal	39″-60″	13″	\$127.94
AL17432	18 Gal	36.5"-77"	15"	\$209.95



4.5 Gallon Recovery Containers with Easy Pour **Out Spouts**



Item #	Use	Color	Price
AL17942	Oil	Black	\$22.44
AL17952	Antifreeze	Green	\$22.44





18" Funnel Portable Oil **Recovery Drains with Spouts**

Heavy Duty Poly Drains with 2.5" Swivel Castors. 18" Funnels with **Strainer Avoids Drain Plug Loss**

Item #	Size	Reach	Drain	Price
JDI-18DCP	18 Gal.	48″-71″	Yes	\$188.21
JDI-8DCP	8 Gal.	48"-67"	No	\$102.53



Thumb operated valve controls flow. flip action locks valve open.14" flexible metal spout with tapered 1/2" OD



PL75668 8 Quart

\$63.49



FLUID HANDLING AND OIL CHANGE



LOW PROFILE ECONOMY TRUCK DRAIN WITH PUMP

Ideal for oil draining trucks where a pit or hoist is not available

Large 18 Gallon baffled tank captures oil and transports with ease

- · Large metal screen
- Convenient rotary hand pump facilitates easy evacuation to large oil tanks

IN8878





17 GALLON OIL TRANSFER TANKER

- 5" diameter freewheeling casters.
- Pumps 5 gal./min. through an 8' transfer hose.
- Transfer Tanker can also be used for transferring used antifreeze.
- Floor space is 24" x 42", and 9-1/2" high.

OT5077





LOW PROFILE TRANSFER TANKER

- · Handle is removable for easy storage.
- Screen attached to reservoir allows Transfer Tanker to be stored on its side when empty.
- Only 7-1/2" from floor to top of reservoir.
- Comes equipped with a pneumatic pump (No. 529966) and a 15-gallon reservoir.

OT5097

\$981.29





7 PIECE OIL FILTER AND SOCKET SET

- Covers All Mercedes-Benz Applications and most VW/Audi, BMW, Saturn, Toyota, Mazda and GM
- Covers Ford Escape Hybrid, Dodge Sprinter, Jeep and Volvo and most cars in the American market

AH2101

\$113.49





OIL FILTER CUP SET

- Oil Filter Wrenches are 93mm (36 flutes), 74mm (14 flats) and 76mm (30 flutes); Tools are 3/8" Drive
- Oil Filter Sockets are 24mm and 36mm Hex (6 flats); Tools are 3/8" Drive
- Carrying Case Included
- Set Covers Most 1988 2010 Ford Models

AHF2500

\$80.13





Save Clean Up And Labor Time

AST Custom Application Funnels Prevents The Mess That Normally Happens When Trying To Refill Vehicles That Have The Protective Cover Inside The Oil Head.they Are Made Of Durable Abs Plasticand Custom Seal Right On To The Head Cover.these Save Time And Mess!

AHOFAUD1000	Audi Vw Bmw Mercedes Oil Filler Funnel	\$68.35
AHOFGMRD08	Applicable to: Cadillac:CTS, Chevy: Cobalt, Silverado, Tahoe and Vans, GMC: Sierra, Pontiac: Grand Prix, Saturn: SL1, Ford: Explorer and F150	\$30.46
AHOFTOY1001	Toyota Oil Filler Funnel	\$68.35
AHOFTOY1038	Threaded Oil Filler Funnel For Toyota & Lexus	\$30.48
AHOFSU1042	Subaru Oil Filler Funnel	\$30.81



8 QT. DISPENSER WITH LID ANDCAP

 8 Quart Dispenser with a spout cap and lid to keep out dirt, dust and other contaminants. Many large SUVs and trucks now require more oil.

AL19702

\$22.46




2 PIECE THREE WAY FUNNEL

• Two Piece Three-way Funnel

AL19802

\$7.19





PL75070 2 Quart \$4.92 PL75072 6 Quart \$7.34





3/8" DRIVE 11 PIECE PIPE PLUG IMPACT SOCKET SET

 Set contains 4-Point Male sizes 3/16" to 3/8" and Female sizes 1/4" to 3/8". Male Sizes 3/16", 1/4", 9/32", 5/16", 11/32", 3/8". Female Sizes 1/4", 9/32", 5/16", 11/32", 3/8"

GY1211P

\$48.03



SHIPS BY TRUCK



AUTOMOTIVE OIL FILTER CRUSHER

- Cabinet surrounds the high pressure hydraulic hose for added safety
- Easy to operate, specially designed door channel prevents leakage
- Pump/Type: Air/Hydraulic, size Ht: 28.5", Dp 12.75
- Filter Limits Height: 7.5, diameter: 6"
- Requires filter regulator/lubricator (not included).

JDAFC-100-94

\$2,288,46





2 PIECE OIL FILTER SET

- 2-piece tool sets include 12" and 15.5" sizes
- Oil Filter Pliers Capacity 2-3/4"
 -4-1/4", and 2-1/2" 5-1/2"

CLOF-1

\$73.47





1/2" DRIVE 8 PC. PIPE PLUG SOCKET SET

- Set Contains 8 Pieces, 4 Point Male sizes 1/4" to 5/8".
- Male Sizes 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", and 5/8"

GY1308P

\$52.10



OIL CHANGE

Popular Oil Filter Wrenches













Υ



















Item #	Label	Style	Size	Flute	OEM	Brand Pr	ice
AH2124	Α	Cup	24mm	6 pt	BMW Ecotek	AST	\$21.67
AHTOY640	С	Cup	64mm	14	Toyota Lexus	AST	\$19.43
AHTOY730	D	Cup	73mm	14	Toyota Lexus	AST	\$19.80
AHMO219	Е	Cup	74mm	14	Toyota Mazda	AST	\$20.55
AHJA9015	F	Cup	90mm	15	Jaguar	AST	\$18.22
AHF7630	G	Cup	76mm	30	Ford	AST	\$17.19
AHF9336	Н	Cup	93mm	36	Ford New	AST	\$16.35
KD3941	1	Swivel	64-76mm	Friction Band	Universal	KD	\$18.75
KD3942	J	Swivel	73-83mm	Friction Band	Universal	KD	\$18.75
KD3943	K	Swivel	89-99mm	Friction Band	Universal	KD	\$19.87
KD3944	L	Swivel	96-111mm	Friction Band	Universal	KD	\$21.41
LS54200	М	Swivel	4.28-4.75"	Band	Universal	Lisle	\$13.21
LS54300	Ν	Swivel	5.25-5.75	Band	Truck	Lisle	\$13.69
KD2320	0	Ratchet	4.12-4.65	Band	Truck	KD	\$24.62
KD2321	P	Ratchet	4.65-5.15	Band	Truck	KD	\$24.62
KD2322	Q	Ratchet	5.15-5.65	Band	Truck	KD	\$24.62
OT6903	R	Cup	76.5mm	NA	Ford Mazda 2.3L	OTC	\$21.78
OT6904	S	Cup	88.2mm	NA	Hyundia 3.3 V6	OTC	\$21.78
OT6905	T	Cup	66.5mm	14	Suburu 2.5	OTC	\$21.78
OT6906	U	Cup	65mm	14	Toyota Avalon	OTC	\$21.78
OT6914	V	Wrench	232-234	NA	Davco	OTC	\$42.55
OT6915	W	Wrench	382/384	NA	Davco	OTC	\$52.92
KD2320W	0	Ratchet	4-1/8" to 4-21/32	XW Band	Truck	KD	\$30.75
KD2321W	0	Ratchet	4-21/32" to 5-5/32	XW Band	Truck	KD	\$30.75
KD2322W	0	Ratchet	5-5/32" to 5-21/32	XW Band	Truck	KD	\$30.75
ET988	Χ	Wrench	2.5-3.7	Stubby 3 Leg	Universal	Cal-Van	\$13.43
ET987	Υ	Wrench	2.5-4.75	3 Leg	Universal	Cal-Van	\$18.90
AHBM1276	Z	Cup	76mm	12	BMW	AST	\$18.29

Item #	Description
--------	-------------

Price

Tough, Stainless Steel Band with Permanently Bonded Textured Coating for Superior Gripping Power won't Slip. Swivel handle, with adjustable tension

Swivel Grip Oil FilterWrench 2.375" - 2.625" (60.3-66.7) LS57010 \$14.64 Swivel Grip Oil Filter Wrench 2.875" - 3.25" (73 - 82.5mm) LS57020 \$14.15 Swivel Grip Oil Filter Wrench 3.5" - 3.875" (88.9 - 98.4mm) LS57030 \$14.15 **LS57040** Swivel Grip Oil Filter Wrench 4.125" - 4.5" (104.7-114.3) \$15.10





END CAP OIL FILTER WRENCH SET

17 End Cap Filter Wrenches

- Includes the new end cap for Toyota canisters.
- Intermittent Sizes 65mm up to 100mm
- · Fits almost all vehicles on the USA market

LS54880



OIL CAP AND FUEL FILTER CUP WRENCH SET

Include: 65/67mm - 14 Flutes, 68mm - 14 Flutes, 74/76mm - 15 Flutes, 76mm - 14 Flutes, 76mm - 30 Flutes, 80mm - 15 Flutes, 86mm - 16 Flutes. 93mm -15 Flutes, 93mm - 36 Flutes, 100mm - 15 Flutes

LS54920





5 PIECE FILTER SOCKET SET · Contains very low profile, 6 point 24mm, 27mm, 29mm, 32mm and 35/36mm sockets for use on oil and fuel filter canisters when replacing the element.

LS13300

\$43.47



FILTER SOCKET SET

Can be used for a variety of filter housing applications. All sockets are 3/8" drive.

 Set includes:14500 35/36mm for Ford 6.0L Diesel Fuel and Oil Filter

Housings, Mini Cooper and some BMW Oil Filter Housings, and Mack Truck Oil Filter Housing, 14600 - 29mm (1-1/8") for Dodge Cummins Fuel Filter Housing, 14700 -32mm (1-1/4") for GM Ecotec, 2.0L, 2.2L and 2.4L, Four Cylinder Oil Filter Housing; Some Saturn & Saab

LS14650

\$29.76



24" CHAIN WRENCH

·Works on many different-shaped objects, such as square, round, hexagon, oval, etc. •Chain grips objects ranging from 6-24"

OT6969

\$99.63




OIL CHANGE AND TRAILER TESTERS



Load Binders

Each feature load limits of 5400 lbs, with proof tests of 10800 lbs, and breaking points of 19000 lbs



Item #	Size	Style	Sale
AG13050	3/8″	Ball and Socket	\$42.15
AG13070	3/8"	Turnbuckle	\$52.80



ONE QUART SPRAY BOTTLE

- · Industrial sprayer for use with light oils, solvents, and detergents.
- The durable polyethylene bottle is impervious to high and low temperatures.
- The trigger mechanism is resistant to damage caused by caustic materials.

AL19772



6.5" HEAVY DUTY STRAP FILTER WRENCH

· Use with 1/2" drive to remove or install filters and other objects up to 6-1/2" in diameter. 3-5/8" long yoke fits into tight areas.



NO hot oil on hands. NO touching of hot plug. NO dropping of plug in hot oil.

Remains attached to the tool so it won't drop into hot oil.

OT5911



Eliminates the need to take the vehicle to the dealer or use an OEM scan tool to reset oil service lights.

 Electronic tool set includes the adapters and interface module required to reset the oil service lights on Volkswagen, Audi, Mercedes Benz, BMW, and Volvo.

OT3596H

\$432.65

™ TOOL AID

DRUM FAUCET

- Drum faucet is 3/4" NPT male
- · Auto self closing

TA17650

OIL ABSORBANT CLEAN UP PADS

- 15 1/2" by 20 1/2" -100 per case · Designed to absorb most non
- aggressive fluids. · Use primarily for oil clean-up.

MM07164

GEARWRENCH

7 PIECE OIL PAN GEARWRENCH PLUG REMOVAL SET

GearWrench technology makes oil change an easier job! This set contains all the popular SAE/Metric sizes to remove oil plug bolts

Includes color coded plug sockets

KD3870

NEW!

\$19.34

\$126.54



Factory Drop Ship

ONE MAN TRAILOR SAFETY TESTING EQUIPMENT

The Super MUTT® places a load on the trailer's electrical circuits to identify wiring problems while providing remote control operatio over both Air Brakes and Lights.

- · Air Brakes: Perform leak down test on service and emergency lines
- Observe slacker adjustment in real time
- · Electrical Tests: Pulsar® mode, cross, open, overloaded and shorted circuit indication
- Amperage readout; audible and visible alerts 7-way cable testing

The Deluxe model adds functionality and accessories such as a steel face shield, mute bypass switch, and internal regulator.

Item #	Type	Sale
IP9008-SE	Deluxe Super MUTT®	\$2,310.88
IP9008-DL	Deluxe Super MUTT® with DL accessory	\$2,600.47



TRUCK AND TRAILER CONNECTOR **CLEANER MASTER SET**

- For use on 4, 5, 6, 7 (spade), and 7 (round) truck and trailer male and female terminals
- · Includes: (6) Terminal Cleaners, (6) 8mm Swabs, (12) 5mm Swabs and (1) tube of DeoxIT® electrical contact cleaner/enhancer.

IP8044

\$98.59



TRAILER PLUG CLEANER

The 7-Pin Tractor Trailer Plug Cleaner has fittings for both male and female connections

- No more wiggling for a good connection
- Made of strong ABS plastic and steel brushes Cleans tractor or trailer lighting receptacles
- Cleans dirt, grease and phosphate debris off
- old and dirty terminala

IP7867



Trailor

- · Extends harness life and eliminates guesswork
- **Great Preventative Maintenance Tool**
- **Promotes Safety & Limits Road Hazards**

7-WAY ROUND **PIN TERMINAL CLEANER**



and resizing 7-way Round Pin Tractor/Trailer

• For Use On 7-way Round Pin Terminals

IP8024

Extends Battery Life By Restoring Connections

7 SPADE PIN MAINTENANCE KIT

For Medium Duty Truck, SUV

IP8028



\$45.63

7 ROUND PIN TOWING MAINTENANCE KIT

Test, Clean & Restore Tractor/Trailer Connections

- For Use On 7-way Round Pin Terminals
- Test ligths and ABS signal from Tractor. Rejuvenate & Enhance Contact Points
- Tester Features Emergency Bypass jumpers

IP8029

\$58.11





6 ROUND PIN MAINTENANCE KIT

· For Light & Medium Duty Truck,

IP8027

\$34.22



4/5 PIN MAINTENANCE KIT

· For Light Duty Car, Truck and Trailor

IP8026

\$33.19



SHOP AND ROAD LIFTING EQUIPMENT



JACK AND STANDS

- · Lifts Two Tons and Weighs only 43 lbs.!
- Five pumps to max. height 18".
 Low profit le 3-1/2" makes it perfect for ground hugging, high performance cars.
- Stands 10-1/4" min. height, 15-1/4" max. height.
- Made from aircraft-grade aluminum.

2 TON ALUMINUM RACING JACK

- · Dual pump pistons just five pumps gets you to maximum height of over 18 inches.
- Low profile 3-1/2 inches, aircraft-grade billet aluminum
- Two-piece, 45" long handle, Removable, rubber saddle pad

OT1532

\$415.32





2 TON HEAVY DUTY SERVICE JACK

The strongest jack frame in its class; features flanged edges, both top and bottom, to resist

- 3-3/4" retracted height, 30" long chassis, and 48" handle
- 3-3/4" to 22-3/4" lifting range; 6" saddle dia.; 27" overall reach; 6-1/2" frame height.
- Conforms to ANSI PALD Part 10.

OT1525

\$571.12



3.5 TON JACK AND STAND PROMOTION

- 3-1/2 Ton Service Jack with 6-Ton Jack Stands 3-1/2 Ton Service Jack One pump to load, three pumps to full height unloaded.
- Extra wide lift range from 4" to 21"
- Jack stand base: 11-7/16" x 10"; height range: 15-3/4" to 24".

OT1536



2-1/2 TON SERVICE JACK

• 40" Long, 20-1/2" high height, 6" low height

OT1503A



3-1/2 TON QUICK LIFT FLOOR JACK

- One pump to load, three pumps to full height unloaded.
- Extra wide lift range from 4" to 21

OT1526



3 TON FLOOR JACK AND STANDS PROMO

· Low 5", Ht. 20", Len 40", wt 80.5 lb.

OT1500A

\$238.79

2 TON LOW PROFILE SERVICE JACK

- Universal joint technology and precision release valve
- · Low 2-3/4" to 20"

IN200T

\$305.07



3-1/2 TON FLOOR JACK

- Lifts from 4" to 19 1/2"
- Universal joint technology for precise release valve control
- One-piece 50 1/4" padded handle parks upright

IN350GT

\$402.97



3 TON QUICK LIFT 2 **PLUNGER DOUBLE PUMP**

• Dual piston for quicker lifting action





SERVICE FLOOR JACK IN CASE

· 2 ton service jack IN3222C

\$86.53

2-TON SUPER LOW **PROFILE SERVICE JACK**

Features twin pump design - only 5-1/2 pumps to max height (unloaded)!

- · Low height of just 2-3/4" makes it ideal for use
- on ground-hugging, high performance cars.
 Lifting range of 2-3/4" to 19-5/8". Saddle 4" dia.

OT1552

\$259.57





2 TON LOW LIFT SERVICE JACK

- · Low 2 5/8"-To High Height 19 5/8"
- Foot Pedal Provides Quick No Load Lift
- Thick Foam Handle Pad

SU6613A



2 TON HD ALUMINUM RACING JACK

- · Low height of 3-1/2" and high height of 19"
- Qucik Lift System, 5 strokes to high height with no-load Dual return springs
- Rubber saddle pad and foam bumper pad protects vehicle

SU6602ASJ

HEW!



GARAGE SERVICE AND **JACK STAND VALUE PACK**

- 3 Ton Capacity Floor Service Jack with Jack
- Jack features ow Height 4.5", High Height 19.5"
- Includes 3 Ton Jack Stands

SU6603JPK



3 1/2 TON MAGIC QUICK LIFT SERVICE JACK

- Low profile design allows for easy access to lift points
- · Wide stance and low center of gravity provide optimum stability under load stress
- Heavy gauge rolled side frames resist twisting
- A built-in by-pass device protects hydraulic system from over pumping damage
- Min height 4", Max 21.375"

OM27035

\$328.06



3 TON QUICK LIFT SERVICE FLOOR JACK

· 27 1/2" long, 85 lbs.

OM25030





SHOP LIFTING EQUIPMENT

Blackhawk Automotive

PROMO OFFER



22 TON AIR/HYDRAULIC TRUCK JACK

Compact low profile design for maximum access.

- · Quick rated capacity lift using air actuated operation
- User friendly, self-returning spring minimizes operator's effort, greatly reducing fatigue
- Inline air filter traps contaminates and protects air motor for longer life
- · Sturdy, one-piece T-handle with handle-top metered control release valve Low height 9.75, high height 21.75 Handle length 48.75

FREE Pair of 22 Ton Jack Stands

BH6221

\$824.77



22 TON AXLE JACK

- Heavy-duty steel saddle lifts from 4.75" to 23"" (with longest extension included)
- Compact head design with self-retracting ram
- · Ram extension kit included with .75", 2.75" and 4" extensions in convenient handle-mounted holder

IN565E

\$884.19





27.5 TON UNDER AXLE HYDRAULIC JACK

- Minimum retracted height (with saddle): 8-1/4"
- Maximum lifting height (with screw extended & large adapter): 21-3/8"

OT5092

\$2,141.77



- · Self-retracting, spring return feature.
- Lifting range: Screw extended: 8" min./17" max. height with adapter Screw retracted: 8" min./12-1/2" max. height
- Cylinder stroke, 4-3/4", extended screw length, 5"; PSI range, 90-145.

OT1788A





22 TON AXLE JACK AIR/HYDRAULIC

• Min ht. 9 1/2", max ht. 19 1/2"

OM23221

\$721.26

Blackhawk Automotive

3.5 TON FAST LIFT SERVICE JACK

- Saddle 3.375"; min height 5.5, max height " 22" Swivel saddle provides easy jack positioning and user safety
- Bypass device prevents over pumping
- · Built-in internal safety valve ensures safe operation

BHB6350



2 TON MAGIC LIFT ALUMINUM JACK

- · 3-3/4" low pickup height, and 18-1/2? high for complete access to performance vehicles
- Innovative design of Magic Lift, offers a quick lift for professional performance
- · 48 inch aluminum handle for strength when
- A built-in by-pass device protects hydraulic system from over pumping damage
 Side frame handles allow for easy lifting and
- carrying, only 45lbs

BH6022



2 1/4 TON SERVICE JACK

Ideal for use in body shop applications, who loading vehicles onto frame straightening equipment. Long 47" handle

- Two 3-1/2" steel wheels in front and two 2-1/4" steel rear casters
- Foot pedal equipped for fast saddle to lifting point. Super 5.75"- 32" high lift

IN2110A



EASY ROLLER VEHICLE MOVER

- 1500lb capacity per unit. Hydraulic lift mechanism with locking pin
- Fits tread with up to 12°

UNITES

OT1580

\$197.25



GO-JACK FASTER CASTER SYSTEM

- Works by ratchetingLifts 12500 lbs. (5,000 lbs for 4 units)
- · Works on wheels from 13" to 16" diameter

UN605000

\$231.87

HEIN-WERNER AUTOMOTIVE.

4 TON USA SERVICE JACK

- Dual piston action provides speed to contact and power to lift
- Extra long chassis for hard to reach points
- Height range 5" 25.75"

HW93657

HEIN-WERNER AUTOMOTIVE

Ships By Truck

\$1,912.15

Ships By Truck

3 TON USA FLOOR JACK

- · Features a safety valve to prevent overloading and the hydraulic unit is fully repairable and replaceable.
- · Saddle height low 4", saddle height raised - 23"

HW93652

\$645.75

Ships By Truck

HEIN-WERNER AUTOMOTIVE

2 TON FLOOR JACK

- True Blue Made in USA
- · Low height 3.75" high height 20"
- · Single piece handle, flanged side plates for increased strength

HW93642

\$443.32



3 BAG RAK JACK

- Two ton air jack Quick and easy to use, completely mobile.
- Adjustable top swivels 360 degree's, low Height: 6.8", Full Extension: 18"

UNTBT2

\$771.08

DOUBLE BAG RAK JACK

- · Two ton air jack Quick and easy to use
- Relaxed Height: 5.75" Full Extension: 13.75"

UNDBT2

\$586.90



TOW TRUCK WHEEL LOADER AND DOLLIE

Aids to move vehicles with wheel/axle damage. Easily Load Vehicles with Damaged Wheels to

- · Use for vehicles with broken ball joints, lost wheels, locked wheels or brakes, collision
- damage, and control arm failures Made of lightweight aluminum and
- polypropylene SM71480

\$396.70



SHOP LIFTING EQUIPMENT



Innovative design of Magic Lift offers a fast lift for professional performance

• Rack bar quickly raises to desired support

Counter-weighted pawl locks racket bar securely in place

Item #	Ton	Low	High	Sale Price
OM32066	6	15.75	24.375	\$111.82
OM32126	12	19.75	30.25	\$198.31



- 10-1/4" min, 15-1/4" max. height.
- The pair weighs only 11 lbs.!
- · Made from aircraft-grade aluminum.

OT1582

\$118.34



20 Ton Heavy Duty Truck Ramps Long With 33" Retractable T-handle For Better Of Mobility

IN3530

O 30 11"

18.55

Ships By Truck



10" Tread width length: 51"; Height 9.25" OT5268 \$830.71

16" Tread width, overall length 51"

OT5269 \$942

OIC

Ships By Truck

10 TON AIR HYDRAULIC SERVICE JACK

 Specifications: Lifting range 6-3/8" to 22", Saddle dia. 7-3/8" Overall reach 90", Frame height 12-3/4", Handle length 42"

OT1511A

\$2200.23





10 TON FLOOR JACK

- Capacity-22,000 lbs. Min.-6 1/4". Max.-22 1/8"
- Long 61" body for lifting of vehicles w.long overhangs
- Extra-wide stance for additional stability
 Foot-operated pump provides quick, efficient movement of the saddle to the load

IN3130

\$1,402.22

5 TON SERVICE JACK


- · Capacity-10,000 lbs. Min.-6 1/4. Max.-22 1/8
- · Long 56" body

IN3120

\$1,013.52

Bottle Jacks and Stands HEIN-WERNER AUTOMOTIVE G H I J K L





No Ram Screw

AFF

\$255.04

Manual

Item #		Ton	Low	High	Style	Sold As:	Brand	Sale
OT1733A	Α	3	12.5″	18.5″	Ratcheting	Pair	OTC	\$155.73
OT1736A	В	6	15.5"	24.5"	Ratcheting	Pair	OTC	\$207.63
IN3303	С	3	11.8"	18.55"	Ratcheting	Pair	AFF	\$45.71
IN3306	D	6	15.55"	24.12"	Ratcheting	Pair	AFF	\$81.98
IN3312	E	12`	19.25	31"	Ratcheting	Pair	AFF	\$194.11
OT1780	F	22	13.87"	19.87"	Pin	Pair	OTC	\$205.16
IN3314	G	20	12"	20	Pin	Single	AFF	\$205.16
IN3310A	Н	10	28"	47	Pin	Single	AFF	\$193.98
HW93503	1	3	12"	19″	Ratcheting	Pair	Hein Werner	\$106.97
HW93506	J	6	16.37"	25.37"	Ratcheting	Pair	Hein Werner	\$156.23
HW93511	K	10	30"	52	Pin (2 pos)	Pair	Hein Werner	\$912.68
HW93512	L	10	19.5"	31.5"	Pin	Pair	Hein Werner	\$675.06
IN3315A	М	2	47.88"	85.38"	Tripod/Screw	Single	AFF	\$142.00
IN3320A	N	3/4T	55.25"	81.5"	Pole	Single	AFF	\$142.02
OT2015A	0	3/4T	54.25"	81.5"	Pole	Single	OTC	\$150.15
OT2018A	P	3	58.88"	91.55″	Tripod/ Screw	Single	OTC	\$177.96